

<u>Product Catalog for Electronic Specialty Markets</u> > <u>3M™ Wire Connectors</u> > <u>3M™ Insulation</u> <u>Displacement Connectors and Tools</u> > <u>3M™ IDC Crimping Tools</u> >

### 3M<sup>™</sup> Scotchlok<sup>™</sup> Hand Crimping Tool E-9E



The E-9E Crimping Tool is a parallel closing action tool for use with 3M<sup>™</sup> Scotchlok<sup>™</sup> Butt and Tap Connectors. This tool can be applied to UAL, UG, UR2, UY2, and UB2 connectors.

[click to enlarge] GTIN(UPC/EAN) : 0 00 54007 10577 0 3M Id : 80-6100-6452-1


CharacteristicsChina RoHS - Below MCVNot applicableEU RoHS CompliantNon-applicable

### 3M<sup>™</sup> Scotchlok<sup>™</sup> Hand Crimping Tool E-9E Packaging

| 3M Id:                  | 80-6100-6452-1 |
|-------------------------|----------------|
| Minimum Order Quantity: | 10.0 EACH      |
| Case Quantity:          | 10.0 EACH      |

|              | English    | Metric    |  |  |  |
|--------------|------------|-----------|--|--|--|
| Length       | 11.4 INCH  | 0.290 MTR |  |  |  |
| Width        | 6.4 INCH   | 0.163 MTR |  |  |  |
| Height       | 7.3 INCH   | 0.185 MTR |  |  |  |
| Gross Weight | 5.7000 LBS | 2.5855 KG |  |  |  |

# 3M Scotchlok™ E-9C, E-9BM, E-9E and E-9Y Crimping Tools



# Scotchlok tools make the easiest connections

To complement its line of efficient, reliable 3M Scotchlok™ Connectors, 3M Scotchlok™ Crimping Tools fit comfortably in hand. All Scotchlok tools are engineered to provide high mechanical advantage resulting in less operator fatigue. Each tool is designed to meet specific craftsperson needs.

#### The E-9C tool . . . fast, efficient butt splicing

With its automatic cartridge feed (7-to-1 mechanical advantage and ratchet action), the E-9C tool allows the craftsperson to complete a crimp with one hand, freeing the other hand for wire handling. One squeeze of the handle crimps the connector and ejects it, automatically advancing another connector into the crimping position. The ten-, twelve- or sixteen-connector cartridge is easily inserted into the E-9C tool. Designed for use with every butt type Scotchlok connector, the E-9C tool brings fast, efficient splicing to aerial, pedestal, underground, and direct buried applications.

# The E-9BM tool . . . for universal connector crimping

This heavy-duty tool is capable of crimping all Scotchlok connectors. With its parallel closing action and adjustable jaws, the E-9BM crimping tool features a 10-to-1 mechanical advantage which allows it to handle all wire gauges.

## The E-9E . . . a lightweight tool heavy on performance

Acompletely parallel closing action and a 4-to-1 mechanical advantage make the E-9E crimping tool one of the most versatile additions to a craftsperson's pouch. With these features, the E-9E tool will crimp all Scotchlok butt and tap connectors, and also handle all wire gauges.

#### The E-9Y . . . for two conductor splicing

The E-9YTool has stepped jaws and a long nose which provide parallel crimping action. Use this tool for two conductor splicing on conductors less than 19 gauge.

### 3M<sup>™</sup> Scotchlok<sup>™</sup> E-9C, E-9BM, E-9E, E-9Y Tools

| Froduct specifications                        |                |                |                        |                        |                        |                  |                        |                        |                        |  |                               |                         |                 |
|---|----------------|----------------|------------------------|------------------------|------------------------|------------------|------------------------|------------------------|------------------------|--|-------------------------------|-------------------------|-----------------|
| Scotchlok<br>Connector                        | UP2            | UY2*<br>UY2-D  | UAL                    | UP3                    | UR2<br>UR2-D           | UB2-A<br>UB2A-D  | UDW                    | U1B                    | U1R                    | U1Y                                    | UCC<br>& UPC                  | UPB                     | ULG             |
| Tool Application<br>(Mechanical<br>Advantage) | 2 Wire<br>Butt | 2 Wire<br>Butt | 2 or 3<br>Wire<br>Butt | 2 or 3<br>Wire<br>Butt | 2 or 3<br>Wire<br>Butt | 2 Wire<br>Bridge | Full<br>Pair<br>Inline | Full<br>Pair<br>Inline | Full<br>Pair<br>Inline | Bridging<br>Inline &<br>4 Wire<br>Butt | 2 Wire<br>Clearing<br>Capping | 2 Wire<br>Dry<br>Bridge | Maint.<br>Conn. |
| E-9BM (10:1)                                  | All            | All            | All                    | All                    | All                    | All              | All                    | All                    | All                    | All                                    | All                           | All                     | All             |
| E-9C/E-9CW (7:1)                              | All            | All            | All                    | All                    | All                    | N/A              | N/A                    | N/A                    | N/A                    | N/A                                    | All                           | N/A                     | N/A             |
| E-9E (4:1)                                    | All            | All            | All                    | All                    | All                    | All              | N/A                    | N/A                    | N/A                    | N/A                                    | All                           | All                     | All             |
| E-9Y(3:1)                                     | All            | All*           | 2 Wire*                | 2 Wire*                | 2 Wire*                | All*             | N/A                    | N/A                    | N/A                    | N/A                                    | All                           | All                     | All*            |

#### Product Specifications

\*Not recommended for .9 or 19 gauge, due to fatigue factor.





### **Ordering Information**

To order, specify the correct product number from the chart below. For more information, please contact your authorized 3M distributor or a 3M Telecom Systems Division sales representative at 800/426 8688.

| Product # | Description                           | Packing       | Shipping<br>Unit |
|-----------|---------------------------------------|---------------|------------------|
| E-9C      | Cartridge Tool with<br>Case and Gauge | 1/cs.         | 1 each           |
| E-9BM     | Crimping Tool                         | 1/bag, 10/cs. | 10 each          |
| E-9E      | Crimping Tool                         | 1/bag, 10/cs. | 1 each           |
| E-9Y      | Crimping Tool                         | 1 box, 10/cs. | 1 each           |

#### **Important Notice**

All statements, technical information, and recommendations related to Seller's products are based on information believed to be reliable, but the accuracy or completeness thereof is not guaranteed. Before utilizing the product, the user should determine the suitability of the product for its intended use. The user assumes all risks and liability whatsoever in connection with such use.

Any statements or recommendations of the Seller which are not contained in the Seller's current publications shall have no force or effect unless contained in an agreement signed by an authorized officer of Seller. The statements contained herein are made in lieu



of all warranties, expressed or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose which warranties are hereby expressly disclaimed.

SELLER SHALL NOT BE LIABLE TO THE USER OR ANY OTHER PERSON UNDER ANY LEGAL THEORY, INCLUDING BUT NOT LIMITED TO NEGLIGENCE OR STRICT LIABILITY, FOR ANY INJURY OR FOR ANY DIRECT, INDIRECT, INCIDENTAI OR CONSEQUENTIAL DAMAGES SUSTAINED OR INCURRED BY REASON OF THE USE OF ANY OF THE SELLER'S PRODUCTS.

Litho in USA.