# XTRA•GUARD® 4 EXTRA-PROTECTION, HIGH/LOW TEMPERATURE TPE JACKET


## NOW CSA AWM I A/B II A/B FT1 CERTIFIED!

Specify XTRA•GUARD® 4 for unmatched cable performance in both high and low temperature cable applications from -60°C to 125°C. XTRA•GUARD® 4 has outstanding resistance to oils, fuels, solvents, water, low HCL content for safety and passes the 210,000<sup>++</sup> BTU Flame Test. XTRA•GUARD® 4 features fully color-coded TPE (Thermoplastic Elastomer) insulated conductors and a TPE jacket in both 300 Volt and 600 Volt UL cable styles.

XTRA•GUARD® 4 is CSA Certified and UL Rated Type TC 600 Volt and Type PLTC 300 Volt for cable tray applications and is Pennsylvania Bureau Deep Mine Safety Approved (P-MWMS-1-85) for mine-wide monitoring systems.

## **APPLICATIONS**

- Wood, Paper, Pulp, Plant Operations
- Mining Instruments and Controls
- Mass Transit Systems
- Military Electronic Applications
- Food and Beverage Plants
- Petrochemical Process Controls
- Arctic Pipeline Controls



TUBING RECOMMENDATION
TO-600 – Highly Flexible, Irradiated Elastomer (See Page 131 for Product Specifications)
To-400 – Temperature/Chemical Resistant FEP Teflon®
(See Page 129 for Product Specifications)



Teflon® is a registered trademark of E.I. DuPont Co.





# XTRA•GUARD® 4

## MULTIPAIR, SUPRASHIELD®

## EXTRA-PROTECTION, HIGH/LOW TEMPERATURE TPE JACKET

UL TYPE PLTC
UL AWM STYLE 20237
CSA AWM I A/B II A/B FT1
RoHS COMPLIANT
300 VOLT

### CHOOSE XTRA-GUARD 4 For:

- Three Times the Low-Temperature Flexibility of Conventional PVC
- Unmatched Performance at Temperatures from -40°C to 125°C
- Resistance to Oils, Fuels, Solvents and Water
- UL Recognition, UL Listing and CSA Certification
- Unmatched Flame Resistant Insulation and Jacket
- Ultraviolet Light Stability (jacket color black)
- SUPRASHIELD Twice as Effective as Foil Shielding

## **XTRA-GUARD 4 Applications:**

- Wood, Paper, Pulp, Plant Operations
- Mining Instruments and Controls
- Mass Transit Systems
- Food and Beverage Plants
- Petrochemical Process Controls
- Arctic Pipeline Controls

## **CHARACTERISTICS**

#### **OPERATING TEMPERATURE:**

■ -40°C to 125°C

#### **VOLTAGE RATING:**

■ 300 Volt

#### **COLOR DESCRIPTION:**

- Color Code: Chart B Page 374
- Jacket Colors: Yellow, Örange, Blue, Green, Red, Black, White and Gray

#### **PRODUCT DESCRIPTION:**

- Conductor: Stranded Tinned Copper
- Insulation: Color-Coded Thermoplastic Elastomer
- SUPRASHIELD: Aluminum/Polyester/Aluminum Foil with Stranded Tinned Copper Drain Wire Equal in Size to Insulated Conductors of Cable plus 70% Overall Braid of Tinned Copper
- Nylon Rip Cord for Ease of Jacket Stripping
- Jacket: Thermoplastic Elastomer

## **SPECIFICATIONS**

- UL AWM Style 20237
- UL Type PLTC
- CSA AWM I A/B II A/B FT1
- Passes 210,000 BTU Flame Test
- Pennsylvania Bureau of Deep Mine Safety Approved P-MWMS-1-85
- RoHS Compliant










## **AVAILABILITY**

- ▲ In Stock: 500 ft (152m) and 1000 ft (305m) put-ups, check for jacket color availability
- Made-To-Order: All available jacket colors, 1,000 ft (305m) minimum

Teflon® is a registered trademark of E.I. DuPont Co.





**24 AWG** (0,23mm<sup>2</sup>), **7/32** (7x0,20mm), Insulation Thickness: **0.016**" (0,41mm)

XTRA•GUARD 4 Part No.	No. of Pairs	Jacket Th Inches	ickness mm	Nominal I Inches	Diameter mm
45271	1	0.042	1,07	0.227	5,77
<b>▲</b> 45272	2	0.042	1,07	0.299	7,59
45273	3	0.042	1,07	0.313	7,95
45274	4	0.042	1,07	0.337	8,56
45275	5	0.042	1,07	0.364	9,25
45276	6	0.042	1,07	0.392	9,96
45279	9	0.042	1,07	0.449	11,40
45279/11	11	0.042	1,07	0.482	12,24
45279/15	15	0.042	1,07	0.537	13,64
45279/19	19	0.053	1,35	0.597	15,16

24 AWG - UL AWM STYLE 20237, CSA AWM I A/B II A/B FT1 ONLY

22 AWG (0,35mm²), 7/30 (7x0,25mm), Insulation Thickness: 0.016" (0,41mm)

XTRA•GUARD 4 Part No.	No. of	Jacket Th	ickness	Nominal I	Diameter
	Pairs	Inches	mm	Inches	mm
<b>▲</b> 45121	1	0.045	1,14	0.245	6,22
▲ 45122	2	0.045	1,14	0.324	8,23
▲ 45123	3	0.045	1,14	0.340	8,64
45124	4	0.045	1,14	0.367	9,32
▲ 45125	5	0.055	1,40	0.417	10.59
45126	6	0.055	1,40	0.448	11,38
45129	9	0.055	1,40	0.511	12,98
45129/11	11	0.055	1,40	0.548	13,92
45129/15	15	0.065	1,65	0.628	15,95
45129/19	19	0.065	1,65	0.676	1 <i>7</i> ,1 <i>7</i>

#### **FIT**® TUBING RECOMMENDATION

**FIT -600** − Highly Flexible, Irradiated Elastomer (See Page 131 for Product Specifications)

**FIT**<sub>®</sub> **-400** − Temperature/Chemical Resistant FEP Teflon<sup>®</sup> (See Page 129 for Product Specifications)

# TECHNICAL DATA

## **COLOR CODE CHARTS**

## **MULTIPAIR CABLES**

CHART A			
Pair Color No. Combination	Pair Color No. Combination	Pair Color No. Combination	Pair Color No. Combination
1 — Black paired with Red 2 — Black paired with White 3 — Black paired with Green 4 — Black paired with Blue 5 — Black paired with Brown 6 — Black paired with Yellow 7 — Black paired with Orange 8 — Red paired with Green 9 — Red paired with White 10 — Red paired with Blue 11 — Red paired with Yellow 12 — Red paired with Brown 13 — Red paired with Orange	14 — Green paired with Blue 15 — Green paired with White 16 — Green paired with Brown 17 — Green paired with Orange 18 — Green paired with Yellow 19 — White paired with Blue 20 — White paired with Brown 21 — White paired with Orange 22 — White paired with Yellow 23 — Blue paired with Brown 24 — Blue paired with Orange 25 — Blue paired with Yellow 26 — Brown paired with Orange	27 – Brown paired with Yellow 28 – Purple paired with Red 29 – Purple paired with White 30 – Purple paired with Green 31 – Purple paired with Blue 32 – Purple paired with Brown 33 – Purple paired with Yellow 34 – Purple paired with Yellow 35 – Purple paired with Orange 35 – Purple paired with Black 37 – Slate paired with Red 38 – Slate paired with White 39 – Slate paired with Green	40 — Slate paired with Blue 41 — Slate paired with Brown 42 — Slate paired with Yellow 43 — Slate paired with Orange 44 — Slate paired with Black 45 — White/Black paired with Green 47 — White/Black paired with Blue 48 — White/Black paired with Brown 49 — White/Black paired with Yellow 50 — White/Black paired with Orange 51 — White/Black paired with Purple

CHART B			
Pair Color No. Combination	Pair Color No. Combination	Pair Color No. Combination	Pair Color No. Combination
1 — White paired with Black 2 — White paired with Brown 3 — White paired with Red 4 — White paired with Orange 5 — White paired with Orange 6 — White paired with Green 7 — White paired with Blue 8 — White paired with Blue 8 — White paired with Wiolet 9 — White paired with Brown 11 — Black paired with Brown 11 — Black paired with Brown 12 — Black paired with Orange 13 — Black paired with Orange 13 — Black paired with Green 15 — Black paired with Blue 16 — Black paired with Blue 16 — Black paired with Gray 18 — Brown paired with Red 19 — Brown paired with Red 19 — Brown paired with Orange 20 — Brown paired with Green 21 — Brown paired with Green 22 — Brown paired with Green 23 — Brown paired with Green 24 — Brown paired with Gray 25 — Red paired with Orange 26 — Red paired with Orange	27 — Red paired with Green 28 — Red paired with Blue 29 — Red paired with Violet 30 — Red paired with Violet 30 — Red paired with Gray 31 — Orange paired with Yellow 32 — Orange paired with Green 33 — Orange paired with Blue 34 — Orange paired with Violet 35 — Orange paired with Gray 36 — Yellow paired with Green 37 — Yellow paired with Green 38 — Yellow paired with Violet 39 — Yellow paired with Wiolet 39 — Yellow paired with Blue 41 — Green paired with Blue 42 — Green paired with Gray 43 — Blue paired with Gray 43 — Blue paired with Gray 44 — Blue paired with Gray 45 — Violet paired with Gray 46 — White/Black paired with Black 47 — White/Black paired with Brown 48 — White/Black paired with Red 49 — White/Black paired with Orange 50 — White/Black paired with Green 51 — White/Black paired with Green 52 — White/Black paired with Blue	53 — White/Black paired with Violet 54 — White/Black paired with Gray 55 — White/Brown paired with Black 56 — White/Brown paired with Brown 57 — White/Brown paired with Red 58 — White/Brown paired with Orange 59 — White/Brown paired with Yellow 60 — White/Brown paired with Slue 61 — White/Brown paired with Blue 62 — White/Brown paired with Gray 64 — White/Brown paired with Gray 64 — White/Red paired with Brown 66 — White/Red paired with Brown 66 — White/Red paired with Orange 68 — White/Red paired with Orange 68 — White/Red paired with Gray 70 — White/Red paired with Green 70 — White/Red paired with Green 70 — White/Red paired with Gray 71 — White/Red paired with Gray 72 — White/Orange paired with Black 74 — White/Orange paired with Brown 75 — White/Orange paired with Red 76 — White/Orange paired with Red 76 — White/Orange paired with Orange 77 — White/Orange paired with Yellow	78 — White/Orange paired with Green 79 — White/Orange paired with Blue 80 — White/Orange paired with Violet 81 — White/Orange paired with Gray 82 — White/Yellow paired with Black 83 — White/Yellow paired with Brown 84 — White/Yellow paired with Red 85 — White/Yellow paired with Orange 86 — White/Yellow paired with Green 88 — White/Yellow paired with Green 88 — White/Yellow paired with Green 89 — White/Yellow paired with Gray 91 — White/Green paired with Blue 90 — White/Green paired with Brown 91 — White/Green paired with Brown 93 — White/Green paired with Rod 94 — White/Green paired with Green 95 — White/Green paired with Green 97 — White/Green paired with Green 97 — White/Green paired with Green 97 — White/Green paired with Green 98 — White/Green paired with Gray 100 — White/Green paired with Blue 99 — White/Green paired with Blue 99 — White/Green paired with Blue 99 — White/Green paired with Blue

26 – Red paired with Yellow	52 – White/Black paired with Blue		
CHART C			
Pair Color No. Combination	Pair Color No. Combination	Pair Color No. Combination	Pair Color No. Combination
1 — Blue paired with White 2 — Orange paired with White 3 — Green paired with White 4 — Brown paired with White 5 — Slate paired with White 6 — Blue/White paired with White 7 — Blue/Orange paired with White 8 — Blue/Green paired with White 9 — Blue/Brown paired with White 10 — Blue/Slate paired with White 11 — Orange/White paired with White 12 — Orange/Green paired with White 13 — Orange/Brown paired with White	14 — Orange/Slate paired with White 15 — Green/White paired with White 16 — Green/Brown paired with White 17 — Green/Slate paired with White 18 — Brown/White paired with White 19 — Brown/Slate paired with White 20 — Slate/White paired with White 21 — Blue paired with Red 22 — Orange paired with Red 23 — Green paired with Red 24 — Brown paired with Red 25 — Slate paired with Red 26 — Blue/White paired with Red	27 — Blue/Orange paired with Red 28 — Blue/Green paired with Red 29 — Blue/Brown paired with Red 30 — BLue/Slate paired with Red 31 — Orange/White paired with Red 32 — Orange/Green paired with Red 33 — Orange/Brown paired with Red 34 — Orange/Slate paired with Red 35 — Green/White paired with Red 36 — Green/Brown paired with Red 37 — Green/Slate paired with Red 38 — Brown/White paired with Red 39 — Brown/Slate paired with Red	40 — Slate/White paired with Red 41 — Blue paired with Black 42 — Orange paired with Black 43 — Green paired with Black 44 — Brown paired with Black 45 — Slate paired with Black 46 — Blue/White paired with Black 47 — Blue/Orange paired with Black 48 — Blue/Green paired with Black 49 — Blue/Brown paired with Black 50 — Blue/Slate paired with Black 51 — Orange/White paired with Black

