



# Soldering Iron Tips

#### Our Paragon® Soldering Iron Tips Outlast Oridinary Tips Many Times Over.

A selection of Paragon® Soldering Iron Tips are available for all American Beauty® Irons! Available in a variety of sizes and shapes (Chisel, Conical, Diamond, Screwdriver, etc.) that fit American Beauty® Soldering Irons, as well as soldering irons from other manufacturers that accept plug-type tips.

#### Paragon®Tips define quality because of their:

- Solid Copper Core
- Iron Cladding
- Nickel Plating
- Chrome Coating
- Pre-Tinned Tip
- Plug-Type



Paragon Soldering Iron Tips Model 501

#### **Specifications:**

- Chisel Style
- Tip Diameter 1/8"(3.18mm)

- Shank Diameter 1/8" (3.18mm)
- Length 2 1/4" (57.15mm)

## Used with the following tool:

• 3108 - Little Dandy Pencil-Style Soldering Iron



# **Paragon Soldering Iron Tips** Model 502

## Specifications:

- Chisel Style, Long TaperTip Diameter 1/8" (3.18mm)
- Shank Diameter 1/8" (3.18mm)
- Length 2 1/4" (57.15mm)

## Used with the following tool:

• 3108 - Little Dandy Pencil-Style Soldering Iron

- Shank Diameter 7/8" (22.23mm)
- Length 5 5/32" (130.90mm)

# Used with the following tool:

• 3178 - Heavy-Duty Soldering Iron



# Paragon Soldering Iron Tips Model 45D

## Specifications:

- Diamond Style
- Shank Diameter 7/8" (22.23mm)
- Length 5 5/32" (130.90mm)

# Used with the following tool:

• 3178 - Heavy-Duty Soldering Iron



# **Paragon Soldering**

#### **Iron Tips** Model 46C

#### **Specifications:**

- · Chisel Style
- Tip Diameter 1 1/8" (28.58mm)
- Shank Diameter 1 1/8" (28.58mm)
- Length 5 7/8" (149.23mm)

#### Used with the following tool:

• 3198 - Heavy-Duty Soldering Iron



# **Paragon Soldering Iron Tips** Model 46D

## Specifications:

- Diamond Style
- Shank Diameter 1 1/8" (28.58mm)
- Length 5 7/8" (149.23mm)

## Used with the following tool:

• 3198 - Heavy-Duty Soldering Iron

American Beauty Soldering Tools are proudly manufactured by Assembly Technologies International, Inc.

1177 West Maple Road Clawson, MI 48017-1059 **United States** (800) 550-2510 (248) 280-2810

Fax: (248) 280-2878