Industrial Power Connectors

online catalog

HOME

Quick Search

Global Part Search

Searches

Part Information | Specifications

Part Information:



Part Number: 44-103-10004

Description: Low cost environmental plug, 4 contacts

Amphenol

Family: 44

Click below to add part to your request list. When you have finished browsing, click "Process Info Request" button.

Global Search Company Information About Tuchel Amphenol Corporate Our Commitment

NEW!

>

Terms & Conditions

Environmental Information

Online Catalogs

Automotive Interconnect

Industrial Connectors

Search by Family

Search by Part

Process Info Request

Download Catalog

Smart Card Connectors

Contact Information

Find a Sales Location

Distributors

Technical Support

Contact Us

Amphenol Corporation



Electrical				
Voltage Rating	Limiting operating			
Voltage at Sea Level	250 V AC RMS			
Current Rating	8 amps continuous			
Climatical				
Temperature Range	Continuous operation from -40°C to +125°C			
Other Characteristics				
Wire Size	14, 16 & 18 AWG			
Overall Wire Insulation Diameter	.080 to .130 in. (2.03 to 3.30 mm)			

Environmental Sealing

The mating seals (Primary and Secondary) as well as the discrete wire seals, resist entry of liquid into the connector, causing electric or electronic circuit failures (not intended for submersible applications).

Connector Dimensions			
Number of Contacts	A Dia. Ref. <u>+</u> .008 Inches	B Dia. Ref. <u>+</u> .010 Inches	
2	.607	.470	
3	.708	.570	
4	.819	.682	

5	.819	.682
6	.933	.796

.

© Amphenol-Tuchel Electronics 2004 / Legal Disclaimer / Data Protection / Imprint