

1-1337417-0 Product Details



1-1337417-0

TE Internal Number: 1-1337417-0

 [Active](#)

N Series RF Connectors

 [Converted to EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Connector
- Jack
- Coaxial Cable Termination Type = Solder
- Terminate To Wire
- Body Style = Straight

[View all Features](#)

Documentation & Additional Information

Product Drawings:

- [TYPE-N BULKHEAD SOCKET FRONT MOUNT 50 OHM](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Connector
- [Gender](#) = Jack
- [Body Style](#) = Straight
- [Grade](#) = Commercial
- Lightning/EMP Protection = None
- [Dielectric Material](#) = PTFE
- Weatherproof = No
- Flats Dimension = 19.0 A/F
- Panel Thickness (mm [in]) = 3.00 [0.118]
- Body Material = Brass
- Solder Terminal = With

Mechanical Attachment:

- [Panel Attachment](#) = With
- [Panel Attachment Method](#) = Bulkhead, Hex Nut
- [Panel Attachment Style](#) = Front Mount
- Panel Cutout = 15.9mm x 14.6mm Double D-Shape
- Flange Dimension [Dia.] (mm [in]) = 19 [0.748]
- Flange and Thread Material = Brass
- Lockwasher Material = Brass

Body Related Features:

- [Body Plating](#) = Silver

Contact Related Features:

- [Center Contact Plating](#) = Silver
- Center Contact Material = Brass

Housing Related Features:

- Captured Center Contact = With

Industry Standards:

- Government/Industry Qualification = No
- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

Conditions for Usage:

- Terminate To = Wire
- Operating Temperature (Max.) (°C) = 165

- Lockwasher Plating = Silver

Electrical Characteristics:

- Frequency = DC - 11 GHz
- Connector Impedance (Ω) = 50

Termination Related Features:

- Coaxial Cable Termination Type = Solder

Packaging Related Features:

- Packaging Method = Individual
- Packaging Quantity = 50

Other:

- Brand = Greenpar