


Plastic Boxes
Utilibox
Style H



Bud's Utilibox is the ultimate value in plastic utility boxes. Now available in a variety of styles and sizes. Contact BUD factory for optional colors, material, EMI/RFI shielding and custom modification.

Design Features

- *ABS plastic with UL 94V-0 flammability rating. Suggested service temperature -20 degrees C to +70 degrees C.
- *Comes with close fitting interlocking lid and assembly hardware.
- *Horizontal PCB mounting bosses.
- *Molded-in mounting brackets are provided on catalog numbers having -MB suffix.
- *Finish: Black. Special colors available on request.

Style H								
Catalog Number	A	B	C	D	E*	F*	G*	Weight (Ozs.)
CU-1470	3.07"	2.10"	1.49"	.90"	2.86"	1.86"	1.33"	1.5
CU-1470-MB	3.07"	2.10"	1.49"	.90"	2.86"	1.86"	1.33"	2.0
CU-1471	3.07"	2.10"	2.09"	.90"	2.86"	1.86"	1.93"	1.8
CU-1471-MB	3.07"	2.10"	2.09"	.90"	2.86"	1.86"	1.93"	2.3
CU-1472	3.07"	3.10"	2.09"	1.50"	2.86"	2.86"	1.93"	3.0
CU-1472-MB	3.07"	3.10"	2.09"	1.50"	2.86"	2.86"	1.93"	3.5

CU-1473	4.05"	1.80"	1.27"	1.00"	3.86"	1.61"	1.11"	3.5
CU-1473-MB	4.05"	1.80"	1.27"	1.00"	3.86"	1.61"	1.11"	4.0
CU-1474	4.10"	2.25"	1.49"	.90"	3.86"	2.04"	1.33"	4.0
CU-1474-MB	4.10"	2.25"	1.49"	.90"	3.86"	2.04"	1.33"	4.5
CU-1475	4.10"	2.25"	2.59"	2.00"	3.86"	1.98"	2.43"	4.3
CU-1475-MB	4.10"	2.25"	2.59"	2.00"	3.86"	1.98"	2.43"	4.8
CU-1476	4.47"	3.25"	2.70"	2.00"	4.17"	2.92"	2.54"	4.8
CU-1476-MB	4.47"	3.25"	2.70"	2.00"	4.17"	2.92"	2.54"	5.3

Catalog numbers with -MB suffix have molded-in mounting brackets.
 *Reference only - Request drawing for internal configuration and dimensions.



BUD INDUSTRIES INC.
 P.O. Box 998
 Willoughby, Ohio 44094
 Phone: 440-946-3200 Fax: 440-951-4015
 E-Mail: saleseast@budind.com

PART NAME UTILIBOX (STYLE H)


PART No. CU-1470 TD CU-1474

MATERIAL: ABS THERMOPLASTIC (FLAMMABILITY RATING OF 94-V0 AT 0.070" THICKNESS AND CONTINUOUS USE TEMPERATURE OF 70° C.)

FINISH:
 BODY - OUTSIDE SURFACES ARE TEXTURED FINISH
 COVER - VERTICAL OUTSIDE SURFACES ARE TEXTURED
 REMAINDER OF PART IS SMOOTH.

LENGTH AND WIDTH DIMENSIONS ARE TAKEN FROM CLOSED END OF THE BOX. DIMENSIONS INCREASE SLIGHTLY AT OPEN END DUE TO TAPER.
 NOTE: ALL DIMENSIONS HAVE ±0.010 TOLERANCE UNLESS OTHERWISE SPECIFIED.

COLOR: BLACK



PART No.	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
CU-1470	3.000	2.000	0.900	3.079	2.616	1.616	3.102	2.102	0.570	0.770	2.080	1.080	1.490		
CU-1471	3.000	2.000	0.900	3.079	2.616	1.616	3.102	2.102	0.570	0.770	2.080	1.080	2.090		
CU-1472	3.000	3.000	1.500	3.079	2.616	2.616	3.102	3.102	0.570	0.770	2.125	2.125	2.090		
CU-1473	4.000	1.750	1.000	4.052	3.589	1.339	4.059	1.809	0.250	0.450	3.088	0.828	1.270		
CU-1474	4.000	2.188	0.900	4.105	3.469	1.594	4.128	2.253	0.570	0.740	2.902	1.026	1.490	3.603	1.200