

## Rackmount Power Outlet Strips



### ***Design Features*** **Features**

- Standard 19" EIA rack mountable
- Utilizes 1U (1.75") panel height
- Have convenient lighted power switches on front surface which also indicate if power is on or off
- Popular black color
- UL Recognized
  
- 15 amp surge suppressed models meet UL 1363 and UL 1449 specifications for 330 volt suppressed voltage rating
  
- 20 amp non-surge suppressed models meet UL1363 specifications

### **15 amp models**

- Are surge suppressed for use with your sensitive equipment
- Have outlets located either on the front surface or on the rear surface for maximum versatility
- Transient energy rating of 450 joules.
- Have 12 foot long power cords with standard 3-prong AC plug to allow the POS strip to be mounted anywhere in the cabinet rack, in any size cabinet rack, and to connect to any standard wall outlet

### **20 amp models**

- Will accept your higher power rated equipment
- Have outlets located on the front surface for easy accessibility
- Have 12 foot long power cords to allow the POS strips to be mounted anywhere in the cabinet rack, and in any size cabinet rack

- Have either one or two power cords feeding either one or two separate circuits to allow for maximum capacity in one POS strip
- Have either standard 3-prong AC plugs or safety conscious locking AC plugs

Catalog Number		Surge Suppressed	Amp Capacity	Power Cords			Outlets	
				Number	Length	Plug	Number	Location
POS-194-S		Yes	15	1	12'	Non-locking	8	Rear
POS-195-S		Yes	15	1	12'	Non-locking	8	Front
POS-201		No	20	1	12'	Non-locking	8	Front
POS-202		No	20	1	12'	Locking	8	Front

PART NAME

RACKMOUNT POWER OUTLET STRIP (15 AMP) (SURGE SUPPRESSED)

PART No.



POS-194-S

14/3 SJT POWER CORD  
12 FOOT LONG  
COLOR - BLACK

STRAIN RELIEF  
CORD SET TYPE  
COLOR - BLACK

MOLDED ON 3-PRONG PLUG  
15 AMP 125 VOLT

GROUNDING TYPE 15 AMP, 125 VOLT  
DUPLEX RECEPTACLE  
COLOR - BLACK



SURGE PROTECTION INDICATOR LAMP  
15 AMP 125 VOLT LENS COLOR - RED

SNAP FEATURE  
(BOTH SIDES)

0.312

19.000

18.376

0.296

0.234

1.718

1.250

CIRCUIT BREAKER THERMAL TYPE  
15 AMP 125 VOLT WITH RESET  
COLOR - BLACK

ON / OFF SWITCH (ILLUMINATED)  
15 AMP 125 VOLT, COLOR - BLACK  
BUTTON COLOR - RED  
ILLUMINATED IN 'ON' POSITION

**MATERIAL:**

BODY & FRONT PANEL — 20 GA. STEEL

**FINISH:**

BODY — SMOOTH OR TEXTURED BLACK  
FRONT PANEL — TEXTURED BLACK

**NOTES:**

- 1.) INTERNAL WIRE CAPACITY - 14 AWG SOLID TW CONDUCTOR
- 2.) ALL COMPONENTS ARE U.L. APPROVED
- 3.) SURGE SUPPRESSION PROTECT VOLTAGE: 330 V.
- 4.) U.L. LISTED IN U.S.A. AND CANADA. U.L. FILE #E203236