

### Whatever your application, our Contura switches deliver the performance you demand

— and the flexibility you need. There's no challenge these sealed switches can't help you address. Especially since they're IP66/IP68 certified, UL1500 recognized, and able to withstand temperatures from -40°C to +85°C. Never have such rugged switches been available in such attractive packages. A dazzling array of light, lens and legend options on several actuator styles, plus countless circuit combinations, and valuable accessories, make our Contura switches the ideal choice.

# Maximum Design Options with minimum inventories

Panel redesign is a snap, requiring no tooling change, with our removable interchangeable actuators. A unique balance between aesthetics and functionality.

### Withstands Extreme Temperatures

Roller pin mechanism eliminates need for lubricants, so it can withstand from - 40°C to +85°C.

## Seals out water, dust and debris

Dual seal protection locks out elements. Certified to IP66/IP68.

### Clean Connections

Offered in both eight and ten terminal base options. AMP & Packard compatible connectors available.

## Multiple Lighting Options

Incandescent lamps & LED illumination. Our LED illumination is offered in a wide array of light intensities, colors, as well as dual level illumination and flashing options.

### **Optional Panel Seal**

Prevents water/dust egress behind panel.



### **V-Series Contura Switches**

V-Series switches offer countless unique options including choices for ratings, colors, illuminations and symbols. These switches feature removable actuators in a choice of actuator styles and colors, and are available in single or double pole configurations. The V-Series switches can be illuminated with either square, oval and/or bar shaped lenses.



### Contura II

The Contura II actuators are constructed of thermoplastic polycarbonate, and are offered with either a hard nylon overlay, or a "soft-touch" elastomer overlay. The Contura II incorporates an aesthetic design of two rows of raised "bumps" on the top and bottom of the rocker



### Contura III

The Contura III actuators are constructed of thermoplastic polycarbonate, and are offered with either a hard nylon overlay, or a "soft-touch" elastomer overlay. The Contura III incorporates three rows of bars on the top and bottom of the rocker.



### **Contura IV**

The Contura IV's "Shape to create a Shape" actuator supports the designer, by working with the curves, contours and advanced styling of the latest panel designs, flowing with these advanced curves and radii. This actuator style fits on the Contura II & III flush bracket/bezel.



### Contura V

The symmetrically curved Contura V actuator provides the perfect complement to the Contura IV's "Shape to create a Shape"design concept. It can be mounted in between two Contura IV's, by itself, or in groups. This actuator style is available with all flush style mounting brackets.



### Contura X

The raised bracket/bezel on the Contura X helps prevent inadvertent actuation of the rocker, as well as preventing debris from being trapped under the actuator. The conventionally designed actuators are available with one-piece bar lenses, or square lenses in either one or two part construction with backlit legends, for increased durability of lens symbols.



### Contura XI

The raised bracket/bezel on the Contura XI helps prevent inadvertent actuation of the rocker, as well as preventing debris from being trapped under the actuator. The actuators are available with one-piece bar lenses, or square lenses in either one or two part construction with backlit legends, for increased durability of lens symbols.



### **Contura XII**

The Contura XII version incorporates a paddle style handle on the raised bracket/bezel, also used in the Contura X and XI switch. The contoured handle design provides intuitive recognition and ease of operation for a variety of transportation related applications, and is available with all Contura X and XI lens and legend offerings.



### **Illuminated Plug**

The Illuminated Plug is offered with removable/ replaceable lamps, Contura II, V and X styling, and LED illumination. As a critical safety feature, it's illumination alerts the operator of essential system functions or malfunctions like: oil pressure, high temperature, transmission or other fluid levels, parking brake, or general system malfunction.

### **V-Series Accessories/Options**

Carling Technologies also offers many V-Series accessories including connectors, mounting panels, hole plugs, panel seals, and actuator removal tools.

















### **Electrical**

Contact Rating . . . . . . . . 4VA @ 24VDC (MAX) resistive

15 amps, 125 VAC 10 amps, 250 VAC 1/2 HP 125-250 VAC 20 amps, 4-14 VDC 15 amps, 15-28 VDC 10A 14VT

6A 125 VAC L

Dielectric Strength . . . . . 1500 Volts RMS Insulation Resistance . . . 50 Megohms

Initial Contact Resistance. 10 milliohms max. @ 4 VDC Life . . . . . . . . . . . . . 50,000- 100,000 cycles circuit

dependent

Contacts . . . . . . Silver cad-oxide, silver tin-oxide, fine

silver

Terminals . . . . . . . Brass or copper/silver plate 1/4" (6.3mm) Quick Connect terminations

standard. Solder lug, Wire Lead

### **Mechanical**

Endurance . . . . . . . . . . 150,000 cycles minimum

### **Physical**

Lighted . . . . . . . Incandescent - rated 10,000 hours

Neon - rated 25,000 hours

LED - rated 100,000 hours 1/2 life

(LED is internally ballasted for voltages to 24 VDC)

Seals . . . . . Internal

Optional external gasket panel seal
Base . . . . . . . . . . Polyester blend rated to 125C with a

UL flammability rating of 94 V-O.

Contura II, III, IV, V

Actuator . . . . . . . . . Hard Surface: Basic actuator struc-

ture molded of thermoplastic polycarbonate with a hard Nylon 66 thermo-

plastic surface overlay.

Soft Surface: Basic actuator structure molded of thermoplastic polycarbonate with an elastomer overlay.

Contura X, XI, XII

Actuator, VP . . . . . Nylon 66 Reinforced rated to 105°C Lens . . . . . Polycarbonate rated at 100°C

### **Actuator Travel (Angular Displacement)**

2 position . . . . . . . . . . . 18°

3 positions . . . . . . . . . 9  $^{\circ}$  from center

### **Mounting Specifications**

Panel Thickness Range

# of gaskets Acceptable Panel Thickness
0 .030 to .250 (.76mm to 4.76mm)

1 .030 to .109 & .147 to .157

(.76 to 2.77mm & 3.73 to 3.98mm) Recommended: No gasket with panel thickness

of .032, .062, .093, .125, .187 or .250

### **Agency Certifications**















### **Environmental**

Environmental . . . . . . . Sealed version: IP68, in accordance with IEC 529, BS 5490, DIN 400 50

& NFC 20 010. This rating applies to front panel components and signifies protection against dust and the prolonged effects of immersion under pressure. The standard test for immersion under pressure requires submersion under one meter of water for 30 minutes. The V-Series switch has exceeded these parameters, having been actuated and illuminated during submersion.

NOTE: Sealed switch with optional panel gasket will meet IP67 rating.

Corrosion . . . . . . Flowing Mixed Gas (FMG)

Class III 3 year accelerated exposure per ASTM B-827, B-845

Silver and gold contacts

Operating Temperature . . -40° C to + 85° C

Vibration 1 . . . . . . . Per Mil-Std 202F, Method 204D Test

Condition A 0.06 DA or 10G's 10-500 Hz. Tested with VCH connector. Test criteria - No loss of circuit during test and pre and post test contact resist-

ance.

Vibration 2 . . . . . . Resonance search

24-50 Hz 0.40 DA 50-2000 ±10 G's peak

Results Horizontal Axis 3-5 G's max.

Random

24 Hz 0.06 PSD-Gsq/Hz 60 Hz 0.50 100 Hz 0.50

100 Hz 0.50 200 Hz 0.025 2000 Hz 0.025

No loss of circuit during test;  $<10\mu$ 

seconds chatter.

Shock . . . . . Per Mil-Std 202F, Method 213B, Test

Condition K @ 30G's. Tested with VCH connector. Test criteria - No loss of circuit during test, pre and post test contact resistance.

Salt Spray . . . . . . Per Mil-Std 202F, Method 101D, Test Condition A, 48 Hrs. Sealed version

only.

Dust . . . . . Per Mil-Std 810C, Method 510.2 Air

Velocity 300 ±200 Feet/Min, Test

Duration 16 Hrs.

Thermal Shock . . . . . . Per Mil-Std 202F, Method 107F, Test

Condition A, -55°C to 85°C. Test criteria - pre and post test contact

resistance

Moisture Resistance . . . . Per Mil-Std 202F, Method 106F, Test

Criteria - pre and post test contact

resistance


Ignition Protection . . . . . All Contura switches with sealed

construction meet the requirements of UL1500/ISO8846 for ignition protection, in addition to conformance with EC directive 94/25/EC for

marine products.



### Dimensional Specifications: in. [mm]




1.305[33.15]


**CONTURA XII STYLE** SHOWN WITH PADDLE ACTUATOR



### Dimensional Specifications: in. [mm]

### CONTURA X STYLE SHOWN WITH RAISED BRACKET





.960[24.38]


.780[19.81]


.250[6.35] .031[.78]

.390[9.90]


- .820[20.82]


CONTURA XI STYLE
SHOWN WITH RAISED
BRACKET AND TWO SQUARE
LENSES






10 TERMINAL BASE W/O BARRIERS






10 TERMINAL BASE W/BARRIERS




8 TERMINAL BASE W/O BARRIERS

10 TERMINAL BASE W/O BARRIERS


1.370[34.79]



8 TERMINAL BASE W/BARRIERS







BOTTOM VIEW TERMINAL ARRANGEMENT 10 TERMINAL BASE

































Circuit

Rating

Termination Illumination Lamp

Lamp

8 Bracket

Actuator

Contura XII

10 Lens Lens

12 Legend

13 Legend Orientation

Lens Legend

### 1 SERIES

from bottom o 8 terminal 10 8 7 8 1 4 1 2 5 2	0 terminal 3 7   4 2 5 3 6	( ) - momentary  SP - single pole - uses terminals 1, 2 & 3.  DP - double pole uses terminals 1, 2, 3, 4, 5 & 6.  Terminals 7, 8, 9 & 10 for lamp circuit only.				
Position: SP DP 1 A 2 B 3 C 4 D 5 F 6 J 7 K 8 L SPECIAL CI	1 2 & 3,5 & 6 ON (ON) ON ON ON ON ON (ON)	2 Connected Terminals NONE NONE NONE NONE NONE NONE OFF OFF OFF	3 1 & 2, 4 & 5 OFF OFF OFF (OFF) ON (ON) ON (ON)			
H* G* S M* R E* *Jumper between	2 & 3 2 & 3, 5 & 6 2 & 3, 5 & 6 (2 & 3, 5 & 6) (2 & 3, 5 & 6) (2 & 3, 5 & 6) 5 & 6 een terminals 2 & 5 for	2 & 3, 5 & 4 2 & 3 2 & 3 2 & 3 2 & 3 2 & 3 2 & 3 5 & 3 circuits H, G, & M are specified				

### 3 RATING<sup>4</sup>

.4VA @ 28VDC Resistive

10A 250VAC 1/2 HP, 15A 125VAC 1/2 HP, No Listings 10A 250VAC 1/2 HP, 15A 125VAC 1/2 HP, UL Recognized, CSA Certified 10A 250VAC, 15A 125VAC, 1/2 HP 125-250VAC, 12(2)A 250 VAC μ T85 10A 250VAC, 15A 125VAC, 1/2 HP 125-250 VAC, 12(6)A 250 VAC T85

External jumper between terminals 2 & 4 for circuit E are provided by customer. Circuit E

may be used for SP OFF-ON-ON circuit. Circuits H, M & E not available with ratings 5 - 9.

20A 18V

Ratings 8 & 9 are UL, CSA, VDE, DEMKO, SEMKO, NEMKO, FIMKO & BEAB certified, require terminations A or B for double pole circuits, & are not available with illumination circuits 4, 8, D, J, N, & T or with wire lead or solder lug terminations. Circuits 1, 4, A & D are not available with rating 8. Rating 9 only available with circuits 1, 4, A & D. Ratings 8 & 9 must specify lamp code 2 (250VAC neon).

4 IERIV	4 TERMINATION/BASE STYLE							
8 term	<u>10 term</u>	<u>Termination</u>	<u>Jumper</u>					
1	2	.250 TAB (QC) no barriers	No					
Α	В	.250 TAB (QC) with barriers	No					
J	K	.250 TAB (QC) no barriers	Yes T2 to 5					
3	4	Solder Lug no barriers	No					
С	D	Solder Lug	No					
5	6	Wire Leads no barriers	No					
E	F	Wire Leads	No					

Note: Codes J & K for circuits H, G & M. Ratings 8 & 9 require terminations A or B only

### **5 ILLUMINATION & SWITCH SEALING**

Lamp #1:above terminals 1 & 4 end of switch.; Lamp #2 above terminals 3 & 6 end of switch. Positive (+) and negative (-) symbols apply to LED lamps only

Sealed S A B C D	<u>Unsealed</u>	<u>Lamps</u>	Actuator Lens position when Illuminated	Lamp wired to Terminals
Ä	U 1	None # 1	Independent	8+ 7-
В	2	# 1	Down	3+ 7-
C	2 3 4	# 2	<u>U</u> р	3+ 7-
D	4	# 1	Down	3+ <u>7</u> -
-	-	&# 2</td><td>Down</td><td>1+ 7-</td></tr><tr><td>Е</td><td>5</td><td># 1 & # 2</td><td>Up</td><td>1+ 7- 3+ 7-</td></tr><tr><td>F</td><td>6</td><td># 1</td><td>Up Independent</td><td>3+ /- 0<sub>1</sub> 7</td></tr><tr><td>-</td><td>U</td><td># I & # 2</td><td>Up</td><td>3± 6-</td></tr><tr><td>G</td><td>7</td><td># 1</td><td>Independent</td><td>8+ 7- 3+ 6- 8+ 7-</td></tr><tr><td>_</td><td>-</td><td>& # 2</td><td>Up</td><td>3+ 7-</td></tr><tr><td>Н</td><td>Z Y</td><td># 2 # 1</td><td>Independent</td><td>8+ 7-</td></tr><tr><td>U</td><td>Υ</td><td># 1</td><td>Independent</td><td>8+ 7-</td></tr><tr><td>0</td><td></td><td>& # 2</td><td>Independent</td><td>10+ 9-</td></tr><tr><td>Select</td><td>ions for Single</td><td>e Pole Sv</td><td>witches Only:</td><td>0. 0</td></tr><tr><td>J</td><td>8</td><td># 1 & # 2</td><td>Down</td><td>3+ 8-</td></tr><tr><td>K</td><td>W</td><td># 1</td><td>Independent</td><td>6+ 7- 8+ 7-</td></tr><tr><td>K</td><td>VV</td><td>* # 2</td><td>Independent Independent</td><td>6+ 7-</td></tr><tr><td>Select</td><td>ions for Doub</td><td></td><td>Switches Only:</td><td>01 7</td></tr><tr><td>L</td><td>9</td><td># 1</td><td>Down</td><td>3+ 6-</td></tr><tr><td>M</td><td>9 R</td><td># 2</td><td>Up</td><td>3+ 6- 3+ 6-</td></tr><tr><td>N</td><td>T</td><td># 1</td><td>Down</td><td>3+ 6-</td></tr><tr><td>_</td><td></td><td>& # 2</td><td>Down</td><td>3+ 6- 3+ 6- 1+ 4- 1+ 4-</td></tr><tr><td>Р</td><td>V</td><td># 1</td><td>Uр</td><td>1+ 4-</td></tr><tr><td>ш</td><td>Υ</td><td>& # 2 # 1</td><td>Up Indopondent</td><td>3+ 6- 8+ 7-</td></tr><tr><td>U</td><td>ī</td><td># 1 & # 2</td><td>Independent Independent</td><td>8+ 7- 10+ 9-</td></tr><tr><td></td><td></td><td>QπZ</td><td>machemacili</td><td>10T 3</td></tr></tbody></table>		

### 6,7 LAMP (same coding for both selections)

Selection 6: above terminals 1 & 4; Selection 7: above terminals 3 & 6 No lamp 0						
Neon	1 125VAC	2 250VAC				
Incandescent	4 3V	<b>5</b> 6V	6 12V	<b>7</b> 18V	8 24V	
LED <sup>*</sup>			superbright	superbrigh	t	
	Red	Amber	Green	Red		
2VDC	Α	L	F	R		
6VDC	В	M	G	S		
12VDC	С	N	Н	T		
24VDC	D	P	J	V		
* Consult factory for "daylight bright" LED options. Typical current draw for LED is 20ma.						

### 8 BRACKET COLOR<sup>1</sup>, PANEL SEAL (external foam gasket)

		,		3.	/	
	X & >	(I w/Flush Br	acket	X, XI, XII w/F	Raised Brack	ĸet
# of gaske	ets 0	1	2	0	1	
Black	В	С	D	1	4	
White	W	Υ	Z	2	5	
Grav	G	н	J	3	6	

### 9 ACTUATOR No Actuator Gray White Red Contura X Contura XI

### 10 LENS - above lamp #1 terminals 1,4

11 LENS - above lamp #2 terminals 3,6

Lens color for LEDs must be clear, white, or match color of LED.

Κ

Green or blue lenses are not recommended with Neon lamps.

<b>U</b> - No <i>F</i>	Actuator		<b>Z</b> - No I	_ens		
Clear	White	Amber	Green	Red	Blue	Lens Style
3	8	D	J	Р	V	Bar
4	9	E	K	R	W	One piece Square
5	Α	F	L	S	Υ	Two piece Square*
						(w/ clear top protective lens)
2	7	С	Н	N	U	Two piece Square*
						(w/ smoke top protective lens)
1	6	В	G	M	Т	Two piece Square*
						(w/ white top protective lens)

Ν

M

<sup>\*</sup> All bottom lenses are molded of opaque material. Consult factory for other lens colors

12110101		ocation/No a		
15 0 0 F N	16 O O	17 O I	<b>18</b> I O	
21 OFF	<b>22</b> ON	<b>23</b> O	24 	
<b>25</b> O F	<b>26</b> O N	<b>27</b> O	28	

F											
For additional	legend	options	&	codes.	see	page	69	of	this	cata	lo

13 L	EGEND ORIENTATION <sup>3</sup>	ORIENTATION OF ACTUATOR/LENS IN PANEL
0	No legend (used with codes 11-18	
1	Orientation 1	
2	Orientation 2	
3	Orientation 3	ORIENTATION ORIENTATION
4	Orientation 4	
	47 40 1 1	AC ORIENTATION 3

### 14 ACTUATOR LENS LEGEND

No legend this location/no actuator (used with codes 11-18 in selection 12) Selection 14 required when switch requires two legends. If the two legends consist of one lens & one body legend, lens legend must be specified in selection 12; body legend specified in selection 14. For legend options & codes, see page 69 of this catalog.

NOTES
Consult factory to verify horsepower rating for your particular circuit choice.

Custom colors are available. Consult factory.

White imprinting is standard on black actuators; Black imprinting is standard on white, red & gray actuators; Custom colors are available, consult factory.

With 2 square lenses, use sel. 12 for lens above lamp 1, & selection 14 for lens above lamp 2.

Additional ratings available. See page 57.

Not available with Contura XI rockers.









Circuit

Termination Illumination Lock



Lamp



Bracket



Actuator





Function



Legend



Leaend

### 1 SERIES

2 CIRCUIT Terminal Connections as viewed from bottom of switch: 8 terminal 10 terminal 8 7 8 7 1 4 1 4 2 5 2 5 3 6 3 6	( ) - momentary SP - single pole - uses ter DP - double pole uses ter Terminals 7, 8, 9 & 10 for	minals 1, 2, 3, 4, 5 & 6.
Position: 1	2 Connected Terminals NONE NONE OFF OFF OFF NONE	3 1 & 2, 4 & 5 OFF ON ON (ON) (ON) (ON)
SPECIAL CIRCUITS  H* 2 & 3  G* 2 & 3, 5 & 6  S 2 & 3, 5 & 6  M* (2 & 3, 5 & 6)  R (2 & 3, 5 & 6)  E* 5 & 6  *Jumper between terminals 2 & 5 for	2 & 3, 5 & 4 2 & 3 2 & 3 2 & 3 2 & 3 2 & 3 5 & 3 circuits H, G, & M are specified	5 & 4 OFF 1 & 2 OFF 1 & 2 5 & 1 d in selection 4.

### 3 RATING<sup>5</sup>

External jumper between terminals 2 & 4 for circuit E are provided by customer. Circuit E may be used for SP OFF-ON-ON circuit. Circuits H, M & E not available with ratings 5,8 &9

- .4VA @ 28VDC Resistive 10A 250VAC 1/2 HP, 15A 125VAC 1/2 HP, No Listings 10A 250VAC 1/2 HP, 15A 125VAC 1/2 HP, UL Recognized, CSA Certified 10A 250VAC, 15A 125VAC, 1/2 HP 125-250VAC, 12(2)A 250 VAC μ Τ85 10A 250VAC, 15A 125VAC, 1/2 HP 125-250 VAC, 12(6)A 250 VAC T85
- 15A 24V
- 20A 18V 20A 12V
- Ratings 8 & 9 are UL, CSA, VDE, DEMKO, SEMKO, NEMKO, FIMKO & BEAB certified, require terminations A or B for double pole circuits, & are not available with illumination circuits 4, 8, D, J, N, & T or with wire lead or solder lug terminations. Circuits 1, 4, A & D are not available with rating 8. Rating 9 only available with circuits 1,4,A & D. Ratings 8 & 9 must specify lamp code 2 (250VAC neon).

### 4 TERMINATION/BASE STYLE

8 term	10 term	<u>Termination</u>	<u>Jumper</u>
1	2	.250 TAB (QC) no barriers	No
Α	В	.250 TAB (QC) with barriers	No
J	K	.250 TAB (QC) no barriers	Yes T2 to 5
3	4	Solder Lug no barriers	No
С	D	Solder Lug	No
5	6	Wire Leads no barriers	No
E	F	Wire Leads	No
Note: Cod	des J & K for d	circuits H, G & M. Ratings 8 & 9 require ter	minations A or B only.

### **5 ILLUMINATION & SWITCH SEALING**

Lamp above terminals 3 & 6 end of switch.

Positive (+) and negative (-) symbols apply to LED lamps only

Sealed Unsealed	<u>Lamps</u> None	Actuator Lens position when Illuminated		np wired to ninals
C 3 H Z	# 2 # 2	Up Independent	3+ 8+	7- 7-
Selections for Doub  R	# 2	Up	3+	6-

### 6 LOCK

Lock above terminals 1 & 4 end of switch.

lock

### NOTES

Consult factory to verify horsepower rating for your particular circuit choice.

- Custom colors are available. Consult factory.
- White imprinting is standard on black actuators; Black imprinting is standard on white, red and gray actuators; Custom colors are available, consult factory.
- Located over T1-4 end of switch.
- Only available with 3 position circuits. Center OFF and special circuits only available with center position lock function.
- Additional ratings available. See page 57.

/ LAMP					
Lamp above terr	minals 3 & 6 e	end of switch.			
No lamp	0				
Neon	1 125VAC	2 250VAC			
Incandescent		<b>5</b> 6V	6 12V	<b>7</b> 18V	8 24V
LED*			superbright	superbrigh	t
	Red	Amber	Green	Red	
2VDC	Α	L	F	R	
6VDC	В	M	G	S	
12VDC	č	N	Ĥ	Ť	
24VDC	Ď	P	ä	v	
	for "daylight	bright" LED o	ptions. Typica	l current drav	v for LED is 20ma.

### 8 RAISED BRACKET COLOR<sup>1</sup>, PANEL SEAL (external foam gasket)

	Black	White	Gray
No Gasket	1	2	3 ´
One Gasket	4	5	6

### 9 HARD SURFACE ACTUATOR<sup>1</sup>

Contura X	Black 1	Gray <b>2</b>	Red 3	White 4
			-	

Actuator orientation above terminals



### 10 LENS - above lamp #2 terminals 3,6

<b>Z</b> - No L	_ens					
Clear	White	Amber	Green	Red	Blue	Lens Style
3	8	D	J	Р	٧	Bar
4	9	E	K	R	W	One piece Square
5	Α	F	L	S	Υ	Two piece Square*
						(w/ clear top protective lens)
2	7	С	Н	N	U	Two piece Square*
						(w/ smoke top protective lens)
1	6	В	G	M	T	Two piece Square*
						(w/ white top protective lens)

\* All bottom lenses are molded of opaque material. Consult factory for other lens colors. Lens color for LEDs must be clear, white, or match color of LED. Green or blue lenses are not recommended with Neon lamps.

### 11 ACTUATOR LOCK FUNCTION AND COLORS

Lock Color	Up	Down	Up & Down	Center⁴	
	2.11	DOWII	Op & Down	Ceritei	
Match Actuator	Α	н	R	1	
Black	В	J	S	2	
White	С	K	T	3	
Red	D	L	V	4	
Safety Orange	E	M	W	5	

### 12 ACTUATOR, LENS OR BODY LEGENDS<sup>2</sup>

00 -	No Le	egend				
21		22		23	24	
•	OFF		ON	0	I	
25	O F F	26	O N	<b>27</b> O	28	

For additional legend options & codes, see page 69 of this catalog

No legend (used with codes 11-18

### 13 LEGEND ORIENTATION3

0

in sel	ection 12)	ORIENTATION OF
1	Orientation 1	ACTUATOR/LENS IN PANEL
2	Orientation 2	ACTUATOR/LENS IN PAINEL
3	Orientation 3	ORIENTATION 1
4	Orientation 4	$\square$ $\square$









ORIENTATION 5

₽

**⊅** □ ⊃RIENTATION



### Reduce inventory levels and cost by stocking actuators and base switches separately.

Contura II, III, IV, V, X, XI, XII Base switches separately: specify V with code selections 2-8 in the ordering schemes.

Contura II, III, IV, V Actuator only: VV with code A or C for selection 9, & with selections 10-14 in the ordering schemes.

**Panel Seal: VPS** 

Contura II, III, IV, V Actuator only: VV with code A, C, E, G or P for selection 9 & with selections 10-14 in the ordering schemes.

2

Orientation 2

3 TRANSLUCENT LENS COLOR

Contura X, XI, XII actuators with lenses separately: VV with code selections 9-14 in the ordering schemes.

### Contura X & XI actuators without lenses separately:




### 1 CONTURA X & XI ACTUATOR SEPARATELY VVP

Black Gray White Red Contura X 1 2 3 4	2 ACTUATO	R STYLE 8	& COLOR			
	0	Black	Gray		4	
		1	2	3		
Contura XI 6 7 8 9	Contura XI	6	7	8	9	

(Contura X only)
------------------

# 4 ACTUATOR LENS OR BODY LEGEND 00 - No Legend this location 11 ON 12 OFF 13 | 14 O OFF ON O | 15 O O 16 O O 17 O | 18 | OFF ON OFF O



### Contura X, XI & XII top piece of 2-piece lens separately:



### Contura X, XI & XII actuator lens assembly:




1 piece lens/bar lens are positioned the same as bottom lens for assembly, minus the top lens. Lenses snap in from bottom.


### NOTES

- 1 If actuator lens opening for 2 bar or 2 square lenses, legend orientation 0, 1, or 2 must be chosen.
- 2 Center of actuator marking not available for Contura XII.
- 3 Legend is not available for bar style lens.
- 4 Not recommended with neon lamps.
- Must also order top piece of 2 piece square lens separately.

### Contura XII actuators without lenses separately:





### Contura X, XI & XII actuator lens assembly separately:



# 1 CONTURA X, XI & XII LENS SEPARATELY VVL 2 LENS STYLE<sup>3</sup>

2 LENS STYLE<sup>3</sup>
1 Bar lens 2 One Piece Square lens 3 Bottom of Two-Piece Square lens<sup>5</sup>







### Easily integrate Contura products into your system, with Contura Accessories

### **Contura Connectors**

	Q.C. SELECTION GUIDE					
	PART	NO	W RA			
COMPANY SERIES	PLAIN BRASS	TIN PLATED BRASS	AWG	MM (REF)	ORIEN- TATION	
	02965580		12	3.0		
	02965471	12010601	(2)16-14	(2)1.0-2.0		
PACKARD 58 SERIES	02965470		16-14	1.0-2.0	В	
00 0211120	02965469	06288318	20-18	.58		
		12084590	12	3.0		
		12052224	12	3.0		
PACKARD		12015870	16-14	1.0-2.0		
METRI-PACK		12020035	(2)22-18	(2).58	Α	
630 SERIES	12015832	12015869	20-18	.58		
		12052222	20-22	.355		
	60253-1	60253-2	16-12	1.3-3		
AMP 250 SERIES	00203-1	00233-2	(2) 16	(2) 1.3	В	
FASTIN-FASTON	42100-1	42100-2	18-14	.8-2	В	
	60295-1	60295-2	22-18	.39		






NOTE: Consult Delphi Packard and/or Amp or. actual part numbers and availability.

AMP is a registered trademark of AMP Inc. Harrisburg, PA


Delphi Packard is a registered trademark of Delphi-Packard Electrica Systems Warren, Ohio



### **Contura X Boot**




### Contura II, III, IV & V Actuator Removal Tool






### **Contura Mounting Panels**

### Dimensional Specifications: in. [mm]








PANEL THICKNESS: TOLERANCE:

- NOTES: 1. FOR ADDITIONAL UNITS, ADD 1.03 [26.2] PER UNIT. 2. FOR MORE THAN 2 V-SERIES SWITCHES, ADD MIDDLE SECTION.



### **Additional V-Series Ratings**

- .4VA @ 28VDC Resistive
- 10A 250VAC 1/2 HP, 15A 125 VAC 1/2 H, No Agency Listings 10A 250VAC 1/2 HP, 15A 125 VAC 1/2 HP, UL Recognized, CSA Certified 5
- 15A 125VAC 1/2 HP, 12(2)A 125 VAC  $\mu$  T85
- 15A 125VAC 1/2 HP, 12(6)A 125 VAC T85
- 8\* 10A 250VAC, 15A 125VAC, 1/2 HP 125-250VAC, 12(2)A 250 VAC μ T85
- 10A 250VAC, 15A 125VAC, 1/2 HP 125-250VAC, 12(6)A 250 VAC T85 9\*
- В 15A 24V
- С 20A 18V
- 20A 12V
- 20A 14V, 10A 14VT (circuits 1, 4, A, & D only) Ε
- 10A 14V, 6A, 14VT (circuit G only)
- 20A 6V G
- 20A 3V

- 15A 125 VAC, 10A 250VAC, 1/2 HP 125-250 VAC; 6A 125 VAC L
- M .4VA/20A 12V (combi-contact)
  - (combination gold/silver contacts for borderline dry circuit applications)
- .4VA/15A 24V (combi-contact)
  - (combination gold/silver contacts for borderline dry circuit applications)

### NOTES

Consult factory to determine availability for individual circuits.

\* Ratings 6 - 9 are UL, CSA, VDE, DEMKO, SEMKO, NEMKO, FIMKO & BEAB certified, require terminations A or B for double pole circuits, & are not available with illumination circuits 4, 8, D, J, N, & T or with wire lead or solder lug terminations. Circuits 1, 4, A & D are not available with rating 6 & 8. Rating 7 & 9 only available with circuits 1, 4, A & D. Circuits 2, 3, 5, 7, 8, K, L are 1/2 HP 250VAC only with rating 8. Ratings 6 & 7 must specify lamp code 1 (125VAC neon). Ratings 8 & 9 must specify lamp code 2 (250VAC neon). Rating L available with circuits 1, 4, A & D only.



	LEGEND CODE			
SYMBOL	SYMBOL NAME		LEI	
(SYMBOL MEANING)  RUNNING LIGHTS (UNDER POWER)		AA	NEGATIVE <sup>1</sup>	MA
	LIGHT	AB	NB	МВ
-\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	MASTER LIGHT SWITCH	AC	NC	MC
b	HORN		ND	MD
<b>†</b>	PROPULSION SYSTEM TRIM TRIMMING OPERATION	AE	NE	ME
5	VENTILATION FAN OR BLOWER	AF	NF	MF
	WINDSHIELD WASHER	AG	NG	MG
$\Diamond$	WINDSHIELD WIPER	AH	NH	МН
<b>\$</b>	BILGE PUMP	AJ	NJ	MJ
<b>S</b>	BILGE BLOWER		NK	MK
<del>}</del>	POTABLE WATER PRESSURE	AL	NL	ML
	ENGINE START	AM	ED	ММ
$\Diamond$	ENGINE STOP	AN	EE	MN
<b>1</b>	DRIVE TILT TILT OPERATION	30		31
	EMERGENCY START			33
<b>∄</b>	UP/DOWN LIFT	34		
<b>†</b>	TRIM TAB TRIMMING OPERATION	35		36

	LEGEND	LEGEND CODE		
SYMBOL	SYMBOL NAME (SYMBOL MEANING)		LEN NEGATIVE <sup>1</sup>	
-)-	ANCHOR LIGHT	37	NEGATIVE	38
$\left  \bigoplus_{i=1}^{n} \right $	ANCHOR	39		40
<b>—</b>	WATER FLUSHING TAP FOR OUTBOARDS	41		42
ED	HIGH BEAM	43	44	45
	LOW / DIPPED BEAM	46	47	48
	SIDE MARKER LIGHT	DG	49	DF
深	INTERIOR LIGHT	50	51	52
Q=	WORK LIGHT	53	54	55
A	WORK LAMP	56	57	58
<del>-</del>	LOADING FLOOR LAMP	CW	59	CY
ON -WIPER- INT DELAY	-WIPER-			
Ä	ROTARY BEACON	61	62	63
-&-	LAMP TEST	DK	64	DL
43	WINDSHIELD WIPER/WASHER		66	67
	HAZARD WARNING	68	69	70
<b>8</b> ★	WARM AIR BLOWER	71	72	73
₩R	HORN REAR	AX	74	Y4

NOTE

1 Negative lens not available on L or LD-Series.

Additional Standard Markings available. Consult factory.