

**Xcelite
Round Cable Stripper, .178" - 1.57" Diameter**



Product Details

Catalog No.	CJS200
UPC Code	037103197085
Stripping Range	.178 in. to 1.57in.
Replacement Blade	CJS200B
Step Dimension "B"	None
Step Dimension "C"	None
Packaging	Peg Hook/Retail Packaging
Tech. Spec.	Crimping Stripping Tools.pdf
Low Res. Image	CJS200_100.jpg
High Res. Image	CJS200_300.jpg
Stock Item	Normal Stock Item

Package Details (Dimensions)

Product Features:

- Round cable stripper, .178" - 1.57" diameter

Xcelite
Round Cable Stripper, .178" - 1.57" Diameter



Individual Product	
Catalog No.	CJS200
UPC Code	037103197085
Quantity	1
Length (Inches)	10
Width (Inches)	4.7
Height (Inches)	1
Gross Weight (lb)	0.35
Volume (cu in)	47

Catalog No.	CJS200
I 2 of 5 Code	20037103197089
Quantity	10
Length (Inches)	14.2
Width (Inches)	4.7
Height (Inches)	10.5
Gross Weight (lb)	3.5
Volume (cu in)	700.77

Crimping and Stripping Tools

Xcelite® Round Cable Stripper

A professional stripping tool for round cables of all insulation types




CJS200 Round Cable Stripper comes with both large and small cable guides

Catalog No.	Description
CJS200	ROUND CABLE STRIPPER, .178"-1.57" DIA
CJS200B	REPLACEMENT BLADE, CJS200
CJS200LG	LARGE CABLE GUIDE, CJS200
CJS200SG	SMALL CABLE GUIDE, CJS200

The Xcelite Advantage

- By rotating the body of the tool, the blade can be fixed in any one of three positions to provide:













- Unique to this type of tool, the CJS200 features two interchangeable cable retention guides giving it an incomparable stripping capacity of 0.18" to 1.57" (4.5-40 mm) in one tool. Both cable guides are included with each tool. The CJS200 can replace two or more similar products in the toolbox.
- Easy to use: Positive locking positions for circular, lengthways, and spiral cuts.
- No special tools required to interchange cable guides.
- Safety strap can be attached to the eyelet at the base of the tool to prevent accidental dropping.
- Ergonomic: The well-balanced design features rests for thumb, first, and little fingers to ease in raising of the cable retention guides.
- Durable: Tested to over 100,000 cycles.
- Economical: Replacement blade available (p/n CJS200B). Can be stored in the tool body.

Crimping and Stripping Tools

Technical Data:

- Length: 6.6" (168 mm) with large hook
- Height: 2.1" (52 mm) with large hook
- Weight: 4.1 oz. (116 g) with large hook
- Stripping dimensions: Up to 4.5 mm thick insulation
- Cables: Power cable, multi-conductor control, fiber optic and copper trunk cables
- Strip range: 4.5 mm – 25 mm with small hook; 20 mm – 40 mm with large hook

Competitive Analysis

	Xcelite CJS200	Paladin AM25 p/n 1820	Paladin AM35 p/n 1821	Paladin p/n 1822	Ideal Swivel- Blade p/n 45- 129	Ideal Swivel- Blade p/n 45- 128	Greenlee p/n 1900	Greenlee p/n 1901	Abeco p/n MK02	Abeco RotaStrip p/n 06200
										
Cable Diameter Range	0.18" – 1.57" (4.5-40 mm)	0.18" – 1.0" (4.5-25.4 mm)	1.0" – 1.4" (25.4-35.5 mm)	0.18" – 1.4" (4.5-35.5 mm)	0.25" – 0.75" (6.3-19 mm)	0.75" – 1.5" (19-38.1 mm)	0.18"-1.125" (4.5-28.5 mm)	0.75"-1.5" (19-38.1 mm)	0.18"-1.12" (4.5-28.5 mm)	0.18"-1.0" (4.5-26.0 mm)
Maximum Stripping Depth	0.18"	0.18"	0.18"	Not specified	0.125"	0.125"	0.125"	0.125"	0.12" (3 mm)	0.12" (3 mm)
Spiral Cut Capability?	Yes	No	No	No	No	No	Yes	Yes	No	No
Holds replacement blade?	Yes	Yes	Yes	No	No	No	No	No	No	Yes
Exposed sharp edges?	No	Yes	Yes	Yes	Yes	Yes	No	No	No	No
Interchangeable Cable Guides?	Yes – enables this tool to strip the widest range of cable diameters in one tool	No	No	No	No	No	No	No	No	No