



SYLVANIA



OSRAM



Sylvania Automotive Lamp Catalog

Housing and Lens Assemblies

T-2 Indicator Slide Base Lamps

T-2 Pilot Slide Base Lamps

T-2 1/2 Miniature Bayonet Base Lamps

T-2 Indicator Cartridge Lamps

T-2 Pilot Cartridge Lamps

T-3 1/4 Miniature Bayonet Base Lamps

Universal Lamp Housings

Line No.	Lamp No.	Design Volts	Design Amps	Design Watts	Filament Type	Average End Foot Candles	Rated Life
1	918IC ¹	12	0.04	0.48	C-2V	550	10,000
2	926IC ¹	16	0.04	0.64	C-2F	750	7,500
3	933IC ¹	24	0.017	0.42	C-2F	200	15,000
4	934IC ¹	24	0.04	0.96	C-2F	650	8,000
5	938IC ¹	28	0.04	1.12	C-2F	1500	6,000
6	941IC ¹	48	0.04	1.92	C-2F	3000	5,000

1 C14C-0001-0001

Lenses

Line No	Color	Part Number	
		Transparent	Translucent
1	Amber	30140	-
2	Clear	30141	-
3	Red	30142	30147
4	Blue	30143	-
5	Green	30144	30149
6	Yellow	-	30145
7	White	-	30146



Indicator Sockets

Line No	PartNo	Alternate No.	Base
1	SM1A*	30098	Solder Lugs



*MiL - Std. 18235 MiL-L-3661 A-MiL Std. 202B
 Material: Black Phenolic
 Max. Current - 1 amp.

#30098 Socket

Dimensions

Lenses : Diameter : 0.400"; Height : 0.425"
 Socket : Front of panel to end of terminals: 1.0"
 Mounting Hole : 0.372" diameter