



Extruded Aluminum Enclosures (Metal End Panels) (1455 Series)

- Home
- Products
- Distributors
- Technical
- Contact Us
- Other Options

Path: [Home](#) > [Enclosure Index](#) > **Extruded Aluminum w/ Metal Panels**



(click to enlarge)

**Black Anodized
(Open View)**



(click to enlarge)

**Black Anodized
(Assembled View)**



(click to enlarge)

**Clear Anodized
(Assembled View)**










































Key Features:

- Designed to house P.C. boards or for equipment interfacing.
- Sized for standard Eurocards.
- P.C. boards mount horizontally by sliding into internal slots extruded into the enclosure body.
- Rugged body constructed from extruded aluminum with a minimum thickness of .06" (1.5 mm).
- Extruded body includes a slide removable "belly" plate - except in smaller "C" sizes (ie..1455C801, 1455C1201 sizes) see ["photo tables"](#) for more visual details.

Includes:

- Two aluminum end panels (link here if you prefer our solid [plastic end panel version](#))
- Two black ABS plastic bezels (your option to install)
- Extruded, anodized aluminum body (choice of either clear or black)
- All hardware and rubber feet

Part Number	Anodized Color	Reader File	 Drawing File Size	AutoCAD .dwg Files (zipped)	.zip File Size	3D Solid Model .igs & .stp files (zipped)	3D .zip File Size	Units	Length	Width	Height
1455C801	Clear Black		230K		144K		131K	Inches	3.15	2.125	0.91
1455C801BK								mm	80	54	23

1455C1201 1455C1201BK	Clear Black		216K		142K		131K	Inches	4.72	2.125	0.91
								mm	120	54	23
1455J1201 1455J1201BK	Clear Black		269K		159K		237K	Inches	4.72	3.07	1.06
								mm	120	78	27
1455K1201 1455K1201BK	Clear Black		256K		157K		227K	Inches	4.72	3.07	1.69
								mm	120	78	43
1455L1201 1455L1201BK	Clear Black		273K		158K		227K	Inches	4.72	4.06	1.20
								mm	120	103	30.5
1455N1201 1455N1201BK	Clear Black		251K		157K		249K	Inches	4.72	4.06	2.09
								mm	120	103	53
1455J1601 1455J1601BK	Clear Black		270K		155K		237K	Inches	6.30	3.07	1.06
								mm	160	78	27
1455K1601 1455K1601BK	Clear Black		264K		160K		228K	Inches	6.30	3.07	1.69
								mm	160	78	43
1455L1601 1455L1601BK	Clear Black		269K		162K		240K	Inches	6.30	4.06	1.20
								mm	160	103	30.5
1455N1601 1455N1601BK	Clear Black		155K		155K		250K	Inches	6.30	4.06	2.09
								mm	160	103	53
1455P1601 1455P1601BK	Clear Black		266K		161K		250K	Inches	6.30	4.74	1.20
								mm	160	120.5	30.5
1455Q1601 1455Q1601BK	Clear Black		271K		164K		291K	Inches	6.30	4.74	2.03
								mm	160	120.5	51.5
1455R1601 1455R1601BK	Clear Black		162K		134K		340K	Inches	6.30	6.30	1.20
								mm	160	160	30.5
1455T1601 1455T1601BK	Clear Black		167K		135K		293K	Inches	6.30	6.30	2.03
								mm	160	160	51.5
1455L2201 1455L2201BK	Clear Black		261K		161K		240K	Inches	8.66	4.06	1.20
								mm	220	103	30.5
1455N2201 1455N2201BK	Clear Black		253K		157K		250K	Inches	8.66	4.06	2.09
								mm	220	103	53
1455P2201 1455P2201BK	Clear Black		261K		163K		250K	Inches	8.66	4.74	1.20
								mm	220	120.5	30.5
1455Q2201 1455Q2201BK	Clear Black		274K		164K		291K	Inches	8.66	4.74	2.03
								mm	220	120.5	51.5
1455R2201 1455R2201BK	Clear Black		160K		133K		340K	Inches	8.66	6.30	1.20
								mm	220	160	30.5

1455T2201 1455T2201BK	Clear		285K		133K		293K	Inches	8.66	6.30	2.03
	Black							mm	220	160	51.5

 [Link here to photo tables](#) of each part number

Color Options:



(click to enlarge)

- Choose either black anodized (left) or clear anodized (right)
- Note that aluminum front & back panels match enclosure color

Wallmount Options:








(click to enlarge)




(click to enlarge)

- Designed to convert these enclosures where shelf or wall mounting is required
- Flanges are .064" (1.6 mm) thick aluminum foot "L" brackets and attach to each end, replacing the aluminum end panels
- Finish available in both clear & black anodized to match enclosure
- **SOLD IN PAIRS**

Part Number	Color	Reader File	 Drawing File Size	AutoCAD .dwg Files (zipped)	.zip File Size	3D Solid Model .igs & .stp files (zipped)	3D .zip File Size	USE WITH ENCLOSURE
1455CF	Clear		142K		104K		24K	Any part above starting with

1455CFBK	Black		174K		83K		25K	1455C
1455JF 1455JFBK	Clear Black		174K		83K		25K	Any part above starting with 1455J
1455KF 1455KFBK	Clear Black		159K		118K		25K	Any part above starting with 1455K
1455LF 1455LFBK	Clear Black		160K		110K		25K	Any part above starting with 1455L
1455NF 1455NFBK	Clear Black		165K		111K		25K	Any part above starting with 1455N
1455PF 1455PFBK	Clear Black		180K		112K		24K	Any part above starting with 1455P
1455QF 1455QFBK	Clear Black		145K		113K		25K	Any part above starting with 1455Q
1455RF 1455RFBK	Clear Black		143K		111K		25K	Any part above starting with 1455R
1455TF 1455TFBK	Clear Black		150K		111K		25K	Any part above starting with 1455T

Replacement Parts & Bezel Options:



(click to enlarge)



(click to enlarge)



(click to enlarge)

Aluminum Clear End Plate Aluminum Black End Plate Black Plastic - Open Bezel


USE WITH (Enclosure Part Number)	Aluminum Clear End Plate (10 Pack)	Aluminum Black End Plate (10 Pack)	Black Plastic Open Bezel	
			(2 Pack)	(10 Pack)
1455C801	1455CAL-10	1455CALBK-10	1455CBBK	1455CBBK-10
1455C1201	1455CAL-10	1455CALBK-10	1455CBBK	1455CBBK-10
1455J1201	1455JAL-10	1455JALBK-10	1455JBBK	1455JBBK-10

1455K1201	1455KAL-10	1455KALBK-10	1455KBBK	1455KBBK-10
1455L1201	1455LAL-10	1455LALBK-10	1455LBBK	1455LBBK-10
1455N1201	1455NAL-10	1455NALBK-10	1455NBBK	1455NBBK-10
1455J1601	1455JAL-10	1455JALBK-10	1455JBBK	1455JBBK-10
1455K1601	1455KAL-10	1455KALBK-10	1455KBBK	1455KBBK-10
1455L1601	1455LAL-10	1455LALBK-10	1455LBBK	1455LBBK-10
1455N1601	1455NAL-10	1455NALBK-10	1455NBBK	1455NBBK-10
1455P1601	1455PAL-10	1455PALBK-10	1455PBBK	1455PBBK-10
1455Q1601	1455QAL-10	1455QALBK-10	1455QBBK	1455QBBK-10
1455R1601	1455RAL-10	1455RALBK-10	1455RBBK	1455RBBK-10
1455T1601	1455TAL-10	1455TALBK-10	1455TBBK	1455TBBK-10
1455L2201	1455LAL-10	1455LALBK-10	1455LBBK	1455LBBK-10
1455N2201	1455NAL-10	1455NALBK-10	1455NBBK	1455NBBK-10
1455P2201	1455PAL-10	1455PALBK-10	1455PBBK	1455PBBK-10
1455Q2201	1455QAL-10	1455QALBK-10	1455QBBK	1455QBBK-10
1455R2201	1455RAL-10	1455RALBK-10	1455RBBK	1455RBBK-10
1455T2201	1455TAL-10	1455TALBK-10	1455TBBK	1455TBBK-10



(click to enlarge)

Red ABS Plastic - Open Bezel



(click to enlarge)

Yellow ABS Plastic - Open Bezel

USE WITH (Enclosure Part Number)	Red		Yellow	
	(2 Pack)	(10 Pack)	(2 Pack)	(10 Pack)
1455C801	1455CBRED	1455CBRED-10	1455CBY	1455CBY-10
1455C1201	1455CBRED	1455CBRED-10	1455CBY	1455CBY-10
1455J1201	1455JBRED	1455JBRED-10	1455JBY	1455JBY-10
1455K1201	1455KBRED	1455KBRED-10	1455KBY	1455KBY-10

1455L1201	1455LBRED	1455LBRED-10	1455LBY	1455LBY-10
1455N1201	1455NBRED	1455NBRED-10	1455NBY	1455NBY-10
1455J1601	1455JBRED	1455JBRED-10	1455JBY	1455JBY-10
1455K1601	1455KBRED	1455KBRED-10	1455KBY	1455KBY-10
1455L1601	1455LBRED	1455LBRED-10	1455LBY	1455LBY-10
1455N1601	1455NBRED	1455NBRED-10	1455NBY	1455NBY-10
1455P1601	1455PBRED	1455PBRED-10	1455PBY	1455PBY-10
1455Q1601	1455QBRED	1455QBRED-10	1455QBY	1455QBY-10
1455R1601	1455RBRED	1455RBRED-10	1455RBY	1455RBY-10
1455T1601	1455TBRED	1455TBRED-10	1455TBY	1455TBY-10
1455L2201	1455LBRED	1455LBRED-10	1455LBY	1455LBY-10
1455N2201	1455NBRED	1455NBRED-10	1455NBY	1455NBY-10
1455P2201	1455PBRED	1455PBRED-10	1455PBY	1455PBY-10
1455Q2201	1455QBRED	1455QBRED-10	1455QBY	1455QBY-10
1455R2201	1455RBRED	1455RBRED-10	1455RBY	1455RBY-10
1455T2201	1455TBRED	1455TBRED-10	1455TBY	1455TBY-10



(click to enlarge)



(click to enlarge)



(click to enlarge)

**Translucent Blue
Polycarbonate - Open Bezel**



(click to enlarge)

**Translucent (IR) Red
Polycarbonate - Open Bezel**

USE WITH (Enclosure Part Number)	Translucent Blue		Translucent Red	
	(2 Pack)	(10 Pack)	(2 Pack)	(10 Pack)
1455C801	1455CBTB	1455CBTB-10	1455CBTR	1455CBTR-10
1455C1201	1455CBTB	1455CBTB-10	1455CBTR	1455CBTR-10
1455J1201	1455JBTB	1455JBTB-10	1455JBTR	1455JBTR-10
1455K1201	1455KBTB	1455KBTB-10	1455KBTR	1455KBTR-10
1455L1201	1455LBTB	1455LBTB-10	1455LBTR	1455LBTR-10
1455N1201	1455NBTB	1455NBTB-10	1455NBTR	1455NBTR-10
1455J1601	1455JBTB	1455JBTB-10	1455JBTR	1455JBTR-10
1455K1601	1455KBTB	1455KBTB-10	1455KBTR	1455KBTR-10
1455L1601	1455LBTB	1455LBTB-10	1455LBTR	1455LBTR-10
1455N1601	1455NBTB	1455NBTB-10	1455NBTR	1455NBTR-10
1455P1601	1455PBTB	1455PBTB-10	1455PBTR	1455PBTR-10
1455Q1601	1455QBTB	1455QBTB-10	1455QBTR	1455QBTR-10
1455R1601	1455RBTB	1455RBTB-10	1455RBTR	1455RBTR-10
1455T1601	1455TBTB	1455TBTB-10	1455TBTR	1455TBTR-10
1455L2201	1455LBTB	1455LBTB-10	1455LBTR	1455LBTR-10
1455N2201	1455NBTB	1455NBTB-10	1455NBTR	1455NBTR-10
1455P2201	1455PBTB	1455PBTB-10	1455PBTR	1455PBTR-10
1455Q2201	1455QBTB	1455QBTB-10	1455QBTR	1455QBTR-10
1455R2201	1455RBTB	1455RBTB-10	1455RBTR	1455RBTR-10
1455T2201	1455TBTB	1455TBTB-10	1455TBTR	1455TBTR-10

DOWNLOAD



NOW

catalog pages on this series (193K) [9C-1455.pdf](#)

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!

[Our Distributors](#)

[Order from your favorite distributor](#)

[Home](#) | [Products](#) | [Distributors](#) | [Technical](#) | [Contact Us](#) | [Other Options](#)

Copyright; © 2002-2007 Hammond Mfg Co Inc

URL: <http://www.hammondmfg.com>