












## Rack Doors for "Contempra" 2 Racks






[ [Solid Doors](#) | [Louvered Doors](#) | [Perforated Doors](#) | [Plexi Doors](#) | [Ventilated Plexi Doors](#) ]



### Solid Door Features:

- Flush mount...
- Heavy Duty 16 gauge steel construction with sturdy door stiffeners welded on...
- Reversible right or left opening (by inverting door)...
- Features lockable latch, magnetic catch and spring loaded hinge pins for instant installation or removal...
- Allows full access to space between panel rails when open.
- Paint matches "C2" type rack frame in the same rugged textured powder paint finish.






Part Number	Color	Reader File	 Drawing File Size	AutoCAD .dxf File	.dxf File Size	Panel Height		Use With Rack Frame Part Number
						Inches	Units	
<b>CDF1935SBK1</b> <b>CDF1935SCG1</b>	Black Gray/ Beige		143K		581K	<b>35</b>	20	C2F193523 or C2F193531 or C2F193536
<b>CDF1942SBK1</b> <b>CDF1942SCG1</b>	Black Gray/ Beige		143K		592K	<b>42</b>	24	C2F194223 or C2F194231 or C2F194236
<b>CDF1949SBK1</b> <b>CDF1949SCG1</b>	Black Gray/ Beige		143K		592K	<b>49</b>	28	C2F194923 or C2F194931 or C2F194936
<b>CDF1956SBK1</b> <b>CDF1956SCG1</b>	Black Gray/ Beige		142K		593K	<b>56</b>	32	C2F195623 or C2F195631 or C2F195636
<b>CDF1963SBK1</b> <b>CDF1963SCG1</b>	Black Gray/ Beige		142K		593K	<b>63</b>	36	C2F196323 or C2F196331 or C2F196336













<b>CDF1970SBK1</b> <b>CDF1970SCG1</b>	Black Gray/ Beige		141K		593K	<b>70</b>	40	C2F197023 or C2F197031 or C2F197036
<b>CDF1978SBK1</b> <b>CDF1978SCG1</b>	Black Gray/ Beige		141K		593K	<b>78.75</b>	45	C2F197823 or C2F197831 or C2F197836
<b>CDF1985SBK1</b> <b>CDF1985SCG1</b>	Black Gray/ Beige		141K		593K	<b>85.75</b>	49	C2F198523 or C2F198531 or C2F198536

### *Louvered Door Features:*



- Flush mount...
- Heavy Duty 16 gauge steel construction with sturdy door stiffeners welded on...
- Opens right hand only with louvers facing down...
- Features lockable latch, magnetic catch and spring loaded hinge pins for instant installation or removal...
- Allows full access to space between panel rails when open...
- Paint matches “C2” type rack frame in the same rugged textured powder paint finish.






Part Number	Color	Reader File	 Drawing File Size	AutoCAD .dxf File	.dxf File Size	Panel Height		Use With Rack Part Number
						Inches	Units	
<b>CDF1935LBK1</b> <b>CDF1935LCG1</b>	Black Gray/ Beige		156K		789K	<b>35</b>	20	C2F193523 or C2F193531 or C2F193536
<b>CDF1942LBK1</b> <b>CDF1942LCG1</b>	Black Gray/ Beige		161K		860K	<b>42</b>	24	C2F194223 or C2F194231 or C2F194236

<b>CDF1949LBK1</b> <b>CDF1949LCG1</b>	Black Gray/ Beige		165K		940K	<b>49</b>	28	C2F194923 or C2F194931 or C2F194936
<b>CDF1956LBK1</b> <b>CDF1956LCG1</b>	Black Gray/ Beige		168K		1M	<b>56</b>	32	C2F195623 or C2F195631 or C2F195636
<b>CDF1963LBK1</b> <b>CDF1963LCG1</b>	Black Gray/ Beige		172K		1.08 M	<b>63</b>	36	C2F196323 or C2F196331 or C2F196336
<b>CDF1970LBK1</b> <b>CDF1970LCG1</b>	Black Gray/ Beige		174K		1.14M	<b>70</b>	40	C2F197023 or C2F197031 or C2F197036
<b>CDF1978LBK1</b> <b>CDF1978LCG1</b>	Black Gray/ Beige		181K		1.24M	<b>78.75</b>	45	C2F197823 or C2F197831 or C2F197836
<b>CDF1985LBK1</b> <b>CDF1985LCG1</b>	Black Gray/ Beige		181K		1.27M	<b>85.75</b>	49	C2F198523 or C2F198531 or C2F198536

### *Perforated Door Features:*

- Provides maximum ventilation while maintaining security...
- Flush mount...
- Heavy Duty 16 gauge steel construction with perforated steel inserts...
- Reversible right or left opening (by inverting door)...
- Features lockable latch, magnetic catch and spring loaded hinge pins for instant installation or removal...
- Allows full access to space between panel rails when open...
- Paint matches “C2” type rack frame in the same rugged textured powder paint finish.




















Part Number	Color	Reader File	 Drawing File Size	AutoCAD .dxf File	.dxf File Size	Panel Height		Use With Rack Part Number
						Inches	Units	
<b>CDF1970VBK1</b> <b>CDF1970VCG1</b>	Black Gray/ Beige		427K		2.05M	<b>70</b>	40	C2F197023 or C2F197031 or C2F197036
<b>CDF1978VBK1</b> <b>CDF1978VCG1</b>	Black Gray/ Beige		464K		2.24M	<b>78.75</b>	45	C2F197823 or C2F197831 or C2F197836



### **Plexi Door Features:**

- Flush mount...
- 16 gauge steel door frame with smoked plexi insert...
- Reversible right or left opening (by inverting door)...
- Features lockable latch, magnetic catch and spring loaded hinge pins for instant installation or removal...
- Allows full access to space between panel rails when open...
- Frame is painted with a rugged textured black powder paint finish.

Part Number	Color	Reader File	 Drawing File Size	AutoCAD .dxf File	.dxf File Size	Panel Height		Use With Rack Part Number
						Inches	Units	
<b>C2DF1935PBK1</b>	Black		143K		596K	<b>35</b>	20	C2F193523 or C2F193531 or C2F193536
<b>C2DF1942PBK1</b>	Black		144K		596K	<b>42</b>	24	C2F194223 or C2F194231 or C2F194236
<b>C2DF1949PBK1</b>	Black		143K		597K	<b>49</b>	28	C2F194923 or C2F194931 or C2F194936
<b>C2DF1956PBK1</b>	Black		143K		597K	<b>56</b>	32	C2F195623 or C2F195631 or C2F195636




<b>C2DF1963PBK1</b>	Black		142K		597K	<b>63</b>	36	C2F196323 or C2F196331 or C2F196336
<b>C2DF1970PBK1</b>	Black		142K		598K	<b>70</b>	40	C2F197023 or C2F197031 or C2F197036
<b>C2DF1978PBK1</b>	Black		141K		598K	<b>78.75</b>	45	C2F197823 or C2F197831 or C2F197836
<b>C2DF1985PBK1</b>	Black		141K		597K	<b>85.75</b>	49	C2F198523 or C2F198531 or C2F198536

### *Ventilated Plexi Door Features:*



- Provides airflow through cabinet and excellent equipment visibility...
- Flush mount...
- 16 gauge steel door frame with smoked plexi glass insert...
- Reversible right or left opening (by inverting door)...
- Features lockable latch, magnetic catch and spring loaded hinge pins for instant installation or removal...
- Allows full access to space between panel rails when open...
- Complete with keyed lock and magnet strip for closure...
- Frame is painted with a rugged textured powder paint finish.

<b>Part Number</b>	<b>Color</b>	<b>Reader File</b>	 <b>Drawing</b>	<b>AutoCAD . dxf File</b>	<b>.dxf File Size</b>	<b>Panel Height</b>	<b>Use With Rack Part</b>
--------------------	--------------	--------------------	---	-------------------------------	-------------------------------	---------------------	-----------------------------------

			File Size			Inches	Units	Number
<b>CDF1970VPBK1</b> <b>CDF1970VPCG1</b>	Black Gray/ Beige		498K		2.7M	<b>70</b>	40	C2F197023 or C2F197031 or C2F197036
<b>CDF1978VPBK1</b> <b>CDF1978VPCG1</b>	Black Gray/ Beige		542K		3.0M	<b>78.75</b>	45	C2F197823 or C2F197831 or C2F197836

---

## *Mail Link To Our Catalog Department*

Provide full mailing address here for your **FREE CATALOG** via snail mail...

---

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!



Order from your favorite distributor

---

[Home](#) | [Products](#) | [Distributors](#) | [Technical](#) | [Contact Us](#) | [Other Options](#)

---

Copyright; © 1998-2004 Hammond Mfg Co Inc

URL: <http://www.hammondmfg.com/>