

Open Racks **Swing Frame Rack**



Design Features

These swingframe racks offer all the conveniences of a wall mounted rack, plus the added advantage of a swing out frame for easy access to the rear of your equipment.


Features

- Left or right hand hinge.
- #12-24 panel mounting hardware (Use #9260 screws order separately)
- Velcro cable straps included
- 16" on center wall mounting (wall mounting hardware not included).
- 75# equipment load capacity
- Two Styles: Style A Knockdown Assembly, Style B Welded Assembly

Finish: Black Texture (BT)

Swing Frame Rack								
Catalog Number	Drawings	Style	Panel Space	Overall Height & Width	Depth			
SF-2184		A	21.00" x 19.00"	24.00" x 21.25"	18.00"			
SF-2194		A	35.00" x 19.00"	38.00" x 21.25"	18.00"			
SF-2283		В	21.00" x 19.00"	24.00"x 21.25"	12.00"			
SF-2284		В	21.00" x 19.00"	24 00"x 21.25"	18.00"			
SF-2293		В	35.00" x 19.00"	38 00"x 21.25"	12.00"			
SF-2294		В	35.00" x 19.00"	38.00"x 21.25"	18.00"			





NOTE:

- 1.) UNITS SUPPLIED UNASSEMBLED (KNOCKED DOWN)
- 2.) SWING ARM RAILS PIERCED 0.281 DIA. HOLES ON E.I.A. UNIVERSAL SPACING.
- 3.) UNITS SUPPLIED WITH QTY. (6) VELCRO STRAPS 1" WIDE \times 8" LG.
- 4.) SF-2184 SUPPLIED WITH QTY. (12) CLIP NUTS #12-24.
- 5.) SF-2194 SUPPLIED WITH QTY. (20) CLIP NUTS #12-24.
- 6.) PANEL MOUNTING HARDWARE (USE #9260 SCREW #12-24 x 1/2 LG. ORDER SEPARATELY).

PART No.	А	В	С	D	E
SF-2184	24.281	21.062	23,000	7.000	1,640
SF-2194	38.281	35.062	37.000	11.000	2,640