

## 598-95920

.75" X .5" X 2.0" Helasign self-laminating labels. 120 markers per pkg.

Article Number: 598-95920

Part Number: 598-95920

Type: HSMB-C2-120

Material: 120

### 1. Base Data

---

<b>Part No.</b>	598-95920
<b>Type</b>	HSMB-C2-120
<b>Color</b>	White
<b>Features</b>	HELASIGN self-laminating label booklets come in 6 different colors and are very easy to use. The booklet conveniently fits in a pocket, while protecting the labels from dust prior to use. The self-laminating label's clear "tail" wraps around the text for
<b>Application</b>	A quick and simple on-site solution, for either permanent or temporary marking of wires, cables and pipes.

<b>Colour Marking Field</b>	White
<b>Label E-Number Finland</b>	64 173 44
<b>Label E-Number Norway</b>	18 554 69
<b>Label E-Number Sweden</b>	29 778 67

## 2. Product Dimensions

---

<b>Width (W)</b>	.750 " / 19.10 mm
<b>Height (H)</b>	.500 " / 12.70 mm
<b>Height (H2)</b>	2.000 " / 50.80 mm
<b>Min. Ø Bundle</b>	.240 " / 6.10 mm
<b>Max. Ø Bundle</b>	.476 " / 12.10 mm
<b>Min. Outside Ø</b>	.240 "
<b>Min. Diameter Ø</b>	6.1
<b>Max. Outside Ø</b>	.476 " / 12.10 mm
<b>Thickness</b>	75.0 µm
<b>Thickness of Foil (µm)</b>	75.0
<b>Wire Size Range (AWG)</b>	2-10

## 4. Material and Specifications

---

<b>Material</b>	Type 120, self laminating Vinyl
<b>Material Shortcut</b>	120
<b>Adhesive</b>	Acrylic
<b>Adhesive Operating Temperature</b>	-40 °F to +86 °F (-40 °C to +30 °C)

<b>Chem. Material Properties</b>	non-shrinking, non-ageing
<b>Curing Temperature</b>	from +10 °C
<b>Operating Temperature</b>	-40 °F to +176 °F (-40 °C to +80 °C)


### **Logistic and Packaging**

---

<b>Packaging Type</b>	pack
<b>Pkg. Qty.</b>	120
<b>Carton Qty.</b>	120
<b>EAN code</b>	4031026228402
<b>Labels per Sheet</b>	12
<b>Sheets per Pack</b>	120
<b>UPC</b>	08930624181

## HELASIGN® Self Laminating Booklet

HELASIGN self-laminating label booklets come in 6 different colors and are very easy to use. The booklet conveniently fits in a pocket, while protecting the labels from dust prior to use. The self-laminating label's clear "tail" wraps around the text for excellent abrasion and moisture resistance and protection from dust and dirt. Available in three sizes, the HELASIGN accommodates cable diameters from .16" - .67".



Product Selection									
Article No.	Part No.	Type	Color	Width in. (mm)	Height of Write-On Area in. (mm)	Height of Label in. (mm)	Wire Size Range (AWG)	Labels per booklet	Pkg. Qty.
<b>Width - 0.5"</b>									
598-94920	<b>598-94920</b>	HSMB-C1-120	White	.5 " (12.7)	.5 " (12.7)	1.5 " (38.1)	8-14	240	1 booklet
598-94220	<b>598-94220</b>	HSMB-C1-120	Red	.5 " (12.7)	.5 " (12.7)	1.5 " (38.1)	8-14	240	1 booklet
598-94320	<b>598-94320</b>	HSMB-C1-120	Orange	.5 " (12.7)	.5 " (12.7)	1.5 " (38.1)	8-14	240	1 booklet
598-94420	<b>598-94420</b>	HSMB-C1-120	Yellow	.5 " (12.7)	.5 " (12.7)	1.5 " (38.1)	8-14	240	1 booklet
598-94520	<b>598-94520</b>	HSMB-C1-120	Green	.5 " (12.7)	.5 " (12.7)	1.5 " (38.1)	8-14	240	1 booklet
598-94620	<b>598-94620</b>	HSMB-C1-120	Blue	.5 " (12.7)	.5 " (12.7)	1.5 " (38.1)	8-14	240	1 booklet
<b>Width - 0.75"</b>									
598-95920	<b>598-95920</b>	HSMB-C2-120	White	.75 " (19.1)	.5 " (12.7)	2.0 " (50.8)	2-10	120	1 booklet
598-95220	<b>598-95220</b>	HSMB-C2-120	Red	.75 " (19.1)	.5 " (12.7)	2.0 " (50.8)	2-10	120	1 booklet
598-95320	<b>598-95320</b>	HSMB-C2-120	Orange	.75 " (19.1)	.5 " (12.7)	2.0 " (50.8)	2-10	120	1 booklet
598-95420	<b>598-95420</b>	HSMB-C2-120	Yellow	.75 " (19.1)	.5 " (12.7)	2.0 " (50.8)	2-10	120	1 booklet
598-95520	<b>598-95520</b>	HSMB-C2-120	Green	.75 " (19.1)	.5 " (12.7)	2.0 " (50.8)	2-10	120	1 booklet
598-95620	<b>598-95620</b>	HSMB-C2-120	Blue	.75 " (19.1)	.5 " (12.7)	2.0 " (50.8)	2-10	120	1 booklet
<b>Width - 1.0"</b>									
598-96920	<b>598-96920</b>	HSMB-C3-120	White	1.0 " (25.4)	.75 " (19.1)	3.0 " (76.2)	6-0000	60	1 booklet
598-96220	<b>598-96220</b>	HSMB-C3-120	Red	1.0 " (25.4)	.75 " (19.1)	3.0 " (76.2)	6-0000	60	1 booklet
598-96320	<b>598-96320</b>	HSMB-C3-120	Orange	1.0 " (25.4)	.75 " (19.1)	3.0 " (76.2)	6-0000	60	1 booklet
598-96420	<b>598-96420</b>	HSMB-C3-120	Yellow	1.0 " (25.4)	.75 " (19.1)	3.0 " (76.2)	6-0000	60	1 booklet
598-96520	<b>598-96520</b>	HSMB-C3-120	Green	1.0 " (25.4)	.75 " (19.1)	3.0 " (76.2)	6-0000	60	1 booklet
598-96620	<b>598-96620</b>	HSMB-C3-120	Blue	1.0 " (25.4)	.75 " (19.1)	3.0 " (76.2)	6-0000	60	1 booklet

Dimensions are approximate and subject to technical changes. Use **Part No.** for ordering and **Type** for specification purposes.