

598-96920

1" X .75" X 3" Helasign self-laminating marker book. 60 markers per book.

Article Number: 598-96920

Part Number: 598-96920

Type: HSMB-C3-120

Material: 120

1. Base Data

Part No.	598-96920
Type	HSMB-C3-120
Color	White
Features	HELASIGN self-laminating label booklets come in 6 different colors and are very easy to use. The booklet conveniently fits in a pocket, while protecting the labels from dust prior to use. The self-laminating label's clear "tail" wraps around the text for
Application	A quick and simple on-site solution, for either permanent or temporary marking of wires, cables and pipes.


Colour Marking Field	White
Label E-Number Finland	64 158 77
Label E-Number Norway	18 554 70
Label E-Number Sweden	29 778 68

2. Product Dimensions

Length (L)	.750 "
Width (W)	1.000 " / 25.40 mm
Height (H)	.750 " / 19.10 mm
Height (H2)	3.000 " / 76.20 mm
Min. Ø Bundle	.358 " / 9.10 mm
Max. Ø Bundle	.716 " / 18.20 mm
Min. Outside Ø	.358 "
Min. Diameter Ø	9.1
Max. Outside Ø	.716 " / 18.20 mm
Thickness	75.0 µm
Thickness of Foil (µm)	75.0
Wire Size Range (AWG)	6-0000

4. Material and Specifications

Material	Type 120, self laminating Vinyl
Material Shortcut	120
Adhesive	Acrylic


Adhesive Operating Temperature	-40 °F to +176 °F (-40 °C to +80 °C)
Chem. Material Properties	non-shrinking, non-ageing
Curing Temperature	from +10 °C
Operating Temperature	-40 °F to +176 °F (-40 °C to +80 °C)
ROHS Conformity	

Logistic and Packaging

Packaging Type	pack
Pkg. Qty.	60
Carton Qty.	60
EAN code	4031026228419
Labels per Sheet	6
Sheets per Pack	60
UPC	08930624182

HELASIGN® Self Laminating Booklet

HELASIGN self-laminating label booklets come in 6 different colors and are very easy to use. The booklet conveniently fits in a pocket, while protecting the labels from dust prior to use. The self-laminating label's clear "tail" wraps around the text for excellent abrasion and moisture resistance and protection from dust and dirt. Available in three sizes, the HELASIGN accommodates cable diameters from .16" - .67".



Product Selection									
Article No.	Part No.	Type	Color	Width in. (mm)	Height of Write-On Area in. (mm)	Height of Label in. (mm)	Wire Size Range (AWG)	Labels per booklet	Pkg. Qty.
Width - 0.5"									
598-94920	598-94920	HSMB-C1-120	White	.5" (12.7)	.5" (12.7)	1.5" (38.1)	8-14	240	1 booklet
598-94220	598-94220	HSMB-C1-120	Red	.5" (12.7)	.5" (12.7)	1.5" (38.1)	8-14	240	1 booklet
598-94320	598-94320	HSMB-C1-120	Orange	.5" (12.7)	.5" (12.7)	1.5" (38.1)	8-14	240	1 booklet
598-94420	598-94420	HSMB-C1-120	Yellow	.5" (12.7)	.5" (12.7)	1.5" (38.1)	8-14	240	1 booklet
598-94520	598-94520	HSMB-C1-120	Green	.5" (12.7)	.5" (12.7)	1.5" (38.1)	8-14	240	1 booklet
598-94620	598-94620	HSMB-C1-120	Blue	.5" (12.7)	.5" (12.7)	1.5" (38.1)	8-14	240	1 booklet
Width - 0.75"									
598-95920	598-95920	HSMB-C2-120	White	.75" (19.1)	.5" (12.7)	2.0" (50.8)	2-10	120	1 booklet
598-95220	598-95220	HSMB-C2-120	Red	.75" (19.1)	.5" (12.7)	2.0" (50.8)	2-10	120	1 booklet
598-95320	598-95320	HSMB-C2-120	Orange	.75" (19.1)	.5" (12.7)	2.0" (50.8)	2-10	120	1 booklet
598-95420	598-95420	HSMB-C2-120	Yellow	.75" (19.1)	.5" (12.7)	2.0" (50.8)	2-10	120	1 booklet
598-95520	598-95520	HSMB-C2-120	Green	.75" (19.1)	.5" (12.7)	2.0" (50.8)	2-10	120	1 booklet
598-95620	598-95620	HSMB-C2-120	Blue	.75" (19.1)	.5" (12.7)	2.0" (50.8)	2-10	120	1 booklet
Width - 1.0"									
598-96920	598-96920	HSMB-C3-120	White	1.0" (25.4)	.75" (19.1)	3.0" (76.2)	6-0000	60	1 booklet
598-96220	598-96220	HSMB-C3-120	Red	1.0" (25.4)	.75" (19.1)	3.0" (76.2)	6-0000	60	1 booklet
598-96320	598-96320	HSMB-C3-120	Orange	1.0" (25.4)	.75" (19.1)	3.0" (76.2)	6-0000	60	1 booklet
598-96420	598-96420	HSMB-C3-120	Yellow	1.0" (25.4)	.75" (19.1)	3.0" (76.2)	6-0000	60	1 booklet
598-96520	598-96520	HSMB-C3-120	Green	1.0" (25.4)	.75" (19.1)	3.0" (76.2)	6-0000	60	1 booklet
598-96620	598-96620	HSMB-C3-120	Blue	1.0" (25.4)	.75" (19.1)	3.0" (76.2)	6-0000	60	1 booklet

Dimensions are approximate and subject to technical changes. Use **Part No.** for ordering and **Type** for specification purposes.