# **HellermannTyton**

# RO101

.75" X .875" X 6.0" White Self-Laminating vinyl, Rite-On marker, 40/RL

Article Number: 590-01010

Part Number: RO101

Type: RO101

Material: 100



### 1. Base Data

Part No.	RO101
Туре	RO101
Color	White
Features	HellermannTyton's Rite-On Markers are made from a flexible vinyl film and used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The
	Rite-On markers are

Application	Product Applications - Telecom Installations -					
	Residential Applications - Electrical Wiring					
Application Method	Manual from label dispenser					
Colour Marking Field	White					
2. Product Dimensions						
Length (L)	.875 " / 22.22					
Width (W)	.750 " / 19.05					
Height (H)	.875 " / 22.22 mm					
Height (H2)	6.000 " / 152.40 mm					
Min. Ø Bundle	17.78 mm					
Max. Ø Bundle	38.10 mm					
Min. Outside Ø	.700 "					
Min. Diameter Ø	17.78					
Max. Outside Ø	1.50 " / 38.10 mm					
Min. Wire Size (in²)	.700 "					
Wire Size Range (AWG)	4/0 on up					
Wire Size Range (mm <sup>2</sup> )	38.1					

## 4. Material and Specifications

Material	Type 100, self laminating Vinyl, white (WH)
Material Shortcut	100
Adhesive	Acryl / Acrylic

Adhesive Operating Temperature	-51 °F to +200 °F (-46 °C to +93 °C)
Curing Temperature	from +10 °C
Operating Temperature	-51 °F to +200 °F (-46 °C to +93 °C)
ROHS Conformity	Rohs
Logistic and Packaging	
Packaging Type	pack
Pkg. Qty.	40 / 40
Carton Qty.	1
EAN code	4031026172187
Minimum Order Quantity	40
UPC	08930604296

#### Identifying

### Miscellaneous Labels

#### **Rite-On® Markers**

HellermannTyton's Rite-On Markers are made from a flexible vinyl film and are used to mark wire and cable. The selflaminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are packaged in a reuseable dispenser made from high impact plastic which is resistant to oils and grease.


#### **Product Features**

- Easily and conveniently fits in a pants or shirt pocket.
- Once loaded, unit allows minimal label exposure to dust and moisture.
- Can be used with standard ball point pens or HellermannTyton nylon marking pens.
- Excess liner is easily cut-off by tearing it over the edge guide at the front of the unit.
- The dispenser can be reloaded over and over again, making it a cost-effective and efficient method of labeling.






A special label window holds the label firm for easy marking.



Can be held easily in the palm of the hand to provide a flat writing surface.



Label dispenses automatically when the liner is pulled from the front of the unit.

#### **Self-Laminating Labels and Dispenser**

178

Product Selection												
Article No.	Part No.	Туре		/idth (mm)	Height of Write-On Area in. (mm)		Height of Label in. (mm)		Wire Size Range (AWG)	Min. Wire Size (in²)	Markers per Roll	Pkg. Qty.
590-01010	RO101	RO101	.75 ″	(19.05)	.875 ″	(22.22)	6.0 ″	(152.40)	4/0 on up	.70	40	1 roll
590-01750	RO175	RO175	.75 ″	(19.05)	.75 ″	(19.05)	3.0 ″	(76.2)	4 to 4/0	.330	90	1 roll
590-05120	RO512	RO512	.75 ″	(19.05)	.50 ″	(12.7)	1.875 ″	(47.62)	8 to 4 AWG	.263	150	1 roll
590-05140	RO514	RO514	.75 ″	(19.05)	.375 ″	(9.52)	1.25 ″	(31.75)	14 to 8 AWG	.053	200	1 roll
590-10000	RO175WP	RO175WP	.75 ″	(19.05)	.75 ″	(19.05)	3.0 ″	(76.2)	4 to 4/0	.330	90	1 roll

Dimensions are approximate and subject to technical changes. Use Part No. for ordering and Type for specification purposes.