

RO175WP

.75' X .75" X 3.0" White Self-Laminating Vinyl, Rite-On marker starter kit, 90/RL

Article Number: 590-10000

Part Number: RO175WP

Type: RO175WP

Material: 100



1. Base Data

Part No. RO175WP

Type RO175WP

Color White

Features HellermannTyton's Rite-On Markers are made from a flexible vinyl film and used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are

Application	Product Applications - Telecom Installations - Residential Applications - Electrical Wiring
Application Method	Manual from label dispenser
Colour Marking Field	White

2. Product Dimensions


Length (L)	.750 " / 19.05
Width (W)	.750 " / 19.05
Height (H)	.750 " / 19.05 mm
Height (H2)	3.000 " / 76.20 mm
Min. Ø Bundle	.330 " / 8.32 mm
Max. Ø Bundle	.700 " / 17.78 mm
Min. Outside Ø	.330 "
Min. Diameter Ø	8.38
Max. Outside Ø	.700 " / 17.78
Min. Wire Size (in²)	.330 "
Wire Size Range (AWG)	4 to 4/0

4. Material and Specifications

Material	Type 100, self laminating Vinyl, white (WH)
Material Shortcut	100
Adhesive	Acryl / Acrylic
Adhesive Operating Temperature	-51 °F to +200 °F (-46 °C to +93 °C)

Curing Temperature from +10 °C

Operating Temperature -51 °F to +200 °F (-46 °C to +93 °C)

ROHS Conformity 

Logistic and Packaging

Packaging Type EA

Pkg. Qty. 90 / 90

Carton Qty. 1

EAN code 4031026172262

Minimum Order Quantity 90


UPC 08930604301

Rite-On® Markers


HellermannTyton's Rite-On Markers are made from a flexible vinyl film and are used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are packaged in a reusable dispenser made from high impact plastic which is resistant to oils and grease.

Product Features


- Easily and conveniently fits in a pants or shirt pocket.
- Once loaded, unit allows minimal label exposure to dust and moisture.
- Can be used with standard ball point pens or HellermannTyton nylon marking pens.
- Excess liner is easily cut-off by tearing it over the edge guide at the front of the unit.
- The dispenser can be reloaded over and over again, making it a cost-effective and efficient method of labeling.



A special label window holds the label firm for easy marking.



Can be held easily in the palm of the hand to provide a flat writing surface.



Label dispenses automatically when the liner is pulled from the front of the unit.

Self-Laminating Labels and Dispenser

Product Selection									
Article No.	Part No.	Type	Width in. (mm)	Height of Write-On Area in. (mm)	Height of Label in. (mm)	Wire Size Range (AWG)	Min. Wire Size (in ²)	Markers per Roll	Pkg. Qty.
590-01010	RO101	RO101	.75 " (19.05)	.875 " (22.22)	6.0 " (152.40)	4/0 on up	.70	40	1 roll
590-01750	RO175	RO175	.75 " (19.05)	.75 " (19.05)	3.0 " (76.2)	4 to 4/0	.330	90	1 roll
590-05120	RO512	RO512	.75 " (19.05)	.50 " (12.7)	1.875 " (47.62)	8 to 4 AWG	.263	150	1 roll
590-05140	RO514	RO514	.75 " (19.05)	.375 " (9.52)	1.25 " (31.75)	14 to 8 AWG	.053	200	1 roll
590-10000	RO175WP	RO175WP	.75 " (19.05)	.75 " (19.05)	3.0 " (76.2)	4 to 4/0	.330	90	1 roll

Dimensions are approximate and subject to technical changes. Use **Part No.** for ordering and **Type** for specification purposes.