

RO512

.75" X .5" X 1.875" White Self-Laminating Vinyl, Rite-On marker, 150/RL

Article Number: 590-05120

Part Number: RO512

Type: RO512

Material: 100



1. Base Data

Part No. RO512

Type RO512

Color White

Features HellermannTyton's Rite-On Markers are made from a flexible vinyl film and used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are

Application	Product Applications - Telecom Installations - Residential Applications - Electrical Wiring
--------------------	--

Colour Marking Field	White
-----------------------------	-------

2. Product Dimensions

Length (L)	.500 " / 12.7
-------------------	---------------

Width (W)	.750 " / 19.05
------------------	----------------

Height (H)	.500 " / 12.70 mm
-------------------	-------------------

Height (H2)	1.875 " / 47.62 mm
--------------------	--------------------

Min. Ø Bundle	6.68 mm
----------------------	---------

Max. Ø Bundle	8.38 mm
----------------------	---------

Min. Outside Ø	.263 "
-----------------------	--------

Min. Diameter Ø	6.68
------------------------	------

Max. Outside Ø	.330 " / 8.38
-----------------------	---------------

Min. Wire Size (in²)	.263 "
--	--------

Wire Size Range (AWG)	8 to 4 AWG
------------------------------	------------

4. Material and Specifications


Material	Type 100, self laminating Vinyl, white (WH)
-----------------	---

Material Shortcut	100
--------------------------	-----

Adhesive	Acryl
-----------------	-------







Adhesive Operating Temperature	-51 °F to +200 °F (-46 °C to +93 °C)
---------------------------------------	--------------------------------------

Curing Temperature	from +10 °C
---------------------------	-------------

Operating Temperature	-51 °F to +200 °F (-46 °C to +93 °C)
ROHS Conformity	

Logistic and Packaging

Packaging Type	pack
Pkg. Qty.	150 / 150
Carton Qty.	1
EAN code	4031026172224
Minimum Order Quantity	150
UPC	08930604302



REDUCED
NO SCALE

RO 101	3/4" X 1"
RO 175	3/4" X 3/4"
RO512	3/4" X 1/2"
RO514	3/4" X 5/16"
CATALOG NUMBER	WRITE-ON AREA WTL

DESIGN TEAM	INVENTOR(S)/DATE
6	018-D 1/5/98
OWS	DASH - REV
REV	CHANGED RELEASED BY
PART NO.	DATE

HellermannTyton
A SPIRENT Company


DIMENSIONS	VERIFIED	UNITS	TOLERANCES	NAME
	DATE	DATE	DATE	DATE
MATERIAL	in	mm	XXX ± 0.10 X*	PART NAME
	mm	mm	.XX ± 0.02 <± ± 2°	RO - RITE ON LABEL DISPENSER
	date	date	date	plot date
				scale
				drive S
				sheet 1 of 1
				CUSTOMER DRAWING NUMBER
				MFCST 30060 188

Rite-On® Markers


HellermannTyton's Rite-On Markers are made from a flexible vinyl film and are used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are packaged in a reusable dispenser made from high impact plastic which is resistant to oils and grease.

Product Features


- Easily and conveniently fits in a pants or shirt pocket.
- Once loaded, unit allows minimal label exposure to dust and moisture.
- Can be used with standard ball point pens or HellermannTyton nylon marking pens.
- Excess liner is easily cut-off by tearing it over the edge guide at the front of the unit.
- The dispenser can be reloaded over and over again, making it a cost-effective and efficient method of labeling.



A special label window holds the label firm for easy marking.



Can be held easily in the palm of the hand to provide a flat writing surface.



Label dispenses automatically when the liner is pulled from the front of the unit.

Self-Laminating Labels and Dispenser

Product Selection									
Article No.	Part No.	Type	Width in. (mm)	Height of Write-On Area in. (mm)	Height of Label in. (mm)	Wire Size Range (AWG)	Min. Wire Size (in ²)	Markers per Roll	Pkg. Qty.
590-01010	RO101	RO101	.75 " (19.05)	.875 " (22.22)	6.0 " (152.40)	4/0 on up	.70	40	1 roll
590-01750	RO175	RO175	.75 " (19.05)	.75 " (19.05)	3.0 " (76.2)	4 to 4/0	.330	90	1 roll
590-05120	RO512	RO512	.75 " (19.05)	.50 " (12.7)	1.875 " (47.62)	8 to 4 AWG	.263	150	1 roll
590-05140	RO514	RO514	.75 " (19.05)	.375 " (9.52)	1.25 " (31.75)	14 to 8 AWG	.053	200	1 roll
590-10000	RO175WP	RO175WP	.75 " (19.05)	.75 " (19.05)	3.0 " (76.2)	4 to 4/0	.330	90	1 roll

Dimensions are approximate and subject to technical changes. Use **Part No.** for ordering and **Type** for specification purposes.