



HBL8215C -- Hospital Grade Plug




2P3W, 15A 125V, NEMA 5-15P, Black and White Nylon

Product Specifications

Product Type	 <p>Plugs</p>
Plug/Connector Type	Insulgrip
Amperage	15A
Voltage	125V AC
Poles and Wires	2 Pole, 3 Wire
Color	 <p>Black & White</p>
Body Style	Straight
Certifications	UL2305 OEM and replacement use on convention center flat cable cord sets.
M Drawings	Click here for M-Drawing
Catalog Page	Click here for catalog page I8
Hubbellnet	Click here for Hubbellnet

Catalog Section	Click here for Section-I
UPC Number	78358517920
Weight in LBs	0.15



Hospital Products

2 Pole, 3 Wire Grounding

15 and 20 Ampere, 125 and 250 Volts Straight Blade

Hospital Grade Plugs

NEMA 5-15P
15A 125V
UL CSA
0.5 HP



NEMA 5-20P
20A 125V
UL CSA
1 HP

Insulgrip®, Hospital Grade Plugs

Description	Cord Dia.	Catalog Numbers
Black and white nylon.	.230"-.720" (5.8-18.3)	HBL8215C™ HBL8315C™
Transparent housing.	.230"-.720" (5.8-18.3)	HBL8215CT HBL8315CT
8 position angle plug, transparent housing.	.250"-.665" (6.4-16.8)	HBL8215CAT* HBL8315CAT*

ERGO™ Grip, Hospital Grade Plugs

Description	Cord Dia.	Catalog Numbers
Overmolded white nylon.	.300"-.600" (7.6-15.25)	HBL8565E* HBL8586E*

Valise®, Hospital Grade Plugs

Description	Cord Dia.	Catalog Numbers
White nylon.	.300"-.660" (7.6-16.8)	HBL8115V HBL8364V
Insulation displacement, white nylon.	.300"-.660" (5.8-9.1)	HBL8013V* -



NEMA 6-15P
15A 250V
UL CSA
2 HP



NEMA 6-20P
20A 250V
UL CSA
2 HP

ERGO™ Grip, Hospital Grade Plugs

Description	Cord Dia.	Catalog Numbers
Overmolded white nylon.	.300"-.600" (7.6-15.25)	HBL8566E* HBL8576E*

Valise®, Hospital Grade Plugs

Description	Cord Dia.	Catalog Numbers
White nylon.	.300"-.660" (7.6-16.8)	HBL8666V HBL8464V

Note: * Not Fed Spec Listed