

## HBL8315C -- Hospital Grade Plug




2P3W, 20A 125V, NEMA 5-20P, Black and White Nylon

### Product Specifications

<b>Product Type</b>	<p><b>Plugs</b></p>
<b>Plug/Connector Type</b>	Insulgrip
<b>Amperage</b>	20A
<b>Voltage</b>	125V AC
<b>Poles and Wires</b>	2 Pole, 3 Wire
<b>Color</b>	<p><b>Black &amp; White</b></p>
<b>Body Style</b>	Straight
<b>M Drawings</b>	<a href="#">Click here for M-Drawing</a>
<b>Catalog Page</b>	<a href="#">Click here for catalog page I8</a>
<b>Hubbellnet</b>	<a href="#">Click here for Hubbellnet</a>
<b>Catalog Section</b>	<a href="#">Click here for Section-I</a>

UPC Number	78358517995
Weight in LBs	0.15



## Hospital Products

**2 Pole, 3 Wire Grounding**

15 and 20 Ampere, 125 and 250 Volts Straight Blade

**Hospital Grade Plugs**

NEMA 5-15P  
15A 125V  
UL CSA  
0.5 HP



NEMA 5-20P  
20A 125V  
UL CSA  
1 HP

**Insulgrip®, Hospital Grade Plugs**

Description	Cord Dia.	Catalog Numbers
Black and white nylon.	.230"-.720" (5.8-18.3)	<b>HBL8215C™</b> <b>HBL8315C™</b>
Transparent housing.	.230"-.720" (5.8-18.3)	<b>HBL8215CT</b> <b>HBL8315CT</b>
8 position angle plug, transparent housing.	.250"-.665" (6.4-16.8)	<b>HBL8215CAT*</b> <b>HBL8315CAT*</b>

**ERGO™ Grip, Hospital Grade Plugs**

Description	Cord Dia.	Catalog Numbers
Overmolded white nylon.	.300"-.600" (7.6-15.25)	<b>HBL8565E*</b> <b>HBL8586E*</b>

**Valise®, Hospital Grade Plugs**

Description	Cord Dia.	Catalog Numbers
White nylon.	.300"-.660" (7.6-16.8)	<b>HBL8115V</b> <b>HBL8364V</b>
Insulation displacement, white nylon.	.300"-.660" (5.8-9.1)	<b>HBL8013V*</b> <b>-</b>



NEMA 6-15P  
15A 250V  
UL CSA  
2 HP



NEMA 6-20P  
20A 250V  
UL CSA  
2 HP

**ERGO™ Grip, Hospital Grade Plugs**

Description	Cord Dia.	Catalog Numbers
Overmolded white nylon.	.300"-.600" (7.6-15.25)	<b>HBL8566E*</b> <b>HBL8576E*</b>

**Valise®, Hospital Grade Plugs**

Description	Cord Dia.	Catalog Numbers
White nylon.	.300"-.660" (7.6-16.8)	<b>HBL8666V</b> <b>HBL8464V</b>

Note: \* Not Fed Spec Listed