



HJ1002BPK25 -- Cord Connectors



Hubbell Juniors are a miniature liquidtight version of the full-sized Hubbell cord connectors. They feature the same GOTCHA® ring technology and neoprene bushings.

| Product Specifications | |
|--|---|
| Product Type | Cord Connectors |
| Material/Style | Nylon Miniature |
| Cord Diameter Range | .14"-.20" (3.4-5.1) |
| Cord Connector Body Style | Straight Male |
| HUB Size | 1/4" |
| Color |  Black |
| Effective Operating Temperature | -30°F to +225°F (-34°C to +107°C) |
| Recommended Knockout Hole Size | .53"-.54" (13.4-13.6) |
| Flammability | Hubbell nylon cord connectors have a UL 94-V2 rating. |
| Dimension A | .65" (16.5) Dia. |
| Dimension B | 1.30" (33.0) Ref. |
| Dimension C | .40" (10.2) |
| Dimension D | .29" (7.4) Throat Dia. |
| Dimension E A/C | .65" (16.5) |

| | |
|------------------------|---|
| Dimension E A/F | .60" (15.2) |
| Certifications | UL Listed, CSA Certified |
| Packaging | Bulk 25 |
| M Drawings | Click here for M-Drawing |
| Catalog Page | Click here for catalog page T86 |
| Catalog Section | Click here for Section-T |
| UPC Number | 78358502289 |
| Weight in LBs | 0.3 |



Miniature Nylon Cord Connectors HUBBELL JUNIORS®



Gray Cord Connector



Black Cord Connector



Gray Cord Connector with Spiral



Black Cord Connector with Spiral



Gray Snap-In
Cord Connector



Black Snap-In
Cord Connector



Miniature Nylon Cord Connector

| N.P.T. Hub Size | Cord Dia. Range | | Gray | Black |
|--------------------|--------------------|------------|-------------|-------------|
| | Inches | (mm) | | |
| 1/4" | .08"-.14" | (1.9-3.4) | HJ1001GPK25 | HJ1001BPK25 |
| | .14"-.20" | (3.4-5.1) | HJ1002GPK25 | HJ1002BPK25 |
| | .20"-.27" | (5.1-6.7) | HJ1003GPK25 | HJ1003BPK25 |
| 3/8" | .15"-.21" | (3.7-5.3) | HJ1004GPK25 | HJ1004BPK25 |
| | .21"-.28" | (5.3-7.0) | HJ1005GPK25 | HJ1005BPK25 |
| | .28"-.34" | (7.0-8.6) | HJ1006GPK25 | HJ1006BPK25 |
| 1/2" | .06"-.13" | (1.6-3.2) | HJ1055GPK25 | HJ1055BPK25 |
| | .13"-.19" | (3.2-4.7) | HJ1056GPK25 | HJ1056BPK25 |
| | .19"-.25" | (4.7-6.3) | HJ1057GPK25 | HJ1057BPK25 |
| | .25"-.31" | (6.3-7.9) | HJ1058GPK25 | HJ1058BPK25 |
| | .31"-.38" | (7.9-9.5) | HJ1059GPK25 | HJ1059BPK25 |
| | .38"-.44" | (9.5-11.1) | HJ1060GPK25 | HJ1060BPK25 |



Miniature Nylon Cord Connector with Spiral

| N.P.T. Hub Size | Cord Dia. Range | | Gray | Black |
|--------------------|--------------------|-------------|-------------|-------------|
| | Inches | (mm) | | |
| 1/4" | .08"-.14" | (1.9-3.4) | HJ1010GPK25 | HJ1010BPK25 |
| | .14"-.20" | (3.4-5.1) | HJ1011GPK25 | HJ1011BPK25 |
| | .20"-.27" | (5.1-6.7) | HJ1012GPK25 | HJ1012BPK25 |
| 3/8" | .15"-.21" | (3.7-5.3) | HJ1013GPK25 | HJ1013BPK25 |
| | .21"-.28" | (5.3-7.0) | HJ1014GPK25 | HJ1014BPK25 |
| | .28"-.34" | (7.0-8.6) | HJ1015GPK25 | HJ1015BPK25 |
| 1/2" | .13"-.19" | (3.2-4.7) | HJ1038GPK25 | HJ1038BPK25 |
| | .19"-.25" | (4.7-6.3) | HJ1039GPK25 | HJ1039BPK25 |
| | .25"-.31" | (6.3-7.9) | HJ1040GPK25 | HJ1040BPK25 |
| | .31"-.38" | (7.9-9.5) | HJ1041GPK25 | HJ1041BPK25 |
| | .38"-.44" | (9.5-11.1) | HJ1042GPK25 | HJ1042BPK25 |
| | 3/4" | .25"-.49" | (6.4-12.3) | HJ1043GPK25 |
| .45"-.71" | | (11.4-18.0) | HJ1044GPK25 | HJ1044BPK25 |



Miniature Nylon Snap-In Cord Connector with Spiral

| Cord Diameter Range | For Chassis Thickness | Gray | Black | |
|---------------------------|--------------------------|----------------|-------------|-------------|
| | | | | Inches (mm) |
| .22"-.27" | (5.6-6.9) | .10" (2.5) Max | HS1001GPK25 | HS1001BPK25 |
| .28"-.32" | (7.1-8.1) | .10" (2.5) Max | HS1002GPK25 | HS1002BPK25 |
| .30"-.36" | (7.6-9.1) | .13" (3.2) Max | HS1003GPK25 | HS1003BPK25 |
| .32"-.43" | (8.1-10.9) | .13" (3.2) Max | HS1004GPK25 | HS1004BPK25 |

Notes: Catalog numbers above with "PK25" suffix, i.e. HJ1001GPK25, are bulk packed 25 per carton.

See pages T-97 and T-98 for additional technical data and dimensional drawings.