

FL MEM PLUG

Order No.: 2891259

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2891259>

Exchangeable configuration memory of the device settings for simple device exchange and set-up

Commercial data	
EAN	4046356165440
Pack	1 pcs.
Customs tariff	85389091
Weight/Piece	0.0174 KG
Catalog page information	Page 280 (NTK-2008)

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Product description

Memory plug, configuration memory, replaceable

Technical data

Function	
Basic functionality	Configuration memory (plug-in)
Conformity with EMC directives	
Developed in acc. with standard	IEC 61000-6.2
Test standard	IEC 61000-4-2 (ESD)
Test result	Criterion B
Test standard	IEC 61000-4-3 (immunity to radiated interference)
Test result	Criterion A

Test standard	IEC 61000-4-4 (burst)
Test result	Criterion A
Test standard	IEC 61000-4-5 (surge)
Test result	Criterion A
Test standard	IEC 61000-4-6 (immunity to conducted interference)
Test result	Criterion A
Test standard	IEC 61000-4-8 (immunity to magnetic fields)
Test result	Criterion A
Test standard	EN 55022 (emitted interference)
Test result	Criterion A

Address

PHOENIX CONTACT UAB
Svitrigailos Str. 11b
03228 Vilnius, LITHUANIA
Phone +370 5 2106321
Fax +370 5 2106324
<http://www.phoenixcontact.lt>



© 2009 Phoenix Contact
Technical modifications reserved;