

Switch Language

English

Need Assistance?

- [Contact Us](#)
- [Find a Distributor](#)
- [Order Samples](#)
- [Tech Library](#)

[Printer-friendly page](#)

[Email this page](#)

[Home](#)   [Crimp Housings](#)   [Datasheet](#)

**Part Number: 0009507101**

**Status: Active**   **Overview: KK@**

**Description:** 3.96mm (.156") Pitch KK@ Crimp Terminal Housing, 10 Circuits

**Documents:**

*Note - Please disable browser pop-up blockers for documents on www.molex.com*

- [Drawing \(PDF\)](#)
- [Product Specification PS-08-50 \(PDF\)](#)
- [3D Model](#)
- [Related Catalog Page \(PDF\)](#)

**Order Products:**

- [Check Distributor Inventory](#)
- [Add to My Parts](#)
- [Request Samples](#)

**Part Detail: ([show all](#))**

[General](#)   [Physical](#)   [Material Info](#)   [Reference - Drawing Numbers](#)

**General**

|                |                      |
|----------------|----------------------|
| Product Family | Crimp Housings       |
| Series         | <a href="#">2139</a> |
| Overview       | <a href="#">KK@</a>  |
| Product Name   | KK@                  |

**Physical**

|                               |              |
|-------------------------------|--------------|
| Circuits (maximum)            | 10           |
| Color - Resin                 | Natural      |
| Gender                        | Female       |
| Material - Resin              | Nylon        |
| Number of Rows                | 1            |
| Packaging Type                | Bag          |
| Panel Mount                   | No           |
| Pitch - Mating Interface (in) | 0.156 In     |
| Pitch - Mating Interface (mm) | 3.96 mm      |
| Temperature Range - Operating | 0°C to +75°C |

**Material Info**

|                 |          |
|-----------------|----------|
| Old Part Number | 2139-10C |
|-----------------|----------|

**Reference - Drawing Numbers**

|                       |          |
|-----------------------|----------|
| Product Specification | PS-08-50 |
| Sales Drawing         | SD-2139  |



**EU RoHS**

**ELV and RoHS Compliant**

**China RoHS**



**Need more information on product compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)


Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**


[2139](#) Series

**Use With**

[2478](#) Crimp Terminals for 18-24 AWG, [2578](#) Crimp Terminals for 22-26 AWG



(1.14)±.045 SQ. OR ROUND PIN IS STANDARD. HOUSING WILL ACCEPT PIN SIZES FROM (.51)±.020 TO (1.57)±.062



OPTION CODE

| OPT. CODE | RAMP      | POL. RIB | EARS | MATERIAL      | ENGRAVING | PACKAGING     |
|-----------|-----------|----------|------|---------------|-----------|---------------|
| A         | STD. RAMP | NO       | NO   | NYLON 94V-2   | STD.      | PK-2139-001   |
| C         | NONE      | NO       | NO   | NYLON 94V-2   | STD.      | PK-2139-002   |
| G         | WIDE RAMP | NO       | NO   | NYLON 94V-2   | STD.      | PK-2139-001   |
| M         | STD. RAMP | NO       | NO   | NYLON 6 94V-2 | STD.      | TBD-INDIA     |
| N         | NONE      | NO       | NO   | NYLON 6 94V-2 | STD.      | TBD-INDIA     |
| P         | STD. RAMP | YES      | NO   | NYLON 94V-2   | STD.      | TBD SINGAPORE |

NO. OF CKT'S. 2 139-N \*\*\* - \*\*\* - \*\*\*

SELECTIVE RAMP LOC.  
 BLANK=NONE  
 AA=1ST. SEL. LOC.  
 AB=2ND. SEL. LOC., ETC.

VOID CODE  
 NO. CORRESPONDS TO CKT. NO. VOIDED.  
 MULT. VOIDS START WITH 51.

COLOR CODE  
 BLANK=NATURAL  
 GN=GREEN  
 YW=YELLOW  
 RD=RED  
 OR=ORNANGE  
 BU=BLUE  
 BK=BLACK

SEE NOTE 6





| DIM. A  | DIM. B      | NO. OF |
|---------|-------------|--------|
| (7.82)  | (3.96±.13)  | 2      |
| .308    | .156±.005   |        |
| (11.79) | (7.92±.13)  | 3      |
| .464    | .312±.005   |        |
| (15.75) | (11.89±.13) | 4      |
| .620    | .468±.005   |        |
| (19.71) | (15.85±.13) | 5      |
| .776    | .624±.005   |        |
| (23.67) | (19.81±.13) | 6      |
| .932    | .780±.005   |        |
| (27.64) | (23.77±.13) | 7      |
| 1.088   | .936±.005   |        |
| (31.60) | (27.74±.25) | 8      |
| 1.244   | 1.092±.010  |        |
| (35.56) | (31.70±.25) | 9      |
| 1.400   | 1.248±.010  |        |
| (39.52) | (35.66±.25) | 10     |
| 1.556   | 1.404±.010  |        |
| (43.48) | (39.62±.25) | 11     |
| 1.712   | 1.560±.010  |        |
| (47.45) | (43.59±.25) | 12     |
| 1.868   | 1.716±.010  |        |
| (51.41) | (47.55±.31) | 13     |
| 2.024   | 1.872±.012  |        |
| (55.37) | (51.51±.36) | 14     |
| 2.180   | 2.028±.014  |        |
| (59.33) | (55.47±.36) | 15     |
| 2.336   | 2.184±.014  |        |
| (63.30) | (59.44±.36) | 16     |
| 2.492   | 2.340±.014  |        |
| (67.26) | (63.40±.36) | 17     |
| 2.648   | 2.496±.014  |        |
| (71.22) | (67.36±.36) | 18     |
| 2.804   | 2.652±.014  |        |
| (75.18) | (71.32±.36) | 19     |
| 2.960   | 2.808±.014  |        |
| (79.15) | (75.29±.36) | 20     |
| 3.116   | 2.964±.014  |        |
| (83.11) | (79.25±.46) | 21     |
| 3.272   | 3.120±.018  |        |
| (87.07) | (83.21±.46) | 22     |
| 3.428   | 3.276±.018  |        |
| (91.03) | (87.17±.46) | 23     |
| 3.584   | 3.432±.018  |        |
| (95.00) | (91.14±.46) | 24     |
| 3.740   | 3.588±.018  |        |

- NOTES:
- MATERIAL: SEE LEGEND.
  - FINISH: N/A
  - PARTS CONFORM TO PRODUCT SPECIFICATION PS-08-50.
  - PACKAGING INFORMATION: SEE LEGEND
  - THIS HOUSING FOR USE WITH TERMINAL NO. 2478 (18 TO 24 GA) & 2578 (22 TO 26 GA), WITH (2.54)±.100 MAX. INSULATION DIA. HOUSING 41695 IS RECOMMENDED FOR OVER (2.54)±.100 DIA. INSULATION.
  - DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
  - FIRST CKT. NO. ON 1 THRU 5 CKT. HOUSINGS, FIRST AND LAST CKT. NO. ON 6 CKT HOUSING AND LARGER.
  - MAX BOW .005 MM/MM OR .005 IN/IN
  - 2139-NP-# IS MANUFACTURED IN SINGAPORE ONLY.

|   |                               |  |  |  |   |                     |
|---|-------------------------------|--|--|--|---|---------------------|
| UPDATE PER ECN<br>ECN NO: UCP/2006-0451<br>2005/11/09<br>DRAWN: JUNE<br>2005/12/12<br>CHECKED: JUNE<br>2005/12/12<br>APPROVED: JUNE<br>2005/12/12<br>APPROVED: JUNE<br>2005/12/12 | QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)<br>mm INCH<br>2 PLACES ±.010 ±.010<br>3 PLACES ±.010 ±.010<br>2 PLACES ±0.25 ±.014<br>1 PLACE ±0.36 ±.010<br>ANGULAR ±1/2° | DIMENSION STYLE<br>MM/IN<br>DRAWN BY DATE<br>SAMIEC 1986/01/17<br>CHECKED BY DATE<br>PATEL 1986/01/17<br>APPROVED BY DATE<br>LENZ 1986/01/07 | SCALE<br>---<br>DESIGN UNITS<br>INCH<br>THIRD ANGLE PROJECTION | TITLE<br>CONNECTOR HOUSING<br>.156 CL CRIMP TERMINAL<br>2139 SERIES DWG.<br>MOLEX INCORPORATED                                | SHEET NO.<br>1 OF 4 |
|   |                               | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS   | MATERIAL NO.<br>SEE CHART  | DOCUMENT NO.<br>SD-2139  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                     |

|   |     |
|---|-----|
| 4 | AET |
| 3 | AET |
| 2 | AET |
| 1 | AET |

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



| NO. OF CKT'S. | STANDARD RAMP IS LOCATED ON % OF CKT. NOS. |
|---------------|--|
| 2             | ACROSS ENTIRE PART                         |
| 3             | 1,3  |
| 4             | 1,4  |
| 5             | 1,3,5                                      |
| 6             | 1,3,4,6                                    |
| 7             | ACROSS ENTIRE PART                         |
| 8             | 1,3,6,8                                    |
| 9             | ACROSS ENTIRE PART                         |
| 10            | 1,3,5,6,8,10                               |
| 11            | ACROSS ENTIRE PART                         |
| 12            | 1,3,5,8,10,12                              |
| 13            | 1,3,5,7,9,11,13                            |
| 14            | 1,3,5,7,8,10,12,14                         |
| 15            | 1,3,5,7,9,11,13,15                         |
| 16            | 1,3,5,7,10,12,14,16                        |
| 17            | 1,3,5,7,9,11,13,15,17                      |
| 18            | 1,3,5,7,9,10,12,14,16,18                   |
| 19            | 1,3,5,7,9,11,13,15,17,19                   |
| 20            | 1,3,5,7,9,12,14,16,18,20                   |
| 21            | 1,3,5,7,9,11,13,15,17,19,21                |
| 22            | 1,3,5,7,9,11,12,14,16,18,20,22             |
| 23            | 1,3,5,7,9,11,13,15,17,19,21,23             |
| 24            | 1,3,5,7,9,11,14,16,18,20,22,24             |

STD. RAMP OPTION  
SEE CHART FOR RAMP LOCATIONS.

| 2139-NA-*  |             |        | 2139-NC-*    |             |        |
|------------|-------------|--------|--------------|-------------|--------|
| ORDER NO.  | ENG. NO.    | VOIDS  | ORDER NO.    | ENG. NO.    | VOIDS  |
| 09-50-3021 | 2139-2A     |        | 09-50-7021   | 2139-2C     |        |
| 09-50-3031 | 2139-3A     |        | 09-50-7031   | 2139-3C     |        |
| 09-50-3041 | 2139-4A     |        | 09-50-7041   | 2139-4C     |        |
| 09-50-3051 | 2139-5A     |        | 09-50-7051   | 2139-5C     |        |
| 09-50-3061 | 2139-6A     |        | 09-50-7061   | 2139-6C     |        |
| 09-50-3071 | 2139-7A     |        | 09-50-7071   | 2139-7C     |        |
| 09-50-3081 | 2139-8A     |        | 09-50-7081   | 2139-8C     |        |
| 09-50-3091 | 2139-9A     |        | 09-50-7091   | 2139-9C     |        |
| 09-50-3101 | 2139-10A    |        | 09-50-7101   | 2139-10C    |        |
| 09-50-3111 | 2139-11A    |        | 09-50-7111   | 2139-11C    |        |
| 09-50-3121 | 2139-12A    |        | 09-50-7121   | 2139-12C    |        |
| 09-50-3131 | 2139-13A    |        | 09-50-7131   | 2139-13C    |        |
| 09-50-3141 | 2139-14A    |        | 09-50-7141   | 2139-14C    |        |
| 09-50-3151 | 2139-15A    |        | 09-50-7151   | 2139-15C    |        |
| 09-50-3161 | 2139-16A    |        | 09-50-7161   | 2139-16C    |        |
| 09-50-3171 | 2139-17A    |        | 09-50-7171   | 2139-17C    |        |
| 09-50-3181 | 2139-18A    |        | 09-50-7181   | 2139-18C    |        |
| 09-50-3191 | 2139-19A    |        | 09-50-7191   | 2139-19C    |        |
| 09-50-3201 | 2139-20A    |        | 09-50-7201   | 2139-20C    |        |
| 09-50-3211 | 2139-21A    |        | 09-50-7211   | 2139-21C    |        |
| 09-50-3221 | 2139-22A    |        | 09-50-7221   | 2139-22C    |        |
| 09-50-3231 | 2139-23A    |        | 09-50-7231   | 2139-23C    |        |
| 09-50-3241 | 2139-24A    |        | 09-50-7241   | 2139-24C    |        |
| 09-50-3036 | 2139-3A-2   | 2      | 09-50-7117   | 2139-11C-51 | 2,7,10 |
|            | 2139-10A-2  | 2      | 09-50-7166   | 2139-16C-2  | 2      |
|            | 2139-10A-51 | 2,5    | 09-50-7106   | 2139-10C-2  | 2      |
|            | 2139-7A-2   | 2      | 09-50-7107   | 2139-10C-51 | 2,5    |
|            | 2139-11A-51 | 2,7,10 | 09-50-7076   | 2139-7C-2   | 2      |
| 09-50-3163 | 2139-16A-2  | 2      |              | 2139-4C-3   | 3      |
| 09-50-3073 | 2139-10A-7  | 7      | T 09-50-7108 | 2139-10C-4  | 4      |
| 09-50-3083 | 2139-10A-8  | 8      | T 09-50-7109 | 2139-10C-5  | 5      |
| 09-50-3104 | 2139-10A-9  | 9      |              | 2139-5C-2   | 2      |
| 09-50-3162 | 2139-16A-51 | 2,15   | 09-50-3077   | 2139-7C-3   | 3      |
| 09-50-3092 | 2139-9A-51  | 2,6    | 09-50-3078   | 2139-7C-5   | 5      |
| 09-50-3075 | 2139-7A-51  | 1,7    | 09-50-7142   | 2139-14C-5  | 5      |
|            | 2139-7A-6   | 6      |              |             |        |
|            | 2139-5A-51  | 2,4    |              |             |        |
| 09-50-3047 | 2139-4A-3   | 3      |              |             |        |
|            | 2139-11A-2  | 2      |              |             |        |
| 09-50-3052 | 2139-5A-4   | 4      |              |             |        |
| 09-50-3076 | 2139-7A-52  | 4,7    |              |             |        |
| 09-50-3125 | 2139-12A-5  | 5      |              |             |        |
|            | 2139-7A-3   | 3      |              |             |        |
| 09-50-3053 | 2139-7A-5   | 5      |              |             |        |
|            | 2139-5A-2   | 2      |              |             |        |
| 09-50-3127 | 2139-12A-2  | 2      |              |             |        |
| 09-50-3143 | 2139-14A-2  | 2      |              |             |        |
| 09-50-3202 | 2139-20A-2  | 2      |              |             |        |
| S          | 2139-9A-4   | 4      |              |             |        |
| 09-50-3126 | 2139-12A-11 | 11     |              |             |        |
| 09-50-3142 | 2139-14A-13 | 13     |              |             |        |
| 09-50-3084 | 2139-8A-4   | 4      |              |             |        |
| 09-50-3037 | 2139-3A-3   | 3      |              |             |        |
| 09-50-3182 | 2139-18A-2  | 2      |              |             |        |
| 09-50-3157 | 2139-15A-2  | 2      |              |             |        |

| <b>UPDATE TITLE BLOCK</b><br>DEC NO. UCP2006-0451<br>DRAWN: JUNE 2005/17/09<br>CHECKED: JUNE 2005/17/12<br>APPROVED: JUNE 2005/17/14<br>AFT | <b>QUALITY SYMBOLS</b><br>▽=0<br>▽=0 | <b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b><br><table border="1"> <tr><th>mm</th><th>INCH</th></tr> <tr><td>4 PLACES ± .005</td><td>± .0002</td></tr> <tr><td>3 PLACES ± .002</td><td>± .0001</td></tr> <tr><td>2 PLACES ± .025</td><td>± .010</td></tr> <tr><td>1 PLACE ± 0.36</td><td>± .014</td></tr> <tr><td colspan="2">ANGULAR ±1/2°</td></tr> </table> |         | mm                               | INCH | 4 PLACES ± .005                | ± .0002 | 3 PLACES ± .002 | ± .0001 | 2 PLACES ± .025 | ± .010 | 1 PLACE ± 0.36 | ± .014 | ANGULAR ±1/2° |  | <b>DIMENSION STYLE</b><br>MM/IN | <b>SCALE</b><br>--- | <b>DESIGN UNITS</b><br>INCH | <input checked="" type="checkbox"/> THIRD ANGLE PROJECTION |
|---|--------------------------------------|--|---------|----------------------------------|------|--------------------------------|---------|-----------------|---------|-----------------|--------|----------------|--------|---------------|--|---------------------------------|---------------------|-----------------------------|--|
|   |                                      | mm   | INCH    |                                  |      |                                |         |                 |         |                 |        |                |        |               |  |                                 |                     |                             |  |
|   |                                      | 4 PLACES ± .005  | ± .0002 |                                  |      |                                |         |                 |         |                 |        |                |        |               |  |                                 |                     |                             |  |
|   |                                      | 3 PLACES ± .002  | ± .0001 |                                  |      |                                |         |                 |         |                 |        |                |        |               |  |                                 |                     |                             |  |
| 2 PLACES ± .025   | ± .010                               |  |         |                                  |      |                                |         |                 |         |                 |        |                |        |               |  |                                 |                     |                             |  |
| 1 PLACE ± 0.36  | ± .014                               |  |         |                                  |      |                                |         |                 |         |                 |        |                |        |               |  |                                 |                     |                             |  |
| ANGULAR ±1/2°   |                                      |  |         |                                  |      |                                |         |                 |         |                 |        |                |        |               |  |                                 |                     |                             |  |
| DRAWN BY: SAMIEC DATE: 1986/01/17<br>CHECKED BY: PATEL DATE: 1986/01/17<br>APPROVED BY: LENZ DATE: 1986/01/17                               |                                      | <b>TITLE</b><br>CONNECTOR HOUSING FOR CRIMP TERMINAL 2139 SERIES DWG.  |         | <b>MATERIAL NO.</b><br>SEE CHART |      | <b>DOCUMENT NO.</b><br>SD-2139 |         |                 |         |                 |        |                |        |               |  |                                 |                     |                             |  |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS  |                                      | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION  |         | <b>SHEET NO.</b><br>2 OF 4       |      |                                |         |                 |         |                 |        |                |        |               |  |                                 |                     |                             |  |
| MOLEX INCORPORATED  |                                      |  |         |                                  |      |                                |         |                 |         |                 |        |                |        |               |  |                                 |                     |                             |  |

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1