

NOTES:

① MAT'L: COPPER

PLATING: ELECTRO-TIN (.0003 MIN.)


② INSULATION: MOLDED PVC (RED)

STUD SIZES: (+.005)

- 02 = .094
- 04 = .119
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390

"UL" LISTING #E32244
 "CSA" LISTING #18689

ALL DIMENSIONS = INCHES
 M/M



MWID = MAXIMUM WIRE
 INSULATION DIAMETER
 WIRE SIZE: 22-18 AWG
 25-1.5 MM²

PART NUMBER	"W" ±.010	"C" MIN.	"L" MAX.	"I.D" MIN	AVAILABLE STUD SIZES	STOCK THICKNESS
A-234-	$\frac{.291}{7.39}$	$\frac{.207}{5.26}$	$\frac{.835}{21.21}$	$\frac{.062}{1.57}$	04X, 06X, 08X	$\frac{.028^{+.001}}{.71}$
A-238-	$\frac{.245}{6.22}$	$\frac{.207}{5.26}$	$\frac{.835}{21.21}$	$\frac{.062}{1.57}$	04X, 06X	$\frac{.028^{+.001}}{.71}$
A-291-	$\frac{.420}{10.67}$	$\frac{.235}{5.97}$	$\frac{.934}{23.72}$	$\frac{.054}{1.37}$	06X, 08X, 10X	$\frac{.031^{+.001}}{.79}$
A-294-	$\frac{.375}{9.53}$	$\frac{.235}{5.97}$	$\frac{.936}{23.77}$	$\frac{.054}{1.37}$	06X, 08X, 10X	$\frac{.031^{+.001}}{.79}$
A-297-	$\frac{.325}{8.26}$	$\frac{.235}{5.97}$	$\frac{.936}{23.77}$	$\frac{.054}{1.37}$	04X, 06X, 08X	$\frac{.031^{+.001}}{.79}$
DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED						
FRAC.	DEC.	ANG.	SCALE:	NTS	DATE	TITLE:
±	±	±	DRWN. BY: JJ	10-29-84	SPADE TONGUE TERMINAL INSULKRIMP 200-SERIES	
			CHKD. BY: GZ	11-9-84		
			APPRD. BY:			



DWG. NO. A CUSTOMER DWG.