



MATERIAL NUMBER	ENGINEERING NUMBER	MATERIAL NUMBER ON TAPE	ENGINEERING NUMBER ON TAPE	STUD SIZE	HOLE "S" ± 0.005 ± 0.03	"D" MAX	② "H" ± 0.10 ± 0.25	"L" MAX	"T" REF	ID MIN
191640085	SA-221-06	---	---	#6	$\emptyset .146/3.71$	$\emptyset .32/8.1$	---	1.46/37.1	.028/0.71	.064/1.63
191640086	SA-221-08	191640419	SA-221-08T	#8	$\emptyset .173/4.39$	$\emptyset .32/8.1$.534/13.56	1.46/37.1	.028/0.71	.064/1.63
191640003	SA-221-10	191640306	SA-221-10T	#10	$\emptyset .198/5.03$	$\emptyset .32/8.1$.534/13.56	1.46/37.1	.028/0.71	.064/1.63
191640004	SA-222-14	191640844	SA-222-14T	1/4	$\emptyset .265/6.73$	$\emptyset .48/12.2$.340/8.65	1.66/42.2	.028/0.71	.055/1.40
191640005	SA-226-38	191640845	SA-226-38T	3/8	$\emptyset .390/9.91$	$\emptyset .54/13.7$.328/8.33	1.95/49.5	.032/0.81	.055/1.40



PARTS ON TAPE

SALES DRAWING

- NOTE:
- ①. TERMINAL MATERIAL: COPPER ALLOY
 - ②. FINISH: ELECTRO TIN PLATE.
 - ③. INSULATION MATERIAL: HEAT SHRINKABLE TUBING WITH HOTMELT ADHESIVE INNER LINER. COLOR: RED.
 - ④. MWID = MAXIMUM WIRE INSULATION DIAMETER.

MODIF. CHART DIM "H" EC NO: ETC2005-0212 DRW:WDMYRICK 2005/06/20 CHK:DROROSS 2005/06/21 APPR:DROROSS 2005/06/21	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE IN/MM	SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																														
	$\nabla=0$ $\nabla=0$	<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>\pm---</td> <td>\pm---</td> </tr> <tr> <td>3 PLACES</td> <td>\pm---</td> <td>\pm---</td> </tr> <tr> <td>2 PLACES</td> <td>\pm---</td> <td>\pm---</td> </tr> <tr> <td>1 PLACE</td> <td>\pm---</td> <td>\pm---</td> </tr> <tr> <td colspan="3">ANGULAR \pm---°</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	\pm ---	\pm ---	3 PLACES	\pm ---	\pm ---	2 PLACES	\pm ---	\pm ---	1 PLACE	\pm ---	\pm ---	ANGULAR \pm ---°			<table border="1"> <thead> <tr> <th>DRAWN BY</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>BENDERLE</td> <td>2005/5/14</td> </tr> <tr> <th>CHECKED BY</th> <th>DATE</th> </tr> <tr> <td>HBEITZEL</td> <td>2005/5/14</td> </tr> <tr> <th>APPROVED BY</th> <th>DATE</th> </tr> <tr> <td>DROROSS</td> <td>2005/5/14</td> </tr> </tbody> </table>	DRAWN BY	DATE	BENDERLE	2005/5/14	CHECKED BY	DATE	HBEITZEL	2005/5/14	APPROVED BY	DATE	DROROSS	2005/5/14	TITLE		
		mm	INCH																																	
	4 PLACES	\pm ---	\pm ---																																	
3 PLACES	\pm ---	\pm ---																																		
2 PLACES	\pm ---	\pm ---																																		
1 PLACE	\pm ---	\pm ---																																		
ANGULAR \pm ---°																																				
DRAWN BY	DATE																																			
BENDERLE	2005/5/14																																			
CHECKED BY	DATE																																			
HBEITZEL	2005/5/14																																			
APPROVED BY	DATE																																			
DROROSS	2005/5/14																																			
			RING TONGUE TERMINAL PERMA-SEAL NIAC 22-18 AWG																																	
			MATERIAL NO. SEE CHART	DOCUMENT NO. SD-19164-006		SHEET NO. 1 OF 1																														
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																	