


Description

Opto 22 supplies several standard cables that interface with various host controllers. There are three series of cables available in various standard lengths. Each series of cables is designated according to the type of connector on each end. The HH series has a header connector on both ends. The CA series has an edge connector on both ends. The OD series has a card edge connector on one end and a header connector on the other end. The three cable types use 50-conductor, ribbon cable and may be ordered in pre-defined lengths.



Part Numbers	Description
HH1.5	1.5-Ft Header to Header Cable
HH4	1.5-Ft Header to Header Cable
HH6	1.5-Ft Header to Header Cable
HH8	1.5-Ft Header to Header Cable
HH10	1.5-Ft Header to Header Cable
CA2	2-Ft Cable Edge to Edge
CA4	4-Ft Cable Edge to Edge
CA6	6-Ft Cable Edge to Edge
CA8	8-Ft Cable Edge to Edge
CA10	10-Ft Cable Edge to Edge
OD2	2-Ft Edge to Header Cable
OD4	4-Ft Edge to Header Cable
OD6	6-Ft Edge to Header Cable
OD8	8-Ft Edge to Header Cable
OD10	10-Ft Edge to Header Cable

Form 490-010131

Specifications

HH Header to Header
OD Output, DEC Header to Card Edge
CA CAble-the original Card Edge to Card Edge

Ordering Guide

Length (feet)	Series Part Numbers		
	HH	CA	OD
1.5	HH1.5	---	---
2	---	CA2	OD2
4	HH4	CA4	OD4
6	HH6	CA6	OD6
8	HH8	CA8	OD8
10	HH10	CA10	OD10

BUILDING YOUR OWN CABLES

If the standard cables do not meet your requirements, the following list can help in choosing the appropriate connectors and cable.

Cable (50-Conductor):

3M (800) 328-7732 p/n 3365/50
ALPHA (210) 925-8000 p/n 3580/50 or 3583/50

Connectors for HH Series (Header - Header):

Circuit Assemblies, Inc. (714) 855-7887 p/n CA50IDS2-C-SPT

Connectors for CA Series (Edge - Edge):

3M p/n 3415-0001

Connectors for OD Series (Header - Edge):

End #1 (Edge Connector)-3M p/n 3415-0001
End #1 (Edge Connector)-Panduit p/n 055-050-455
End #2 (Header Connector)-Circuit Assemblies p/n CA50IDS2-C-SPT

Connectors with Strain Reliefs:

Use only Panduit Corporation parts p/n 050A050-455

Products

Opto 22 produces a broad array of reliable, flexible hardware and software products for industrial automation, remote monitoring, enterprise data acquisition, and machine-to-machine (M2M) applications.

SNAP Ethernet Systems

Based on the Internet Protocol (IP), SNAP Ethernet systems offer flexibility in their network connectivity and in the software applications they work with. The physical network may be a wired Ethernet network, a cellular wireless network, or a modem. A wide variety of software applications can exchange data with SNAP Ethernet systems, including:

- Opto 22's own ioProject™ suite of control and HMI software
- Manufacturing resource planning (MRP), enterprise management, and other enterprise systems
- Human-machine interfaces (HMIs)
- Databases
- Email systems
- OPC client software
- Custom applications
- Modbus/TCP software and hardware.



SNAP Ethernet system hardware consists of controllers and I/O units. Controllers provide central control and data distribution. I/O units provide local connection to sensors and equipment.

SNAP OEM Systems

Opto 22 SNAP OEM I/O systems are highly configurable, programmable processors intended for OEMs, IT professionals, and others who need to use custom software with Opto 22 SNAP I/O modules.

Linux® applications running on these systems can read and write to analog, simple digital, and serial I/O points on SNAP I/O modules using easily implemented file-based operations. Applications can be developed using several common development tools and environments, including C or C++, Java, and shell scripts.



M2M Systems

Machine-to-machine (M2M) systems connect your business computer systems to the machines, devices, and environments you want to monitor, control, or collect data from. M2M systems often use wireless cellular communications to link remote facilities to central systems over the Internet, or to provide monitoring and control capability via a cellular phone.

Opto 22's Nvio™ systems include everything you need for M2M—interface and communications hardware, data service plan, and Web portal—in one easy-to-use package. Visit nvio.opto22.com for more information.

Opto 22 Software

Opto 22's ioProject and FactoryFloor® software suites provide full-featured and cost-effective control, HMI, and OPC software to power your Opto 22 hardware. These software applications help you develop control automation solutions, build easy-to-use operator interfaces, and expand your manufacturing systems' connectivity.



Quality

In delivering hardware and software solutions for worldwide device management and control, Opto 22 retains the highest commitment to quality. We do no statistical testing; each product is made in the U.S.A. and is tested twice before leaving our 160,000 square-foot manufacturing facility in Temecula, California. That's why we can guarantee solid-state relays and optically-isolated I/O modules *for life*.

Product Support

Opto 22's Product Support Group offers comprehensive technical support for Opto 22 products. The staff of support engineers represents years of training and experience, and can assist with a variety of project implementation questions. Product support is available in English and Spanish from Monday through Friday, 7 a.m. to 5 p.m. PST.

Opto 22 Web Sites

- www.opto22.com
- nvio.opto22.com
- www.internetio.com (live Internet I/O demo)

Other Resources

- OptoInfo CDs
- Custom integration and development
- Hands-on customer training classes.



About Opto 22

Opto 22 manufactures and develops hardware and software products for industrial automation, remote monitoring, enterprise data acquisition, and machine-to-machine (M2M) applications. Using standard, commercially available Internet, networking, and computer technologies, Opto 22's input/output and control systems allow customers to monitor, control, and acquire data from all of the mechanical, electrical, and electronic assets that are key to their business operations. Opto 22's products and services support automation end users, OEMs, and information technology and operations personnel.

Founded in 1974 and with over 85 million Opto 22-connected devices deployed worldwide, the company has an established reputation for quality and reliability.