




BM2S-C




- For indoor use
- Used to fasten and identify bundles at the same time
- Stainless steel locking barb provides consistent performance, reliability and infinite adjustability through entire bundle range
- Can be marked with *PANDUIT* Marker Pens or custom imprinted with text, symbols or trademarks available using *PANDUIT* Custom Hot Stamping Service
- Curved tip is easy to pick up from flat surfaces and allows faster initial threading to speed installation

| | |
|--------------------------------|--|
| • Part Number | BM2S-C |
| • RoHS Compliancy Status | Compliant |
| • Part Description | Marker Tie with metal barb, Wrap, 8.0", Standard cross section |
| • Product Type | Cable Ties |
| • Material | Nylon 6.6 |
| • Color | Natural |
| • CSA Certified | Yes |
| • Mil. Std. Part Number | MS3368-1-9A |
| • UL Listed (File #E56854) | No |
| • UL Recognized (File #E56854) | Yes |
| • Length (In.) | 8.0 |
| • Length (mm) | 203 |
| • Width (In.) | .185 |
| • Width (mm) | 4.7 |
| • CE Compliant | Yes |
| • Cross Section | Standard |
| • Head Height (In.) | .220 |
| • Head Height (mm) | 5.6 |
| • Head Width (In.) | .320 |
| • Head Width (mm) | 8.1 |
| • Locking Style | Locking |
| • Marker Type | Wrap |
| • Marker Write-On Area (In.) | .49 x .91 |
| • Marker Write-On Area (mm) | 12.4 x 23.1 |
| • Material Flammability Rating | UL 94V-2 |

| | |
|-------------------------------------|---|
| ■ Max. Bundle Diameter (In.) | 2.00 |
| ■ Max. Bundle Diameter (mm) | 51 |
| ■ Max. Continuous Use Temperature | 185°F (85°C) |
| ■ Min. Loop Tensile Strength (Lbs.) | 50 |
| ■ Min. Loop Tensile Strength (N) | 222 |
| ■ Pricing Description | Marker Tie, Wrap, 8.0"L (203mm), Standard, Nylon, Natural |
| ■ Thickness (In.) | .045 |
| ■ Thickness (mm) | 1.2 |
| ■ Tool | GTS, GTSL, GS2B, GTH, GS4H, PTS, PTH, PPTS, STS2, STH2 |
| ■ Min. Order UOM | PC |
| ■ Min. Order Qty. | 100 |
| ■ BOM Qty. (# of Pkgs.) | |

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



| PANDUIT * PART NUMBER | BUNDLE DIA. | | A in (mm) | B in (mm) | C in (mm) | D in (mm) | E in (mm) | F in (mm) | G in (mm) | H in (mm) | J in (mm) | WRITE-ON AREA in. (mm) | MIN. LOOP TENSILE ¹ lbs. (N) | CROSS SECTION | WEIGHT lbs./ 100 pcs. (g) |
|--------------------------|-----------------|-----------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|----------------|------------------------------|---|---------------|------------------------------------|
| | MIN. in (mm) | MAX. in (mm) | | | | | | | | | | | | | |
| BM2S | .37 (9.5) | 2.00 (51) | .045 (1.2) | .185 (4.7) | .205 (5.2) | .220 (5.6) | .320 (8.1) | 8.0 (203) | .520 (13.2) | 1.1 (27.9) | .032 (.81) | .49 X .91 (12.4 X 23.1) | 50 (222) | STANDARD | .30 (135) |
| BM4S | .75 (19) | 4.00 (102) | .052 (1.3) | .185 (4.7) | .205 (5.2) | .220 (5.6) | .320 (8.1) | 15.1 (384) | .520 (13.2) | 2.3 (58.4) | .048 (1.22) | .50 X 2.13 (12.7 X 54.1) | 50 (222) | STANDARD | .68 (307) |

NOTES:

*1) SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE AND PART COLOR.

| | | | | | | | | | | | | | | | | |
|-----|---------|------|-----|------------------------------|--|--|--|---------|------|--|--|---------------------|---|------------------------|--|--|
| | | | | | | | | | | DIMENSIONS IN PARENTHESES ARE IN METRIC UNITS | | | | | | |
| | | | | | | | | | | PANDUIT | | | | | | |
| | | | | | | | | | | CORP. TINLEY PARK, ILLINOIS | | | | | | |
| | | | | | | | | | | BARB-TY MARKER TIE BM SERIES | | | | | | |
| | | | | | | | | | | UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.X) ± ---- (.XXX) ± .020 (.5) (.XX) ± .02 (.5) ANGLES ± ---- | | | UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION. | | | |
| | | | | | | | | | | DRAWN BY JABO | | MAT'L: NYLON 6/6 | | SCALE NONE | | |
| | | | | | | | | | | DATE 6/03/97 | | | | DRAWING NO. BT-0250 | | |
| | | | | | | | | | | CHK'D JVL | | | | DWG A SIZE | | |
| 5 | 10/9/01 | JABO | | REMOVED OBSOLETE PART, BM3S. | | | | 0250 | 5 | | | | | | | |
| REV | DATE | BY | CHK | DESCRIPTION | | | | ECN - R | CUST | SUP | | | | | | |