

## LPMS-S8-M



- Small overall size allows use where space is limited
  - Install with a screw or rivet for a strong, secure installation
  - Low profile design keeps bundle close to mounting surface where overhead space is limited
- ‡ Cable Tie Cross Section Sizes: M = Miniature, I = Intermediate, S = Standard, HS = Heavy-Standard, LH = Light-Heavy, H = Heavy, HLM = Miniature *Tak-Ty*® Hook & Loop Ties.

Part Number	LPMS-S8-M
RoHS Compliancy Status	Compliant
Part Description	Low Profile Cable Tie Mount
Material	Nylon 6.6
Color	Natural
UL Recognized	E136577
Height (In.)	.12
Height (mm)	3.0
Length (In.)	.75
Length (mm)	19.1
Width (In.)	.50
Width (mm)	12.7
CE Compliant	CT-ACC4 / 10.96
Environment	Indoors
Flammability Rating	UL94 V-2
Hole Diameter (In.)	.180
Hole Diameter (mm)	4.6
Max. Bundle Diameter (mm)	4.8
Mounting Method	#8 (M4) Countersunk Screw
Pricing Description	Cable Tie Mount, Low Profile, #8 Screw (M4)
Screw Size	#8 (M4)
Screw Size Metric	M4
Used With Cable Ties	M, I, S
Min. Order UOM	PC
Min. Order Qty.	1000
BOM Qty. (# of Pkgs.)	
	Part Number RoHS Compliancy Status Part Description Material Color UL Recognized Height (In.) Height (mm) Length (In.) Length (In.) Width (In.) Width (mm) CE Compliant Environment Flammability Rating Hole Diameter (In.) Hole Diameter (mm) Max. Bundle Diameter (mm) Mounting Method Pricing Description Screw Size Screw Size Metric Used With Cable Ties Min. Order UOM Min. Order Qty. BOM Qty. (# of Pkgs.)

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP. REF 0.180(4.6)/0.164(4.2) DIA. X 82° COUNTERSUNK HOLE USE WITH ANY OF WEIGHT PANDUIT \* SCREW 0.500 THESE CABLE TIE lbs/100pcs. SIZE PART NO. (12.7)CROSS-SECTIONS (g) ┥0.550ŀ MINIATURE 0.102 #8 (14)INTERMEDIATE LPMS-S8 0.250 (46.3)(M4)REF STANDARD (6.4) REF 0.120-0.230 (3.0)(5.8)NOTES: SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE AND COLOR. 0.750 (19.1)DIMENSIONS IN PARENTHESES ARE IN METRIC UNITS. CAD FILENAME/LAYERS © G00239HG\_PI\_LPMS\_00 OT CORP. TINLEY PARK, ILLINOIS LOW PROFILE MOUNT LPMS-S8 UNLESS OTHERWISE SPECIFIED, UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: ALL DIMENSIONS ARE GIVEN (.X) ± ----- (.XXX) ± .020 (.5) (.XX) ± ----- ANGLES ± -----IN INCHES, THIRD ANGLE PROJECTION. DRAWN BY SCALE MAT'L: NONE LGG DRAWING NO. 6-06-01 REVISED DRAWING FROM SS-5783-A-RV 3 DWG 6B0239HG LGG NYLON 6/6 6-6-01 TO NEW DRAWING NUMBER GB0239HG Α

BY CHK

DATE

REV

DESCRIPTION

CHK 'D

SIZE

SUP

CUST

ECN - R