

Search

[Login](#) | [Register](#)

Product Categories

[Digital Imaging](#)

▶ [Sensors](#)

[Cermax® Xenon Lighting](#)

[Flash Lighting](#)

[LED Solutions](#)

[Biomedical Systems](#)

[Industrial Systems](#)

[Specialty Products](#)

[Alphabetical Listing](#)

Products by Market

[Medical](#)

[Biotechnology](#)

[Industrial Smart Devices](#)

[Military/Aerospace](#)

Application Solutions

[Sensors](#) > [Photocells](#) > [VT Series](#) > [VT400 1/2" Ceramic Single Element](#)

▶ **VT43N3**


[REQUEST INFO](#)

Photocells or Light Dependent Resistors can provide a very economic and technically superior solution for many applications where the presence or absence of light is sensed (digital operation) or where the intensity of the light needs to be measured (analog operation). The VT 400 Series photocells are low cost, ceramic devices that have voltage rating up to 400 volts peak and a continuous power dissipation rating of 400 mW. This series photocell is used in high power and voltage applications such as street light controls.


Dark Resistance: 500 Kohms @ 30 sec

On Resistance: 32 Kohm typ @ 1 fc

Wavelength: 550 nm peak



[View Larger Image](#)

 **Service & Support**

Datasheets

[Application Notes](#)

[White Papers](#)

[Frequently Asked Questions](#)

» [Support Center](#)

 **Related Links**

■ [Photocell and Analog Optoisolator Data Book](#)

■ [Introduction To Photocells](#)

■ [Photocell Application Notes](#)

■ [How To Specify A Low Cost Photocell](#)

North America: +1 800-775-OPTO [6786] Europe: +49 611 492 430 Asia: +65 6775 2022

[Contact Us](#) | [Site Map](#) | [Disclaimers](#) | [Privacy Policy](#)

Copyright 1998-2004. PerkinElmer, Inc. All rights reserved.