

Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

## ► Extract from the online catalog



Zack strip, 10-section, divisible, special printing, marking according to customer requirements

The illustration shows versions ZB 10 - UNPRINTED, -LGS:CONSEC.NOS, -QR:CONSEC.NOS and -SO/CMS

Order No.	1050525
Ord designation	ZB10:SO/CMS
EAN	4017918015763
Pack	1 Pcs.
Customs tariff	39269097
Weight/Piece	0.00227 KG
Catalog page information	Page 429 (CL-2007)

## ► Product notes

WEEE/RoHS-compliant since: 01/01/2005



**IMPORTANT : This date is valid for Customers in Germany only. Date Format is MM/DD/YYYY. Please contact your local in-country Phoenix Contact location or designated business partner for a Logistics Compliant date in your area. In order to guarantee delivery of RoHS-Compliant product, please purchase Phoenix Contact parts from authorized Phoenix Contact representatives and distributors.**

---

## ▶ Technical data

---

**General**

Color	white
Inflammability class acc. to UL 94	V2
Wipe resistance	DIN EN 61010-1/VDE 0411-1
Ambient temperature (operation)	-40 °C ... 100 °C
Components	free from silicone and halogen
Pitch	10 mm
Material	PA

---

---

## ► Address

---

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057  
USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>  
© Phoenix Contact  
Technical modifications reserved;