


Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

## ► Extract from the online catalog

DIN rail connectors (T-BUS), 5-pos., for bridging the supply voltage, can be snapped onto DIN rail NS 35/... in accordance with EN 60715



|                          |                                |
|--------------------------|--------------------------------|
| Order No.                | 2869728                        |
| Ord designation          | ME 6,2 TBUS-2 1,5/5-ST-3,81 GN |
| EAN                      | 4017918983093                  |
| Pack                     | 10 Pcs.                        |
| Customs tariff           | 85369010                       |
| Weight/Piece             | 0.0063 KG                      |
| Catalog page information | Page 305 (IF-2007)             |

## ► Product notes

WEEE/RoHS-compliant since: 11/04/2003



**IMPORTANT :** This date is valid for Customers in Germany only. Date Format is MM/DD/YYYY. Please contact your local in-country Phoenix Contact location or designated business partner for a Logistics Compliant date in your area. In order to guarantee delivery of RoHS-Compliant product, please purchase Phoenix Contact parts from authorized Phoenix Contact representatives and distributors.

ME 6,2 TBUS-2 1,5/5-ST-3,81 GN



---

► **Certificates / Approvals**

---

---

**Certificate logos**



---

**CUL**

Nominal voltage  $U_N$  150 V

Nominal current  $I_N$  8 A

---

**UL**

Nominal voltage  $U_N$  150 V

Nominal current  $I_N$  8 A

---

---

► Drawings

---

Logo



**Ex n**

---

---

## ► Address

---

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>  
Phoenix Contact  
Technical modifications reserved;