

DECLARATION OF CONFORMITY

SILVERTRONIC Ltd. confirm that the products listed below have been Designed, Manufactured and Tested to, and therefore are fully compliant to;
IEC1010-1 1990 inc. Amendment 2-1995 & IEC1010-2-031 First Edition-1993
and thus meet **THE LOW VOLTAGE DIRECTIVE (LVD) 73/23/EEC and amending directive 93/68/EEC**

PRODUCT TYPE / DESCRIPTION				Test Lead Set	
PART No.				129526	
IEC1010 RATING	VOLTAGE	1000	Volts	INSULATION CATEGORY	III (3)
***126017	VOLTAGE	300	Volts	INSULATION CATEGORY	II (2)

MAXIMUM RATED CURRENT	**10/*20/30	Amps
POLLUTION DEGREE	2	
INSULATION CATEGORY	DOUBLE/REINFORCED	

INCLUDES FOLLOWING ASSEMBLIES / COMPONENTS SUBJECT TO INDIVIDUAL TEST.	DESCRIPTION	PART No.
	*OEM Full Safety Plug To OEM Right Angle Plug Lead	123815
	OEM Style Prod	125072
	1000V Croc. Clip	126024
	*Sprung Hook	121026
	**Thin Spikes	121039
	***Small Croc. Clip	126017



All Testing carried out by Third Party Testhouse
CRANAGE EMC TESTING Ltd.
(LVD TESTING DEPARTMENT)



www.silvertronic.com
e-mail: sales@silvertronic.com

Registration No. 1993292

North American Office
4405 Sharon Copley Road,
Medina, Ohio, 44256.
Toll Free: (866) 556 3308
Facsimile: (330) 722 2281

This drawing is not to be disclosed to a third party without the authority from the company.©

Scale
N.T.S.

IEC 1010 COMPLIANT RATING:
1000 VOLTS CAT III 20 AMPS MAX
*126017 300VOLTS CAT II 10 AMPS CONT POL DEG. 2

PROJECT No.

129233 OEM RA-FS LEAD SET



125070 OEM PLUG


119054 CUT 1.2Metres
or 102523 cut length

DOUBLE SKIN PVC CABLE





1No. R & B 123815 OEM FS-RA LEAD



125076 OEM RA PLUG




1No. R & B 126024 CROC CLIPS





1No. R & B 126017 CROC CLIPS





1No. RED & BLACK 121026



1No. R & B 121039 THIN SPIKE PRODS



1No. R & B 125072 OEM SHORT PRODS



ASSEMBLY JIG NUMBERS
125070= J163 or 167 + 166

PACKAGING 119503 Pouch
111512 Poly Bag

NO PRINTING

TOLERANCES

CABLE LENGTHS +/- 5%

DO NOT SCALE.
ALL DIMENSIONS IN mm.