

# Contact Cleaner with Silicones 404B



## With Electronic Grade Silicones

Cleans and protects with electronic grade silicones for lubrication. Suitable for use on tuners, switches, locks, contacts, office equipment, keyboards, plastic parts, mold releases, battery terminals, ignition systems, rubber gaskets, and telescoping antennas.

- Safe on plastics and elastomers
- 100% Ozone safe
- Variable valve allows user to control rate of flow
- Flammable do not use on live circuits



Catalog Number	Sizes Available	Description
404B-140G	140g (5 oz)	Aerosol
404B-340G	340g (12 oz)	Aerosol





## **Material Safety Data Sheet**

#### Section 1: Product Identification

MSDS Code: 404B-aerosol Name: Contact Cleaner with Silicones

Related Part Numbers: 404B-140G; 404B-340G

Use: Cleans and lubricates controls and contacts.

Hazard Overview: Product is extremely flammable. Do not use on live circuits. Keep away from cigarettes, open flames, and other sources of ignition. Vapors are mildly irritating. Use in a well ventilated area. Repeated skin contact can cause dermatitis.

Section	2: Hazar	dous	Ingredients
---------	----------	------	-------------

CAS#	Chemical Name	Percentage by weight	ACGIH TWA	Osha Pel	Osha Stel
75-83-2	2,2 dimethylbutane	8 - 12	500ppm	500ppm	n/e
96-14-0	3-methyl pentane	15 - 20	500ppm	500ppm	n/e
79-29-8	2,3 dimethyl butane	10 - 15	500ppm	500ppm	n/e
63148-62-9	dimethylpolysiloxane	2	n/e	n/e	n/e
107-83-5	2 - methyl pentane	40 - 55	500ppm	500ppm	n/e
811-97-2	1,1,1,2 tetrafluoroethane	18 - 30	1000ppm	n/e	n/e
110-54-3	n-hexane	1 - 2	50ppm	50ppm	n/e

## Section 3: Hazards Identification

NFPA Ratings: Health 2 Flammability 3 Reactivity 0

HMIS Ratings: Health 2 Flammability 4 Reactivity 0

WHMIS Codes: A, B5, D2B

Eyes: May cause mild eye irritation.

Skin: May cause mild skin irritation.

Inhalation: May cause irritation of respiratory tract. Vapor reduces amount of oxygen available for breathing.

**Ingestion:** Aspiration Hazard. May cause weakness and gastrointestinal tract irritation.

Chronic: None known.

## Section 4: First Aid Measure

Eyes: Remove contact lenses. Flush with water or saline for 20 minutes. Get medical aid.

**Skin:** Wash skin with large quantities of soap and water. Get medical aid if symptoms persist.



Immediately remove from exposure to fresh air. If not breathing, give artificial respiration. If Inhalation:

breathing is difficult, give oxygen. Get medical aid.

Do not induce vomiting. If conscious, give 1-2 glasses of water. Get medical aid. Ingestion:

## Section 5: Fire Fighting Measures

Autoignition Temperature: n/e Flash Point: -29°C **LEL / UEL**: 1/7

**Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or chemical foam.

Will burn if involved in a fire. Containers may explode in the heat of a fire. Highly General Information flammable vapors are heavier than air and may accumulate in low areas. Flash back

along vapor trail is possible.

#### Section 6: Accidental Release Measures

Spill Procedure: Remove all sources of ignition. Provide adequate ventilation. Wear appropriate personal

> protection. Sprinkle absorbent compound onto spill, then sweep into a plastic or metal container. Wipe up further residue with paper towel and place in container. Wash spill area with soap and

water.

## Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do

not expose container to heat or flame.

Storage: Keep away from sources of ignition. Store in a cool, dry, well ventilated area, away from incompatible

substances.

#### **Section 8: Exposure Controls**

Routes of entry:

Eyes, ingestion, inhalation, and skin.

Ventilation:

Use adequate general or local exhaust ventilation to keep airborne concentrations below exposure

Personal

Wear appropriate protective eyeglasses or chemical safety goggles. Wear appropriate protective

Protection: clothing to prevent skin contact. Use a NIOSH approved respirator when necessary.

#### Section 9: Physical and Chemical Properties

**Physical** Aerosol Odor: ethereal Solubility: insoluble Evaporation

State: Rate: (ether=1)

**Boilina** 55°C Specific 0.80 Vapor 48 PSI Vapor 1.6 pH: 7 Point: Gravity: Pressure: @21°C Density: (Air=1)

## Section 10: Stability and Reactivity

Stability: Stable at normal temperatures and pressures.

Conditions to

Temperatures over 40°C, ignition sources, and incompatible substances. avoid:

Alkali and alkaline earth metals, powdered aluminum, zinc, magnesium, and beryllium, Incompatibilities:

strong oxidizing agents.

Polymerization: Will not occur.

Halogens, halogen acids, possibly carbonyl halides, carbon dioxide, and carbon monoxide. Decomposition:

> **PAGE 2 / 4** MSDS Code: 404B - Aerosol



## Section 11: Toxicological Information

Sensitization: (effects of

repeated exposure)

No effects known.

Carcinogenicity: (risk of

cancer)

The ingredients of this product are not classified as being carcinogenic by ACGIH (American Conference of Governmental industrial Hygienists) or IARC (International Agency for Research on Cancer), not regulated as carcinogens by OSHA (Occupational Safety and Health Administration), and not listed as carcinogens by NTP (National

Toxicology Program)

Teratogenicity: (risk of malformation in an unborn

fetus)

**Reproductive Toxicity:** (risk of sterility)

No

No

Mutangenicity: (risk of

heritable genetic effects)

No

**Lethal Exposure** 

Ingestion(LD50):

28q/kg Inhalation(LC50):

Skin(LD50):

Concentrations:

(rabbit)

3125 ppm/4h

(rat)

## Section 12: Ecological Information

Avoid runoff into storms and sewers which lead into waterways. Water runoff can cause General

Information: environmental damage.

Environmental Impact Data: (percentage by weight)

CFC: 0 HFC: 25 CI.Solv.: 0 **VOC**: 73 HCFC: 0 ODP: 0

#### Section 13: Disposal Information

General Dispose of in accordance with all local, provincial, state, and federal regulations. Water runoff

Information: can cause environmental damage.

### Section 14: Transportation Information

#### Ground:

Consumer Commodity, ORM-D

Air:

Shipper must be trained and certified. Refer to IATA regulations.

Sea:

UN # 1950, Class 2.1. Shipper must be trained and certified. Refer to IMDG regulations.

#### Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)