


Switchcraft®



Cord-Switch® CORD SWITCHES

SERIES E900, ED900, EP900

E903

Momentary cord (pendant) switches can be specified with red or black pushbuttons, 1-C or 1-D switching, solder terminals and metal handle (Series E900), plastic handle (Series EP900), or metal handle with clamp and strain relief (Series ED900).

SPECIFICATIONS

(See IBS on page 261 for switch specs.)

SERIES E900, EP900:

Housing: Series E900 - Copper alloy, plated. Series EP900 - Molded black plastic.

Switch Bushing: Copper alloy, plated.

Insulation: Rigid plastic.

SERIES ED900:

Housing: Die-cast zinc, plated.

Switch Body and Insert Bushing: Copper alloy, plated.

Insulation: Rigid plastic.

Cable Relief Bushing: Black thermoplastic rubber.

Pressure Plates: Stainless steel.

Cable Relief Screws: Steel, plated.

SPECIAL ORDER FEATURES

* Other pushbutton colors.

* Custom legends

PART NUMBERS (examples)

Pushbutton Color/Part Number		Maximum Cable Outside Diameter	Circuit
Red	Black		
E903	E913	.375" [9.5 mm]	1-C
ED903	ED913	.375" [9.5 mm]	

EP903	EP913	.250" [6.4 mm]	
*E903D	*E913D	.375" [9.5 mm]	1-D
*ED903D	*ED913D	.375" [9.5 mm]	
*EP903D	*EP913D	.25" [6.4 mm]	

* Special order only; contact Switchcraft for price and delivery.