

Search



**Product Information**

[> Introduction](#)

**Pricing Information**

[Request a Quote](#)

width=1

**Product Portfolio**

- [Oscilloscope Probes](#)
- [Logic Analyzer Probes/ P6400](#)
- [Logic Analyzer Probes/ P68/6900](#)
- [Optical Products](#)
- [Application Software](#)
- [Request a Catalog](#)
- [Product Finder](#)

**Resources**

- [Technical Information](#)
- [Manuals](#)
- [Software & Drivers](#)
- [Service & Support](#)
- [E-Newsletters](#)

**What's New**

- [Promotions](#)
- [News](#)
- [Events](#)

## Replacement Parts

### Passive and Active Probe General Replacement Parts

#### Ordering Information

Probe	Length (m)	Connector/ Comp. Box	Probe Cable	Probe Head	Probe Tip/ Hybrid Tip
<a href="#">P6101B</a>	2	N/A	N/A	N/A	131-4997-01*2
<a href="#">P3010</a>	2	N/A	N/A	N/A	131-4997-01*2
<a href="#">P6105A</a>	1	206-0331-00	174-0975-00	206-0328-00	206-0336-01*5
	2	206-0334-00	174-0976-00	206-0301-00	206-0337-01*5
<a href="#">P6106A</a>	1	206-0313-01	174-0975-00	206-0328-00	206-0336-01*5
	2	206-0319-01	174-0976-00	206-0301-00	206-0337-01*5
<a href="#">P6109B</a>	2	N/A	N/A	N/A	131-4997-01*2
<a href="#">P6111B</a>	2	N/A	N/A	N/A	131-4997-01*2
<a href="#">P6112</a>	2	N/A	N/A	N/A	131-4997-01*2
<a href="#">P6113B</a>	2	N/A	N/A	N/A	131-4997-01*2
<a href="#">P6117</a>	2	N/A	N/A	N/A	131-4997-01*2
<a href="#">P6119B</a>	2	N/A	N/A	N/A	131-4997-01*2
<a href="#">P6129B</a>	2	N/A	N/A	N/A	131-4997-01*2

<a href="#">P6201</a>	1.8	N/A	N/A	N/A	206-0200-00*3
<a href="#">P6202A</a>	2	N/A	N/A	N/A	206-0230-03*1
<a href="#">P6204</a> *4	1.5	N/A	N/A	206-0390-00	131-4280-00*3
<a href="#">P6205</a> *4	1.5	N/A	N/A	N/A	131-4280-00*3
<a href="#">P6243</a> *4	1.3	N/A	N/A	N/A	131-5638-11*1
<a href="#">P6245</a> *4	1.3	N/A	N/A	N/A	131-5638-11*1
<a href="#">P6561A</a>	1.3	N/A	206-0417-10	N/A	131-5638-11*1
<a href="#">P6562A</a>	1.3	N/A	206-0417-10	N/A	131-5638-11*1


\*1 Probe tips in package of ten.

\*2 Probe hybrid tip assemblies in packages of two each.

\*3 Probe hybrid tip assembly in quantities of one.

\*4 131-3627-02 contact for readout and power (P6204, P6205, P6217, P6245, P6243, P6231, P6339A).

\*5 Probe Hybrid Tip Assemblies in packages of five each.



—



Probe	Length (m)	Connector/ Comp. Box	Probe Cable	Probe Tip/ Hybrid Tip	Probe Tip/ Hybrid Tip Color
<a href="#">P6131</a>	1.3	206-0314-00	174-0973-00	206-0265-10*2	tip-clear/ tail-blue
Opt. 02	2	206-0321-00	174-0971-00	206-0265-12*2	tip-clear/ tail-yellow
<a href="#">P6133</a>	2	206-0350-00	174-0971-00	206-0265-12*2	tip-clear/ tail-yellow
Opt. 01	1.3	206-0349-00	174-0973-00	206-0265-13*2	tip-clear/ tail-clear
Opt. 03	3	N/A	174-0972-00	N/A	tip-clear/ tail-red
Opt. 25	1.3	206-0349-00	174-0973-00	206-0393-00*2	tip-clear/ tail-natural
<a href="#">P6135A</a>  (13 to 17pF)*4	1.5	N/A	N/A	206-0416-00*3	tip-red/ tail-natural
<a href="#">P6135A</a>  (18 to 22pF)*4	1.5	N/A	N/A	206-0419-00*3	tip-black/ tail-yellow

<a href="#">P6135A</a>	1.5	N/A	N/A	206-0415-00*3	tip-blue/ tail-natural
(45 to 49pF)*4					
<a href="#">P6136</a>	1.3	206-0359-00	174-0978-00	206-0265-10*2	tip-clear/ tail-blue
Opt. 25	1.3	206-0359-00	174-0978-00	206-0392-00*2	tip-gray/ tail-blue
<a href="#">P6137</a>	1.5	206-0389-01	174-1081-04	206-0378-00*2	tip-black/ tail-natural
<a href="#">P6138</a>	1.3	N/A	174-0978-00	206-0392-00*2	tip-gray/ tail-blue
<a href="#">P6138A</a>	1.3	N/A	174-0978-00	206-0392-00*2	tip-gray/ tail-blue
<a href="#">P6139A</a>	1.3	206-0440-00	174-0978-00	206-0441-00*2	tip-blue/ tail-yellow
<a href="#">P6150</a> *1	1	N/A	174-1341-00	206-0399-03*2	N/A
(10X)					
<a href="#">P6150</a> *1	1	N/A	174-1341-00	206-0398-00*2	N/A
(1X)					
<a href="#">P6158</a>	1.2	N/A	174-3889-00	206-0381-00*2	tip-gray/ tail-black
<a href="#">P6339A</a>	1.3	206-0485-00	174-0978-00	206-0441-00*2	tip-blue/ tail-yellow
<a href="#">P5050</a>	1.3	N/A	174-0978-00	206-0378-00*2	tip-black/ tail-natural

\*1 Not pictured above.

\*2 Probe hybrid tip assembly in quantities of one.

\*3 Consists of a matched pair.

\*4 Scope Input Capacitance Range.

\*5 131-3627-02 contact for readout and power (P6204, P6205, P6217, P6245, P6243, P6231, P6339A).

[▲ back to top](#)

[> Introduction](#)

[Request a Quote](#)



Product(s) are manufactured in ISO registered facilities.

60W-15262-0C, 05-MAY-2005

width=1



[Have an Account Manager Contact Me](#)



[Request a Demo](#)



[Email This Page](#)



[Printable Page](#)

### **Tektronix Site**

[Home](#) | [Products](#) | [Support](#) | [Buy](#) | [Contact Us](#) | [Investors](#) | [Careers](#) | [International](#) | [myTek](#)

[Sitemap](#) | [© Copyright Tektronix, Inc.](#) | [Privacy Statement](#)