

Accessories Home

Search



Product Information

[Introduction](#)

Pricing Information

[Request a Quote](#)

width=1

Product Portfolio

[Oscilloscope Probes](#)

[Logic Analyzer Probes/ P6400](#)

[Logic Analyzer Probes/ P68/6900](#)

[Optical Products](#)

[Application Software](#)

[Request a Catalog](#)

[Product Finder](#)

Resources

[Technical Information](#)

[Manuals](#)

[Software & Drivers](#)

[Service & Support](#)

[E-Newsletters](#)

What's New

[Promotions](#)

[News](#)

[Events](#)

Replacement Parts

Passive and Active Probe General Replacement Parts

Ordering Information

| Probe | Length (m) | Connector/ Comp. Box | Probe Cable | Probe Head | Probe Tip/ Hybrid Tip |
|------------------------|------------|----------------------|-------------|-------------|-----------------------|
| P6101B | 2 | N/A | N/A | N/A | 131-4997-01*2 |
| P3010 | 2 | N/A | N/A | N/A | 131-4997-01*2 |
| P6105A | 1 | 206-0331-00 | 174-0975-00 | 206-0328-00 | 206-0336-01*5 |
| | 2 | 206-0334-00 | 174-0976-00 | 206-0301-00 | 206-0337-01*5 |
| P6106A | 1 | 206-0313-01 | 174-0975-00 | 206-0328-00 | 206-0336-01*5 |
| | 2 | 206-0319-01 | 174-0976-00 | 206-0301-00 | 206-0337-01*5 |
| P6109B | 2 | N/A | N/A | N/A | 131-4997-01*2 |
| P6111B | 2 | N/A | N/A | N/A | 131-4997-01*2 |
| P6112 | 2 | N/A | N/A | N/A | 131-4997-01*2 |
| P6113B | 2 | N/A | N/A | N/A | 131-4997-01*2 |
| P6117 | 2 | N/A | N/A | N/A | 131-4997-01*2 |
| P6119B | 2 | N/A | N/A | N/A | 131-4997-01*2 |
| P6129B | 2 | N/A | N/A | N/A | 131-4997-01*2 |

| | | | | | |
|--------------------------|-----|-----|-------------|-------------|---------------|
| P6201 | 1.8 | N/A | N/A | N/A | 206-0200-00*3 |
| P6202A | 2 | N/A | N/A | N/A | 206-0230-03*1 |
| P6204 *4 | 1.5 | N/A | N/A | 206-0390-00 | 131-4280-00*3 |
| P6205 *4 | 1.5 | N/A | N/A | N/A | 131-4280-00*3 |
| P6243 *4 | 1.3 | N/A | N/A | N/A | 131-5638-11*1 |
| P6245 *4 | 1.3 | N/A | N/A | N/A | 131-5638-11*1 |
| P6561A | 1.3 | N/A | 206-0417-10 | N/A | 131-5638-11*1 |
| P6562A | 1.3 | N/A | 206-0417-10 | N/A | 131-5638-11*1 |


*1 Probe tips in package of ten.

*2 Probe hybrid tip assemblies in packages of two each.

*3 Probe hybrid tip assembly in quantities of one.

*4 131-3627-02 contact for readout and power (P6204, P6205, P6217, P6245, P6243, P6231, P6339A).

*5 Probe Hybrid Tip Assemblies in packages of five each.



—



| Probe | Length (m) | Connector/ Comp. Box | Probe Cable | Probe Tip/ Hybrid Tip | Probe Tip/ Hybrid Tip Color |
|--|------------|----------------------|-------------|-----------------------|-----------------------------|
| P6131 | 1.3 | 206-0314-00 | 174-0973-00 | 206-0265-10*2 | tip-clear/ tail-blue |
| Opt. 02 | 2 | 206-0321-00 | 174-0971-00 | 206-0265-12*2 | tip-clear/ tail-yellow |
| P6133 | 2 | 206-0350-00 | 174-0971-00 | 206-0265-12*2 | tip-clear/ tail-yellow |
| Opt. 01 | 1.3 | 206-0349-00 | 174-0973-00 | 206-0265-13*2 | tip-clear/ tail-clear |
| Opt. 03 | 3 | N/A | 174-0972-00 | N/A | tip-clear/ tail-red |
| Opt. 25 | 1.3 | 206-0349-00 | 174-0973-00 | 206-0393-00*2 | tip-clear/ tail-natural |
| P6135A (13 to 17pF)*4 | 1.5 | N/A | N/A | 206-0416-00*3 | tip-red/ tail-natural |
| P6135A (18 to 22pF)*4 | 1.5 | N/A | N/A | 206-0419-00*3 | tip-black/ tail-yellow |

| | | | | | |
|--------------------------|-----|-------------|-------------|---------------|----------------------------|
| P6135A | 1.5 | N/A | N/A | 206-0415-00*3 | tip-blue/ tail-natural |
| (45 to 49pF)*4 | | | | | |
| P6136 | 1.3 | 206-0359-00 | 174-0978-00 | 206-0265-10*2 | tip-clear/ tail-blue |
| Opt. 25 | 1.3 | 206-0359-00 | 174-0978-00 | 206-0392-00*2 | tip-gray/ tail-blue |
| P6137 | 1.5 | 206-0389-01 | 174-1081-04 | 206-0378-00*2 | tip-black/ tail-natural |
| P6138 | 1.3 | N/A | 174-0978-00 | 206-0392-00*2 | tip-gray/ tail-blue |
| P6138A | 1.3 | N/A | 174-0978-00 | 206-0392-00*2 | tip-gray/ tail-blue |
| P6139A | 1.3 | 206-0440-00 | 174-0978-00 | 206-0441-00*2 | tip-blue/ tail-yellow |
| P6150 *1 | 1 | N/A | 174-1341-00 | 206-0399-03*2 | N/A |
| (10X) | | | | | |
| P6150 *1 | 1 | N/A | 174-1341-00 | 206-0398-00*2 | N/A |
| (1X) | | | | | |
| P6158 | 1.2 | N/A | 174-3889-00 | 206-0381-00*2 | tip-gray/ tail-black |
| P6339A | 1.3 | 206-0485-00 | 174-0978-00 | 206-0441-00*2 | tip-blue/ tail-yellow |
| P5050 | 1.3 | N/A | 174-0978-00 | 206-0378-00*2 | tip-black/ tail-natural |

*1 Not pictured above.

*2 Probe hybrid tip assembly in quantities of one.

*3 Consists of a matched pair.

*4 Scope Input Capacitance Range.

*5 131-3627-02 contact for readout and power (P6204, P6205, P6217, P6245, P6243, P6231, P6339A).

[▲ back to top](#)

[> Introduction](#)

[Request a Quote](#)



Product(s) are manufactured in ISO registered facilities.

60W-15262-0C, 05-MAY-2005

width=1



[Request Sales
Contact](#)



[Request a
Demo](#)



[Email This
Page](#)



[Printable Page](#)

Tektronix Site

[Home](#) | [Products](#) | [Support](#) | [Buy](#) | [Contact Us](#) | [Investors](#) | [Careers](#) | [International](#) | [myTek](#)

© Copyright Tektronix, Inc. | [Terms of Use](#) | [Privacy Statement](#) | [Sitemap](#)