

## *Ty-Duct* \*\*


**T&B Catalog Number: TYCSW6 UPC Number:** 78621097123


**Description:** Wiring Duct Corner Strip Rigid PVC White


Status: Active

General	
Material	Rigid PVC
Color	White
Dimension Information	
Width (inches)	0.83
Height (inches)	0.83
Packaging	
T&B Order Multiple	120
Package in Units	120
T&B Sold in UOM	Feet
T&B Weight Per UOM	10.83 lbs. per 100
Application Support	
Product Selector	TD_selector_accessories
T&B Sales Drawings	wsd-000190
Specifications	Available on Website
Overview	Available on Website
Certifications	
RoHS Compliance	Yes

# Ty-Duct








## NOTES:

- I. MATERIAL: RIGID PVC
- 2. TEMPERATURE RATING: -40°F [-40°C] TO 122°F [50°C]
- 3. FLAMMABILITY RATING: UL94V-0
- . PROVIDES SMOOTH INSIDE AND OUTSIDE CORNERS WHERE TWO WIRING DUCTS ARE JOINED TO FORM A CORNER

CIA OC IATAO			90 100	
CATALOG NO.			בטבטב	
TYCSB6			BLACK	
1YCSG6			GRAY	
TYCS16		ATN I	INTRINSIC BLUE	
TYCSW6			WHITE	
GENERAL NOTES				
I. ALL DIMENSIONS ARE FOR REFERENCE ONLY.				Thomas & Betts
Z. DIMENSIONS IN BRACKEIS L. J. ARE IN METRIC UNITS.	DESCRIPTION:	H		
REVISIONS			WIKING DUCI CORNER SIRIP	
LECANOC NAT TAS				
FOR APPROVAL SIGNATURES	ORIGINAL PROJECT NO / ( ERN NO ) SHEET NO:	SHEET NO:	REV. NO: DRAWING NO:	RAWING NO:
& KELEASE DAIE. PROJECT NO: FD55400	FD55400 / ( 2005724 )	- P	<u> </u>	WSD-000190



Install smooth round corners on your wiring duct!



- · One-piece design makes installation a snap
- Works with any Ty-Duct<sup>™</sup> wiring duct
- · Select from a variety of sizes


CAT. NO.	DESCRIPTION	LENGTH (FT.)	STD. CTN. QTY
TYCS[ _ ]6	Corner Strip	6	120

Catalog Number must be completed by adding suffix G for Gray, W for

I for Intrinsic Blue, B for Black.

**Example:** TYCSG6 is a gray corner strip.

### Plastic rivets make mounting ducts easy!



CAT. NO.	DESCRIPTION	QTY
08200C	3/16" Plastic Rivet	100 pk
08200M	3/16" Plastic Rivet	1000 pk

### Join duct sections easily!




- · One-piece design makes installation easy
- · Works with any Ty-Duct wiring duct

CAT. NO.	DESCRIPTION	LENGTH (FT.)	STD. CTN. QTY
TYJS[ _ ]6	Joining Strip	6	120


Catalog Number must be completed by adding suffix G for Gray, W for

I for Intrinsic Blue, B for Black.


**Example:** TYJSG6 is a gray joining strip.



Minimum mounting rivet distance for ducts less than 11/2" wide.



Minimum mounting rivet distance for ducts  $1^{1}\!/_{2}^{\text{\tiny{II}}}$  to  $2^{1}\!/_{2}^{\text{\tiny{II}}}$  wide.



Minimum mounting rivet distance for ducts greater than 21/2" wide. Installed top and bottom.