

1-1734282-3 Product Details

Stacked Connectors

No Image Available



[Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

1-1734282-3



[Active](#)

Product Highlights:

- Connector Configuration [Upper Conn./Lower Conn.] = Same Series
- Plug over Receptacle
- Mating Connector Lock Type = Threaded Inserts
- Without Mating Polarization
- Yes PCB Retention Feature

[View all Features](#) | [Find Similar Products](#)

NEW!

Documentation & Additional Information

Product Drawings:

- [D-SUB STACKED PLUG OVER RCPT, R/A TYPE,THREAD INSERTS](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Gender](#) = Plug over Receptacle
- [Mating Connector Lock Type](#) = Threaded Inserts
- Mating Polarization = Without
- [PCB Retention Feature](#) = Yes
- [Stacked Number of Positions \[Upper Conn./Lower Conn.\]](#) = 15/15
- [Stacked Shell Size \[Upper Conn./Lower Conn.\]](#) = 2/2
- Shell Type = Front Metal Shell
- Product Series = Series II
- Color Code = None
- PCB Mount Angle = Right Angle
- Stacked Product Series [Upper Conn./Lower/ Conn.] = HD-20 / HD-20

Termination Related Features:

- Solder Tail Contact Plating = Bright Tin

Body Related Features:

- [Connector Configuration \[Upper Conn./Lower Conn.\]](#) = Same Series
- [Centerline, Matrix \(mm \[in\]\)](#) = 2.77 x 2.84 [.109 x .112]

Contact Related Features:

- [Contact Mating Area Plating](#) = Gold (30)
- Contact Material = Copper Alloy

Housing Related Features:

- Housing Color = Black
- Housing Material = Thermoplastic
- Housing Flammability Rating = UL 94V-0

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Other:

- Brand = AMP

[Provide Website Feedback](#) | [Contact Customer Support](#)

[Home](#) | [Customer Support](#) | [Suppliers](#) | [Site Map](#) | [Privacy Policy](#) | [Browser Support](#)

© 2007 Tyco Electronics Corporation All Rights Reserved