


1052076-1 Product Details



1052076-1



Active

SMA/QMA RF Connectors



Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Connector
- Plug
- Connector Type = SMA
- Terminate To Coaxial Cable
- Coaxial Cable Termination Type = Crimp

[View all Features](#) | [Find Similar Products](#)

NEW!

Documentation & Additional Information

Product Drawings:

- None Available

Catalog Pages/Data Sheets:

- [RF COAXIAL SOLUTIONS FOR COMMUNICATIONS](#) (PDF, English)
- [SMA Connectors](#) (PDF, English)

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- [OSM Right Angle Cable Plug Crimp Attachment 1311064-...](#) (PDF, English)

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Connector
- [Gender](#) = Plug
- [Connector Type](#) = SMA
- [Crimp Type](#) = Hex
- [Body Style](#) = Right Angle
- [Body Material](#) = Stainless Steel
- [Body Finish](#) = Passivated
- [Center Contact](#) = With
- [Retractable Collar](#) = Without
- [Safety Wire Holes](#) = Without
- [Captivated Contacts](#) = With
- [Dielectric Material](#) = TFE Fluorocarbon
- [Coupling Nut Material](#) = Stainless Steel
- [Coupling Nut Finish](#) = Passivated
- [Gasket Material](#) = Silicone Rubber
- [Retaining Ring Material](#) = Beryllium Copper

Mechanical Attachment:

- [Panel Attachment](#) = Without

Electrical Characteristics:

- [Frequency](#) = 12.4 GHz (Max.)
- [Insulation Resistance \(M•\)](#) = 10,000

Termination Related Features:

- [Coaxial Cable Termination Type](#) = Crimp

Body Related Features:

- [Length \(mm \[in\]\)](#) = 16.90 [0.665]
- [Shrink Tubing](#) = With
- [Ferrule Material](#) = Copper
- [Ferrule Plating](#) = Nickel

Contact Related Features:

- [Center Contact Material](#) = Beryllium Copper
- [Center Contact Plating](#) = Gold over Copper

Configuration Related Features:

- [Coaxial Cable Type \(RG/U or Mfg.\)](#) = 174, 188, 316
- [Captivation Method](#) = Epoxy

Industry Standards:

- [Government/Industry Qualification](#) = No
- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- [RoHS/ELV Compliance History](#) = Always was RoHS compliant

Conditions for Usage:

- [Terminate To](#) = Coaxial Cable

Other:

- [Brand](#) = AMP