


# 1060985-1 Product Details



1060985-1



Active

## MCX (OSX) RF Connectors



[Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

### Product Highlights:

- Jack
- Body Style = Straight
- Terminate To Printed Circuit Board
- Without Panel Attachment
- Yes PCB Retention Feature

[View all Features](#) | [Find Similar Products](#)

**NEW!**

## Documentation & Additional Information

### Product Drawings:

- [OSX PRINTED WRING BOARD JACK RECEPTACLE STRAIGHT TER...](#) (PDF, English)

### Catalog Pages/Data Sheets:

- [RF COAXIAL SOLUTIONS FOR COMMUNICATIONS](#) (PDF, English)
- [MCX Connectors](#) (PDF, English)

### Product Specifications:

- None Available

### Application Specifications:

- None Available

### Instruction Sheets:

- None Available

### CAD Files:

- None Available

### Additional Information:

- [Product Line Information](#)

### Related Products:

- [Tooling](#)

[List all Documents](#)

**Product Features (Please use the Product Drawing for all design activity)**

**Product Type Features:**

- [Product Type](#) = Jack
- [Body Style](#) = Straight
- [PCB Retention Feature](#) = Yes
- Number of Mounting Legs = 4
- Gender = Receptacle
- Dielectric Material = TFE Fluorocarbon

**Mechanical Attachment:**

- [Panel Attachment](#) = Without

**Electrical Characteristics:**

- Connector Impedance (•) = 50

**Body Related Features:**

- Body Plating = Nickel
- Connector Length (mm [in]) = 8.28 [0.326]
- PCB Retention Method = Solder Tail (Pin)

**Contact Related Features:**

- Center Contact Plating = Gold
- Center Contact Material = Beryllium Copper

**Industry Standards:**

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C, Reflow solder capable to 245°C, Reflow solder capable to 260°C, Pin-in-Paste capable to 245°C, Pin-in-Paste capable to 260°C
- RoHS/ELV Compliance History = Always was RoHS compliant

**Conditions for Usage:**

- [Terminate To](#) = Printed Circuit Board

**Other:**

- Brand = AMP