

Xcelite

5" General-purpose Shearcutter with Static-dissapative Black Grips



Product Details

Catalog No.	170D
UPC Code	037103029935
Description	Diagonal
Jaw Type	Flush
Jaw Length	3/4 in.
Head Width	11/32 in.
Head Thickness	1/2 in.
Tip Dimensions	5/64 in.
Packaging	Peg Hook/Retail Packaging
Tech. Spec.	170M Specifications.pdf
Low Res. Image	170D_100.jpg
High Res. Image	170D_300.jpg
Stock Item	Normal Stock Item

Package Details (Dimensions)

Product Features:

- Low profile, general-purpose cutter
- Superior blade by-pass shear cutting action
- Better cuts with half the effort
- Greatly reduced mechanical shock delivered to the work
- Features static-dissapative black grips
- Especially hardened and plated
- Flush cuts soft wire up to 20 AWG (0.8mm)

Xcelite

5" General-purpose Shearcutter with Static-dissipative Black Grips




Individual Product	
Catalog No.	170D
UPC Code	037103029935
Quantity	1
Length (Inches)	10.1
Width (Inches)	3.4
Height (Inches)	0.8
Gross Weight (lb)	0.2
Volume (cu in)	27.472

Carton	
Catalog No.	170D
I 2 of 5 Code	20037103029939
Quantity	6
Length (Inches)	0.001
Width (Inches)	0.001
Height (Inches)	0.001
Gross Weight (lb)	1.2
Volume (cu in)	1

Catalog No.	170D
I 2 of 5 Code	20037103029939
Quantity	6
Length (Inches)	10.125
Width (Inches)	3.438
Height (Inches)	4.375
Gross Weight (lb)	1.2
Volume (cu in)	152.293

Shearcutter - General-purpose



- Low profile, general-purpose cutter
- Superior blade by-pass shear cutting action
- Better cuts with half the effort
- Greatly reduced mechanical shock delivered to the work
- 170M, 175M feature light blue grips
- 170D, 175D feature static-dissapative black grips
- 175M, 175D feature safety clips
- 170D, 175D especially hardened and plated
- Flush cuts soft wire up to 20 AWG (0.8mm)

Safety Clip


Cat No.	UPC No.	Packed	Length		A		B		C		D		Pack Wt.		Shelf Pack
			Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	lb	g	
170M	037103029959	Carded	5	127	3/4	19	11/32	9	1/2	13	5/64	2	1.5	680	6
170D	037103029935	Carded	5	127	3/4	19	11/32	9	1/2	13	5/64	2	1.5	680	6
175M	037103030023	Carded	5	127	3/4	19	11/32	9	1/2	13	5/64	2	1.5	680	6
175D	037103030009	Carded	5	127	3/4	19	11/32	9	1/2	13	5/64	2	1.5	680	6

Electronic Shearcutters and Pliers

Superior Quality and Value

- Xcelite's Shearcutter flush cutting tools require less than half the operator force of most wire and lead cutting tools and transmit proportionately less shock to the component
- As a result, they comply with MIL-STD-2000, DOD-STD-2000 and WS-6536E standards
- Grips are molded of wide, shock absorbing material for operator comfort
- Models 175 and 2178 incorporate safety clips which effectively eliminate flying leads
- However, safety glasses are still recommended when using these tools


Shear Cut



Total Operator

Force = Less Than 1/2 F

Crush Cut



Total Operator Force = F

In shearcutting, one edge acts as an anvil while the other edge shears off the lead.


Shearcutter
170/175



Heavy-Duty
Shearcutter
1178/2178



Angled
Shearcutter
75



Plier
378



Product features



Shearcutter — Light blue grips (Suffix "M")

- Advanced handle design
- Made from high quality carbon steel
- Non-glare black finish
- Superior shearing action



Static-dissipative pliers — black grips (Suffix "D")

- Advanced handle design
- Specially hardened and plated
- Non-glare black finish
- Superior shearing action



"ESD" Safe