



a vital part of your world

Find Answers:

Sunday, 23 October, 2005

CATALOG

Cross Reference

- [Competitive Products](#)
- [Military Spec P/Ns](#)
- [Tyco Brand P/Ns](#)

- [Part Number Search](#)
- [Document Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Alphabetical Search](#)
- [RoHS/ELV Compliance & Alternates](#)
- [CAD Model Search](#)
- [Brand Search](#)
- [Tool Search](#)
- [Multiple Part Comparison](#)
- [Lead Free Solutions](#)
- [Help/Glossary](#)

Home

e-bulletin newsletter  
**SUBSCRIBE NOW!**  
 click here

Relays

↳ Industrial Relays (General Purpose)

**MIDTEX 187-32B200**

[Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information

General Information	eCommerce	Related Part Information
<ul style="list-style-type: none"> <li><a href="#">General Info</a></li> <li><a href="#">Sales Info</a></li> </ul>	<ul style="list-style-type: none"> <li><a href="#">Pricing</a></li> <li><a href="#">Product Availability</a></li> </ul>	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

[Product Photo](#)

Searchable Features:

Brand:	Midtex
RoHS/ELV Compliance:	Not reviewed for ELV/RoHS compliance
Lead Free Solder Processes:	Not reviewed for lead free solder process
Series:	187
Contact Arrangement:	2 Form C, DPDT, 2 C/O
Contact Current Rating (Amps.):	20
Coil Magnetic System:	Monostable
Coil Suppression Diode:	Without
Coil Selection Criteria:	Nominal Voltage
Coil Resistance (Ω):	120
Actuating System:	DC
Coil Latching:	Without

Other Properties:

Number of Bistable Coils:	Single
Comment:	Not recommended for new design.

<b>Coil Power, Nominal (W):</b>	1.20
<b>Mounting Options:</b>	Socket
<b>Termination Type:</b>	Solder/.250 Quick Connect
<b>Input Voltage (VDC):</b>	12
<b>Enclosure:</b>	Flanged Dust Cover
<b>Relay Type:</b>	Power
<b>LED Indicator:</b>	Without
<b>Contact Material:</b>	Silver Cadmium Oxide

[Copyright and Privacy Statement](#)  
Visit [Tyco International Ltd.](#)

[ [Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Contact Us](#) | [About](#) | [Home](#) ]