


35653 Product Details



35653



[Active](#)

Splices - Closed Barrel



[Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Splice
- Not Sealed
- Splice Type = Closed End
- Insulated
- Non-Insulation Support

[View all Features](#) | [Find Similar Products](#)

NEW!

Documentation & Additional Information

Product Drawings:

- [SPLICE, WIRE, CLOSED END](#) (PDF, English)

Catalog Pages/Data Sheets:

- [CLOSED END SPLICES](#) (PDF, English)

Product Specifications:

- None Available

Application Specifications:

- [Nylon Closed End Splices](#) (PDF, English)

Instruction Sheets:

- [Closed End Splice Wire Connector Chart](#) (PDF, English)

CAD Files: ([CAD Format & Compression Information](#))

- [2D Drawing](#) (DXF, Version W1)
- [3D Model](#) (IGES, Version W1)
- [3D Model](#) (STEP, Version W1)

Additional Information:

- [Product Line Information](#)

Additional Product Images:

- [Nylon Wire Combination Chart](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Splice
- [Sealed](#) = No
- [Splice Type](#) = Closed End
- [Insulation](#) = Yes
- [Insulation Support](#) = Non-Insulation Support
- [Material](#) = Copper
- [Finish](#) = Tin
- Color = Transparent
- Comment = ECN-300V, 105° C.

Body Related Features:

- [Wire Range \(mm \[AWG\]\)](#) = 0.30-6.00² [22-10]
- [Wire Range \(CMA\)](#) = 3,248 – 13,100
- Opening Diameter [Min.] (mm [in]) = 9.53 [0.375]

Industry Standards:

- Government/Industry Qualification = No
- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Identification Marking:

- Marking = ECN

Packaging Related Features:

- [Packaging Method](#) = Loose Piece

Other:

- Brand = AMP