


61134-3 Product Details



61134-3



Active

Quick Disconnect Tabs, Tab Adapters & Tab Caps



[Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Tab
- Tab Type = Printed Circuit Board
- Tab Fit = 2.79 x 0.51 mm
- Brass Material
- Tin Finish

[View all Features](#) | [Find Similar Products](#)

NEW!

Documentation & Additional Information

Product Drawings:

- [TAB, FASTON, P.C.BOARD, .110 SERIES](#) - (PDF, English)

Catalog Pages/Data Sheets:

- [FASTON TERMINALS \(INSULATED & UNINSULATED\)](#) (PDF, English)

Product Specifications:

- None Available

Application Specifications:

- [FASTON 110, 187, 205, and 250 Series Tab Contacts fo...](#) (PDF, English)

Instruction Sheets:

- None Available

CAD Files: ([CAD Format & Compression Information](#))

- [2D Drawing](#) (DXF, Version M)
- [3D Model](#) (IGES, Version M)
- [3D Model](#) (STEP, Version M)

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Tab
- [Tab Fit \(mm \[in\]\)](#) = 2.79 x 0.51 [.110 x .020]
- [Material](#) = Brass
- [Finish](#) = Tin
- [Mount Angle](#) = Straight
- Insulation Support = Without
- [PCB Hole Diameter \(mm \[in\]\)](#) = 1.46 [0.057]
- [PCB Thickness \(mm \[in\]\)](#) = 0.81 – 2.36 [0.032 – 0.093]
- CSA Certified = Yes

Electrical Characteristics:

- [Dimple](#) = Without

Body Related Features:

- [Tab Type](#) = Printed Circuit Board
- Stud Hole = Without
- UL Rating = Recognized

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C, Reflow solder capable to 245°C, Reflow solder capable to 260°C, Pin-in-Paste capable to 245°C, Pin-in-Paste capable to 260°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Packaging Related Features:

- [Packaging Method](#) = Loose Piece

Other:

- Brand = AMP