

CFR200J100R Product Details



CFR200J100R

TE Internal Number: 1623929-2

 [Active](#)

Fixed Resistors

 [Converted to EU RoHS/ELV Compliant](#)
([Statement of Compliance](#))

Product Highlights:

- Fixed Resistor
- Resistor Type = General Purpose Resistor
- Resistance Selection = <1K Ω
- Resistance = 100 Ω
- Power Rating = 2.00 W

[View all Features](#)

[Buy Product](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none"> ● CARBON FILM FIXED RESISTORS SERIES CFR200 (PDF, English) <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> ● Ceramic Film Fixed Resistors - Type CFR Series - Tyc... (PDF, English) <p>Product Specifications:</p> <ul style="list-style-type: none"> ● None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> ● None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none"> ● None Available <p>CAD Files:</p> <ul style="list-style-type: none"> ● None Available 	<p>Additional Information:</p> <ul style="list-style-type: none"> ● Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> ● Tooling

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features:</p> <ul style="list-style-type: none"> ● Product Type = Fixed Resistor ● Resistor Type = General Purpose Resistor ● Resistance (Ω) = 100 ● Element = Carbon Film ● Termination Type = Tinned Copper Leads <p>Electrical Characteristics:</p> <ul style="list-style-type: none"> ● Resistance Selection (Ω) = <1K ● Power Rating (W) = 2.00 ● Tolerance (%) = 5 ● Package Type = Ammo Packed <p>Body Related Features:</p> <ul style="list-style-type: none"> ● Series = CFR200 ● Mount Style = Axial Leaded ● Package, Component Size = 16.8 x 5.7 	<p>Industry Standards:</p> <ul style="list-style-type: none"> ● RoHS/ELV Compliance = RoHS compliant, ELV compliant ● Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C ● RoHS/ELV Compliance History = Converted to comply with RoHS directive <p>Conditions for Usage:</p> <ul style="list-style-type: none"> ● Temperature Coefficient (ppm/°C) = -100 to -500 <p>Operation/Application:</p> <ul style="list-style-type: none"> ● Application = Various <p>Other:</p> <ul style="list-style-type: none"> ● Brand = Neohm