


# CWT-7-W122-5 Product Details



CWT-7-W122-5

TE Part Number: 764619-000



## Shield Terminators

[Not EU RoHS or ELV Compliant](#)

### Product Highlights:

- Sealing = Splash Resistant
- Cable Temperature Rating = 85 °C
- Jacket Outer Diameter = 7.00 mm
- Shield O.D. (Min.) = 3.70 mm
- With Preinstalled Lead

[View all Features](#) | [Find Similar Products](#)

## Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)
- [Request Samples](#)

**NEW!**

## Documentation & Additional Information

### Product Drawings:

- [SolderSleeve Terminator with Pre-installed Lead](#) (PDF, English)

### Catalog Pages/Data Sheets:

- [Wire and Cable, Harnessing and Protection Products](#) (PDF, English)

### Product Specifications:

- None Available

### Application Specifications:

- None Available

### Instruction Sheets:

- None Available

### CAD Files:

- None Available

### Additional Information:

- [Product Line Information](#)

### Related Products:

- [Tooling](#)

[List all Documents](#)

**Product Features (Please use the Product Drawing for all design activity)**

**Mechanical Attachment:**

- Inside Diameter (mm [in]) = 6.80 [0.270]

**Body Related Features:**

- [Jacket Outer Diameter \(mm \[in\]\)](#) = 7.00 [0.275]
- Preinstalled Lead Plating = Tin

**Housing Related Features:**

- [Sealing](#) = Splash Resistant
- [Shield O.D. \(Min.\) \(mm \[in\]\)](#) = 3.70 [0.145]
- [Preinstalled Lead](#) = With
- Preinstalled Lead Wire Size (mm<sup>2</sup> [AWG]) = 0.38 [22]
- MIL or NAS Specification (MIL-S-83519) (NAS 1747) = No
- Preinstalled Lead Type = XL Polyethylene
- Preinstalled Lead Stranding = Stranded
- Preinstalled Lead Color = Green
- Length (Max.) (mm [in]) = 32.50 [1.280]

**Configuration Related Features:**

- Temperature Indication System = Without

**Industry Standards:**

- [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process

**Conditions for Usage:**

- [Cable Temperature Rating \(°C\)](#) = 85
- Operating Temperature (Max.) (°C) = 125

**Other:**

- Brand = Raychem