



Electronics

a vital part of your world

Find Answers:

Thursday, 10 November, 2005

CATALOG

Cross Reference

- [Competitive Products](#)
- [Military Spec P/Ns](#)
- [Tyco Brand P/Ns](#)

- [Part Number Search](#)
- [Document Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Alphabetical Search](#)
- [RoHS/ELV Compliance & Alternates](#)
- [CAD Model Search](#)
- [Brand Search](#)
- [Tool Search](#)
- [Multiple Part Comparison](#)
- [Lead Free Solutions](#)
- [Help/Glossary](#)

Home

e-bulletin newsletter
SUBSCRIBE NOW!
 click here

Relays

Control Relays

AGASTAT

GPI

Active

[Not ELV or RoHS Compliant](#)

(Corporate P/N: 1423156-1)

[Search for Compliant \(RoHS/ELV\)](#)

[Alternates](#)

[Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
<ul style="list-style-type: none"> General Info Sales Info 	<ul style="list-style-type: none"> Pricing & Availability 	<ul style="list-style-type: none"> Tooling

Searchable Features:	
Brand:	Agastat
RoHS/ELV Compliance:	Not ELV/RoHS compliant
Lead Free Solder Processes:	Not relevant for lead free process
Series:	GP
Product Type:	Power
Actuating System:	AC
Input Voltage (VAC):	120
Contact Arrangement:	1 Form C, SPDT, 1 C/O
Contact Rating:	10A Resistive @ 220 VAC/48 VDC
Temperature Range (°C):	0 – 60
Approved Standards:	CSA Certified, UL Listed

Other Properties:	
Approx. Dimensions (L x W x H) (mm [in]):	45.00 x 45.00 x 109.00 [1.773 x 1.773 x 4.294]
Mounting Options:	Socket
Termination Type:	16 Flat Base Pins

[Copyright and Privacy Statement](#)
Visit [Tyco International Ltd.](#)

[[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Contact Us](#) | [About](#) | [Home](#)]

