

RN73C2A6K04BTG Product Details



RN73C2A6K04BTG

TE Internal Number: 1676413-1

 [Active](#)

Fixed Resistors

 [Converted to EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Fixed Resistor
- Resistor Type = Precision Resistor
- Resistance Selection = K Ω
- Resistance = 6.04K Ω
- Power Rating = .10 W

[View all Features](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)

[Request Sample](#)

[Find Similar Products](#)

[Buy Product](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none">• None Available <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none">• High Precision Resistors (SMD) - Type RN73 Series - ... (PDF, English) <p>Product Specifications:</p> <ul style="list-style-type: none">• None Available <p>Application Specifications:</p> <ul style="list-style-type: none">• None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none">• None Available <p>CAD Files:</p> <ul style="list-style-type: none">• None Available <p>List all Documents</p>	<p>Additional Information:</p> <ul style="list-style-type: none">• Product Line Information <p>Related Products:</p> <ul style="list-style-type: none">• Tooling
Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features:</p> <ul style="list-style-type: none">• Product Type = Fixed Resistor• Resistor Type = Precision Resistor• Resistance (Ω) = 6.04K• Element = Thin Film• Termination Type = Solder <p>Electrical Characteristics:</p> <ul style="list-style-type: none">• Resistance Selection (Ω) = K• Power Rating (W) = 0.10• Tolerance (%) = 0.1• Package Type = Cut Tape Length <p>Body Related Features:</p> <ul style="list-style-type: none">• Series = RN73• Mount Style = Surface Mount• Packaging Style = 0805• Package, Component Size = 2.1 x 1.3	<p>Industry Standards:</p> <ul style="list-style-type: none">• RoHS/ELV Compliance = RoHS compliant, ELV compliant• Lead Free Solder Processes = Reflow solder capable to 245°C, Reflow solder capable to 260°C• RoHS/ELV Compliance History = Converted to comply with RoHS directive <p>Conditions for Usage:</p> <ul style="list-style-type: none">• Temperature Coefficient (ppm/°C) = ± 10 <p>Operation/Application:</p> <ul style="list-style-type: none">• Application = Precision <p>Other:</p> <ul style="list-style-type: none">• Brand = Holsworthy