

W28-XQ1A-0.75

TE Internal Number: 2-1393250-2



Thermal Circuit Breakers



Converted to EU RoHS but not ELV Compliant (Statement of Compliance)

Product Highlights:

- W28 Series
 Number of Poles = 1
 Actuator Style = Push to Reset
 Current Rating = 0.75 Amps.
 Button Color = Black

View all Features | Find Similar Products

Documentation & Additional Information

Product Drawings: None Available

Catalog Pages/Data Sheets:

■ W28 Push to Reset Fuseholder-Type Thermal Circuit Br... (PDF, English)

Product Specifications:

Application Specifications:

Instruction Sheets:

CAD Files: (CAD Format & Compression Information) ■ 2D Drawing (DXF, Version P00D)

- <u>3D Model</u> (IGES, Version P00D)
- 3D Model (STEP, Version P00D)

Additional Information:

• Product Line Information

Additional Product I mages: • Schematic

- Panel Cutout

Related Products: • Tooling

List all Documents

Product Features (Please use the Product Drawing for all design activity)

- Product Type Features:

 Actuator Style = Push to Reset
 - Button Color = Black
 - <u>Termination Type</u> = 6.35 [.250] Straight Quick Connect Tab
 - Panel Thickness (mm [in]) = 0.81 1.57 [0.032 0.062]
 - Circuit Breaker Style = Fuseholder Type

Electrical Characteristics:

- <u>Current Rating (Amps.)</u> = 0.75
- Operating Voltage, Max. = 32 VDC, 250 VAC

Body Related Features:

Contact Related Features:

- Number of Poles = 1
- Bezel Color = Black with White Rate Marking
- Trip Time at 200% = 4.5 to 28 Seconds Interrupt Capacity = 1,000 A @ 32 VDC or 250 VAC
- Mounting Options = Snap-In Panel Mount Mounting Bushing = None
- Approved Standards = UL Recognized, SEV Approved, VDE Approved, Demko Approved, CSA Certified

Configuration Related Features:

<u>Circuit Function</u> = Series Trip

Industry Standards:

- RoHS/ELV Compliance = RoHS/Not ELV Compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Converted to comply with RoHS not ELV directives

Other:

• Brand = Potter & Brumfield